INTERIOR FURNISHING WORKS FOR CHAMAN VIHAR BRANCH, DEHRADUN S. No. Description Unit Qty. Rate (Rs.) Amount (Rs.) A. INTERIOR & FURNISHING WORKS

Note:- The rates quoted by the Contractor are inclusive of all duties and taxes of all government, municipal or any other statutory bodies as applicable from time to time except GST which shall be extra. Also, the quoted rates are applicable for works both at day and night (if needed) and shall include **working at all heights** and levels as per site condition and all/ any liasoning required with local authority for smooth execution of works. Nothing extra shall be payable in this regard.

l.	PARTITIONS AND PANELLING:-			
.1	Full Height Partition: Providing and fixing in position full height partition in framework of 600 X 600 mm grid (horizontally and vertically) comprising of 50 mm X 50 mm Aluminium Sections (1.5 mm thick) with minimum 8 mm thick BWP Ply (IS: 710) on both sides finished with 1 mm thick high gloss/ equivalent laminate of approved make including making 2-3 mm wide grooves in laminate finished with matching colour melamine polish/ sealant fillar as/ Architect. Item to include 65 X 65 mm teakwood member for door frame and additional framework and teakwood beading/ SS brackets required for providing glazing. All exposed teakwood surfaces and the like to be finished in duco paint of matching laminate colour including all necessary fittings and SS hardware of make hettich/ hafele/dorma. The rate to include provision of extra frame work as necessary for skirting and making cut-outs for electrical switches, switch boxes, conduiting, door/ glazing as per drawings.	33.00	4200.00	138600.00
	Note:- a) In case of false ceiling, the vertical Aluminium members to be fixed to RCC ceiling but the area of partition payable will be below the false ceiling only. b) Measurement of height shall be taken from finished floor only, in case of varying heights on either side of partition, average height shall be considered. c) Openings/ door/glass shall not be measured for payment and shall be measured and paid under seprate relevant item.			
.2	Low Height Partition: Providing and fixing in position solid low height partition upto height of 1200 mm in framework including door in 600 X 600 mm grid (horizontally and vertically) comprising of 50 mm X 50 mm Aluminium Sections (1.5 mm thick) with minimum 8 mm thick BWP Ply (IS: 710) on both sides finished with 1 mm thick high gloss laminate of approved make including making 2-3 mm grooves in laminate finished with matching color polish/ seleant fillar as/Architect. Top of the partition(edge) is finished with 15X75 mm thick teakwood member over 4 mm thick base ply finished with Duco paint matching with laminate including all necessary fittings and SS hardware of make Hettich/ Haffele/ Dorma and grooves as/ Architect. The rate to include provision of 8 mm clear float glass and extra frame work as necessary for glazing, skirting and making cut-outs for electrical switches, switch boxes, conduiting as per drawings.	19.00	4200.00	79800.00
	Note:- a) Measurement of height shall be taken from finished floor only, in case of varying heights on either side of partition, average height shall be considered. b) Openings/ door/ glass shall not be measured for payment and shall to measured and paid under seprate relevant item. c) Contractor to use proper masking tapes while polishing grooves etc. to prevent any damage to laminate.			

1.3	Wall Panelling: Providing and fixing in position wall panelling in 600 X 600 mm grid (horizontally and vertically) comprising of 25 mm X 50		225.00	2700.00	607500.00
	mm Aluminium Sections (1.5 mm thick) with minimum 12 mm thick BWP Ply (IS: 710) finished with 1 mm thick high gloss laminate of approved make including making 2-3 mm grooves in laminate finished with matching colour melamine polish/ sealant filler as/Architect. The rate to include for provision of extra frame work as necessary for skirting and making cut-outs for electrical switches, switch boxes, conduiting, receiving A.C.'s etc. as per drawings. All exposed teakwood surfaces and the like to be finished in melamine polish of matching laminate colour or as directed.				
	Note:- Incase of wall not being true to plumb extra shims of aluminium section shall be provided. Nothing extra shall be payable in this regard.				
	Note:- a) In case of false ceiling, area of panelling payable will be below the false ceiling only. b) Measurement of height shall be taken from finished floor only, in case of varying heights on either side of panelling, average height shall be considered. c) Openings/ door/glass shall not be measured for payment and shall to measured and paid under seprate relevant item.				
1.4	Extra for panelling/ partition to be finished with 4 mm thick laquered glass (instead of laminate) with adhesive of approved brand and manufacture all complete as per the directions of Architect/ Bank's Engineer		15.00	4000.00	60000.00
1.5	Extra for panelling/ partition to be finished with digitally printed 6 mm thick extra clear glass (instead of laminate). The design theme shall be approved by Architect/ Bank's Engineer. Note:- Nothing extra shall be payable as designing/ image charges.		4.00	4800.00	19200.00
1.6	Extra for 18 mm HDHMR fluted panel finished with 2 coats of duco Paint (instead of laminate) on one side of partition in required colours of make GLO or approved equivalent over existing Base on ceiling and wall, including cost of labour, materials, accessories, adhesives, scaffolding, wastages, transportation, taxes, etc. all complete as per drawing and instructions of Architect/ Bank's Engineer. (Basic Price of the Board is 175/ sqft.) *The basic rate of item shall include cost of supplied item inclusive of cartage, all applicable taxes except GST to be supported by Tax Invoice.		10.00	2400.00	24000.00
1.7	Extra for 4 mm thick Charcoal Panel (instead of laminate) of makeTrend/ GLO/ Euro Pratik or approved equivalent make pasted on panelling/ partition with adhesive/ as specified by manufacturer all complete as per the directions of Architect/ Bank's Engineer. (Basic Price* of the sheet is 175/ sqft.) *The basic rate of item shall include cost of supplied item inclusive of cartage, all applicable taxes except GST to be supported by Tax Invoice.		10.00	2400.00	24000.00
1.8	Extra for level difference in panelling by using suitably required heavy duty 25 mm X 50 mm aluminium Sections (Level difference upto 200 mm). Note:- Only area where level difference is created shall be measured for payment).		20.00	700.00	14000.00
1.9	Providing and fixing glazed door and fixed glazing (full/ low height glass partition) with 12 mm thick toughened glass of approved make with all SS patch fittings (Hettich/ Haffele/ Dorma) and frosting as per drawing. Item to include floor springs, lock, 600 mm long D- handles and other necessary hardware of Stainless Steel of make Hettich/ Haffele/ Dorma all complete as per the directions of Architect/ Bank's Engineer.				
1.9.1	Fixed Glazing	Sqm	30.00	3500.00	105000.00

1.9.2	Openable door	Sqm	7.00	7000.00	49000.00
II. 2.1	STORAGE:- Providing and fixing low / full height storage (upto 2400 mm high) and 450 mm deep (overall) as shown in details/ drawing with all sides & shelves to be 18 mm thick BWP Ply (IS:710) with 6 mm thick BWP ply (IS:710) to be fixed at the back. The top shall be finished with 1 mm thick laminate over 18 mm thick BWP ply (IS:710) all complete. The shutters to be 18 mm thick BWP Ply (IS:710) with 1 mm thick laminate of existing shade/ 'UGM' Frosty White/ Teak finished laminate as/ approval of approved make on all exposed outside surfaces (except back and bottom which shall be painted with enamel paint) and 0.7 mm thick laminate on all the inside surfaces. The sides/ bottom of the drawer shall be made out of 12 mm thick BWP ply (IS:710) and finished 0.8 mm thick PVC edge banding. All other edges/ shutters to be finished with 0.8 mm thick PVC edge banding all complete including S.S. long handles, magnetic catchers, self closing hinges of Hettich/ Hafele/Ebco /equivalent approved make etc.		5.00	7500.00	37500.00
244	The item shall include melamine polishing to the teakwood surfaces to match with specified laminate and outside surfaces to be finished in laminate all complete to the satisfaction of Architect/ Bank's Engineer Note:- Front elevation shall be measured for payment.		1.00	2000 00	2000 00
2.1.1	Same as above but side storage of size 1050 mm (L) X 450 mm (B) X 750 mm (H) and having minimum two drawers with telescopic channel of approved make as per drawings.		1.00	8000.00	8000.00
2.1.2	Same as above but side storage of size 900 mm (L) X 450 mm (B) X 750 mm (H) and having minimum two drawers with telescopic channel of approved make as per drawings.		3.00	7500.00	22500.00
2.1.3	Same as above (storage item) but for over head storage with depth of storage as 300 mm.	Sqm	2.00	6500.00	13000.00
2.1.4	Same as above (storage item) but for under counter storage with depth of storage as 600 mm.	Sqm	2.00	7000.00	14000.00
III.	DOORS :-				
	Solid Flush Door: Providing and fixing 30 mm thick flush door with 10 mm thick teakwood lipping on all sides finished in 1 mm thick laminate 'UGM' Frosty White/ Bleached Teak in approved make on both sides with all necessary hardware including, SS stopper, Mortise lock with handle in SS finish, door closer, SS heavy duty butt hinges etc. of make Dorma/ Hettich/ Hafele all complete as per directions of Architect/ Bank's engineer.		6.00	4000.00	24000.00
3.1.1	same as above but flush door will be provided by Landlord/ Bank (Existing)	Sqm	12.00	3000.00	36000.00
3.2	Solid Flush Door with Vision Panel: Providing and fixing 30 mm thick flush door with 10 mm thick teakwood lipping on all sides finished in 1 mm thick laminate 'UGM' Frosty White/ Bleached Teak in approved make on both sides with all necessary hardware including SS stopper, Mortise lock with handle in SS finish, door closer, SS heavy duty butt hinges etc. of make Dorma/ Hettich/ Hafele all complete as per directions of Architect/ Bank's engineer. Item to be include 175 X 1500 mm vision panel (5.5 mm float glass) in door including fixing etc. all complete.		2.00	4250.00	8500.00

3.3	Electrical Panel Cabinet Shutter with louvres door (450 mm deep): Providing and fixing 18 mm thick BWP Ply (IS:710) cladded with 12 mm thick bison board on the inside and finished in 1 mm thick laminate 'UGM' Frosty White/ Alberta Maple in approved make on front facia and painted with fire retardant paint on the inside with all necessary hardware including SS door handle, lock, Magnetic cather, self close hinges etc. of make Dorma/ Hettich/ Hafele/ Ozone etc. all complete as per directions of Architect/ Bank. All edges of the shutters to be finished with 0.8 mm thick PVC edge Banding matching with laminate on all sides.The item to include providing SS Jaali (300X100X1.5 mm) in the each shutter.	5.00	5000.00	25000.00
L				
IV.	CEILING AND FINISHING WORKS:-	110.00	050.00	100000
4.1	Providing and fixing at all height false ceiling and making coves including providing and fixing of framework made of special sections power pressed from M.S. sheet and galvanised in accordance with zinc coating of grade 350 as per IS: 277 and consisting of angle cleats. The perimeter of ceiling fixed to wall/ partition with the help of rawl plugs at 450 mm centre to centre with 25 mm long drive-all screws @ 230 mm interval including jointing and fixing to a flush finish of tapered and square edges of the board with recommended filler, jointing tapes, finisher and one coat of primer suitable for board as per manufactures specification and also including the cost of making openings for light fittings, grills, diffusers, cut-outs made with frame of perimeter channels suitably fixed all complete as per drawing and specification and direction of Architect/ Bank's Engineer with: 12.5 mm thick tapered edge gypsum board conforming to IS:2095- Part-I of India Gypsum/ BORAL/ approved make for both framework and the board.	140.00	950.00	133000.00
	Item to include painting with plastic emulsion paint with 'Velvet Touch' of approved brand and manufacture to give an even shade: Two or more coats on new work with rollers/ spray of make Asian/Berger/ Dulux paint. Note:- Suspending system and frame work shall match layout of Electrical/ fire protection wiring/ fixtures etc. Rate to include provision of extra frame work peeded due to above and to			
	include provision of extra frame work needed due to above and to include necessary scaffolding etc. all complete. (height of slab is approx15')			
4.2	Providing and fixing false ceiling with mineral fibre acoustic ceiling tiles of Armstrong/ USG/ Boral with MICROLOOK edges and having noise reduction properties laid on exposed grid system with 15 mm wide silhouette type T-section flanges of white colour, main runners spaced at 1200 mm c/c securely fixed to the soffit of structure with approved hangers at 1200 mm maximum c/c. Flush fitting 1200 mm crossed tees to be interlocked between main runners at 600 mm c/c to form 1200 x 600 modules. 1200 mm cross tees to be crimped. 600 x 600 module to be formed by fixing 600 mm long flush fitting cross tees centrally between the 1200 cross tees. Ceiling tiles of dune premier of size 600 x 600 x 15 mm (thk.) to be placed in the grid. Note:- Rate to include making necessary cut-outs or openings for light fixtures, air conditioners and other utilities etc. complete to the	25.00	1850.00	46250.00
	satisfaction of Architect/ Bank's Engineer.			
4.3	Providing and applying Birla putty over plastered surface to prepare the surface even and smooth all complete as per the directions of Architect/ Bank's Engineer.	200.00	55.00	11000.00
_				

4.4	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: Two or more coats on new work	200.00	140.00	28000.00
	with rollers/ spray of make Asian/ Berger/ Dulux paint all complete as per the directions of Architect/ Bank's Engineer.			
V.	COUNTERS AND TABLES:-			
5.1	Providing and fixing in position Single Window (1500 X 750 mm wide along with side storage 900 X 750 mm with 1 mm thick laminate 'UGM' Frosty White/ Bleached Teak of make Archidlam/ equivalent shade in approved make comprising of the following complete in all respects (REFER DRAWING):	2.00	45000.00	90000.00
(i)	Work top to be made with 6 mm solid acrylic surface pasted over 18 mm thick BWP Ply (IS : 710) including polishing, edge moulding etc. all complete. Inside portion of the blockboard shall be finished with 0.8 mm thick laminate all complete as per Architect.			
(ii)	Horizontal drop box (apron) to be made with 18 mm thick BWP Ply (IS :710) and finished with 6 mm solid acrylic surface including polishing, edge moulding etc. all complete on all exposed facia as per Architect (height is approx 400 mm)			
(iii)	Horizontal facia shall be finished with Blue laquered glass (as/approval) pasted with adhesive etc. as required all complete as per the directions of Architect/ Bank's Engineer. (height = 400 mm)			
(iv)	Vertical supports made with 18 mm thick BWP Ply (IS :710) finished with 1 mm thick laminate on all exposed facia as per Architect.			
(v)	Telescopic CPU stand/ CPU trolley with lockable wheels and readymade MS/ wooden keyboard tray shall be provided of approved model and make.			
(vi)	Providing and fixing low height side storage (750 mm high) and 450 mm deep as shown in details/ drawing with all sides, shelves, drawer facia etc. to be 18 mm thick BWP Ply (IS: 710) with 6 mm thick BWP plywood to be fixed at the back. The shutters to be 18 mm thick BWP Ply with 1 mm laminate on all exposed outside surfaces and 0.8 mm thick laminate on all the inside surfaces. All edges/ shutters to be finished with 0.8 mm thick PVC Edge banding all complete including S.S. long handles, magnetic catchers, self closing hinges of Hettich/ Haffele and Godrej multi-pupose locks etc. Inside surfaces to be finished with laminate all complete to the satisfaction of Architect/ Engineer-in-charge. The top shall be finished with 6 mm solid acrylic surface pasted over 19 mm thick blockboard including polishing, edge moulding etc. all complete.			
(vii)	The item to include all necessary hardware and fittings in SS finish, providing SS finish wire manager etc. Necessary SS D-brackets required for fixing the glass are to be provided.			
(viii)	The item to include drawer unit (comprising of 3 Nos. of drawers upto 400 mm wide) with cash seprator in the table.			
5.2	Providing and fixing in position Branch Head Table 1800 X 900 mm wide with 1 mm thick laminate 'UGM' Frosty White/ Bleached Teak of make Sunmica/ equivalent in approved make comprising of the following complete in all respects (REFER DRAWING):	1.00	25000.00	25000.00
i)	Work top to be made with 18 mm thick BWP Ply (IS :710) all complete Inside facia of the blockboard shall be finished with 0.8 mm thick laminate.			

ii)	Vertical facia (apron) to be made with 18 mm thick Ply (IS:710) and finished with 1 mm thick laminate on all exposed facia with grooves as per Architect. The grooves to be finished with melamine polish all complete. Note:- Contractor to use masking tapes etc. to prevent any polishing from affecting the laminate.				
iii)	Vertical drop box (horizontal box) shall be provided on the facia with 18 mm thick BWP Ply (IS :710) finished with 1 mm thick laminate on all sides all complete as per Architect's directions.				
iv)	Vertical supports made with 18 mm thick BWP Ply (IS :710) finished with 1 mm thick laminate on all exposed facia as per Architect's directions.				
v)	Telescopic CPU stand and readymade keyboard tray shall be provided of approved model and make.				
vi)	Boxing as per drawing made with 12 mm thick BWP plywood (IS :710) finished with synthetic enamel paint shall be provided below the table top for electrical conduiting and at the bottom for the LAN cabling/telephone wire conduiting.				
vii)	The item to include all necessary hardware and fittings in SS finish, MATCHING PVC Edge banding to all edges, providing SS wire manager etc. Necessary SS D-brackets required for fixing the glass are to be provided. All inside edges are finished with 0.7 mm laminate as/approval. Note:- Contractor to use masking tapes etc. to prevent any polishing from affecting the laminate.				
(viii)	The item to include drawer unit (comprising of 3 Nos. of drawers upto 400 mm wide) in table and Footrest 75x50mm made of 2nd class teakwood member to be fixed in table finished with enamel paint.				
5.2.1	Same as above but for officer table of size 1500x750 mm	Nos.	3.00	16000.00	48000.00
5.3	Providing and placing Center table for customer waiting area of size 900x600 mm made of 18 mm thick Ply (IS :710) and finished with 1 mm thick laminate in approved make on all exposed surfaces all complete as per drawings. The table shall have 10 mm thick toughened glass top with 4" high SS spacers and maximum height of table to be 450 mm.all complete as per direction of Architect/Engineer-in-charge.		2.00	6500.00	13000.00
5.4	Providing and placing Side table for customer waiting area of size 400 X 400 mm made of 18 mm thick BWP Ply (IS :710) and finished with 1 mm thick laminate in approved make on all exposed surfaces all complete as per drawings. The table shall have 10 mm thick toughened glass top with SS spacers and maximum height of table to be 450 mm. all complete as per direction of Architect/Engineer-incharge.		2.00	4500.00	9000.00
5.5	Providing and placing 1500 X 350 mm Writing Ledge with cheque drop box made of 18 mm thick BWP Ply (IS: 710) and finished with 1 mm thick laminate 'UGM' Frosty White/ Yellow/blue make Formica/ equivalent shade in approved make on all exposed surfaces all complete as per drawings. The table shall have 8 mm thick toughened glass top and maximum height of table to be 350 mm, all complete as per Architect/ Engineer-in-charge.		1.00	8000.00	8000.00
5.5.1	Same as but size of ledge is 900 x 300 mm	Nos.	1.00	5000.00	5000.00

	Providing and placing 600 X 1200 mm Mirror (fixed on 12 mm thk. ply back) for Dressing Table having 65 mm border all around the mirror with 200 mm wide double board shelf made with 19 mm thk. Block board and finished with 1 mm thick laminate 'UGM' Frosty White/Yellow/blue make Formica/ equivalent shade in approved make on all exposed surfaces all complete as per drawings.		1.00	5000.00	5000.00
	Providing and placing 450 mm dia. stool for locker room dressing with PU foam base finished with leatherite & having stainless steel legs, complete as per direction of architect/ Banks engineer.	Nos.	1.00	2500.00	2500.00
VI.	MISCELLANEOUS:-				
6.1	Providing and fixing of 10 mm wide 10 mm thk. laser cut acrylic letters & brand logo. Lettering in acrylic sheet in white color and logo as per our Brand color of required size and shape including fixing with adhesive, all as per approved architectural drawing etc. all complete as per direction of Engineer-in-charge.	square inch	550.00	40.00	22000.00
6.2	Providing and fixing high quality polyster based 3M Glass Deco film (lazer cut) in graphic pattern including labour, wastages etc. all complete as per instructions of Architect/ Bank's Engineer.	Sqm	15.00	900.00	13500.00
6.3	Providing and fixing in position (in wall as well as in ceiling) wooden slats of section '50 mm X 125' mm made with 19 mm thick blockboard finished with 1 mm thick laminate / approved make including grooves as/ Architect, all complete as per direction of Engineer-in-charge/ Architect and drawings.		15.00	850.00	12750.00
	Supply & fixing of Aluminium Composite Panel (ACP), 3 mm thick in required colours for exteriors consisting of two layers of aluminium skins of 0.5 mm thick sandwiching a thermo plastic core in continuous lamination process with PVDF coating for exterior grades ensuring long colour and no fungal attacks of make Alukobond/ Eurobond or approved equivalent. Base frame work with aluminium sections shall be fixed over finished plaster and the above aluminium panels shall be fixed to the frame work as cladding including cost of labour, materials, accessories, adhesives, scaffolding, wastages, transportation, taxes, fixing in to a neat finish with FOLDING SYSTEM and without any undulations in facias all complete as per drawing and instructions of Architect / Bank's Engineer.		24.00	2800.00	67200.00
	Providing and fixing Brushed Steel finished Night Latch (opening as/ site) of make: Godrej or approved equivalent, all complete as per the directions of Architect/ Bank's Engineer.		1.00	2500.00	2500.00
	Supplying and fixing of Artwork (Base cost- 3000/- excluding cartage and all other taxes etc. which shall be borne by the contractor) all complete as per the directions of Architect/ Bank's Engineer.		2.00	5000.00	10000.00
6.7	Providing and placing FRP planter (as/approval) of size as mentioned all complete with Natural plants (Raphis or Areca Palm) of height +600 mm as per selection suitable for the planter:				
а	Upto 600 mm high and width/dia. upto 400 mm	Nos.	5.00	3000.00	15000.00
	TOTAL OF INTI	ERIOR &	FURNISHI	NG WORKS	1876300.00

INTERIOR, FURNISHING WORKS FOR CHAMAN VIHAR BRANCH, DEHRADUN

DETAILS OF MEASUREMENTS

S. No.	Nos	Length	Width	Height	Unit
		(ft)	(ft)	(ft)	

PART A - Interior & Furnishing Work

I. PARTITIONS AND PANELLING

1.1	Solid Full Height Partition								
а	ВМ	1	Χ	9.30	Х	9.50	=	88.35	Sqft.
b	Safe	1	Χ	1.25	X	9.50	=	11.88	Sqft.
		1	Χ	10.50	X	9.50	=	99.75	Sqft.
С	doors (-)	1	Χ	3.00	X	7.00	=	-21.00	Sqft.
						Tota	I =	178.98	Sqft.
							=	16.73	Sqm.
						Say	/ = <mark> </mark>	17.00	Sqm.
1.2	Solid Low Height Partition								
а	S.W.O. Counter	3	Χ	6.00	X	4.50	=	81.00	Sqft.
		1	Χ	8.00	X	4.50	=	36.00	Sqft.
		2	Χ	1.50	X	4.50	=	13.50	Sqft.
		1	Χ	1.90	X	4.50	=	8.55	Sqft.
		1	Χ	2.50	X	4.50	=	11.25	Sqft.
b	bm	1	Χ	7.84	X	4.00	=	31.36	Sqft.
С	officer	1	Χ	5.25	X	4.00	=	21.00	Sqft.
				Total	I Solid Low Hei	ght Partition) =	202.66	Sqft.
							=	18.83	Sqm.
						Say	/ =	19.00	Sqm.

1.3	Wall Panelling with laminate								
а	Banking hall start from right wall	1	Χ	1.66	X	9.50	=	15.77	Sqft.
		1	Χ	24.00	Х	9.50	=	228.00	Sqft.
		1	Χ	12.20	Х	9.50	=	115.90	Sqft.
		1	Χ	26.10	X	9.50	=	247.95	Sqft.
		1	Χ	1.25	X	9.50	=	11.88	Sqft.
		1	Χ	1.66	X	9.50	=	15.77	Sqft.
		1	Χ	8.41	X	9.50	=	79.90	Sqft.
b	passage	2	Χ	16.75	X	9.50	=	318.25	Sqft.
		2	Χ	52.84	X	9.50	=	1003.96	Sqft.
		1	Χ	5.75	X	9.50	=	54.62	Sqft.
		2	Χ	8.30	X	9.50	=	157.70	Sqft.
		1	Χ	10.00	X	9.50	=	95.00	Sqft.
С	columns	2	Χ	1.66	X	9.50	=	31.54	Sqft.
		2	Χ	2.58	X	9.50	=	49.02	Sqft.
		6	Χ	1.84	Х	9.50	=	104.88	Sqft.
		5	Χ	0.84	X	9.50	=	39.90	Sqft.
d	jambs of entrance	1	Χ	10.00	X	0.50	=	5.00	Sqft.
		2	Χ	8.00	X	0.50	=	8.00	Sqft.
е	Door (-)	-1	Χ	10.00	Х	8.00	=	-80.00	Sqft.
		-1	Χ	3.50	Х	7.00	=	-24.50	Sqft.
		-1	Χ	3.00	X	7.00	=	-21.00	Sqft.
е	panel cabinet (-)	-1	Χ	5.00	Х	9.00	=	-45.00	Sqft.
					Total Wall	Panelling	=	2412.54	Sqft.
							=	224.21	Sqm.
						Say	=	225.00	Sqm.
1.4	Partition with Digital printing								
1.4 a	Partition with Digital printing back of SWC	1	X	6.60	X	5.00	=	33.00	Sqft.
		1	X	6.60	X Total Wall		=	33.00 33.00	Sqft.
		1	X	6.60					
		1	X	6.60			=	33.00	Sqft.
		1	X	6.60		Panelling	=	33.00 3.07	Sqft. Sqm.
а		1	X	6.60		Panelling	=	33.00 3.07	Sqft. Sqm.
а	back of SWC	3	X	6.60 2.58		Panelling	=	33.00 3.07	Sqft. Sqm. Sqm.
a 1.5	back of SWC Panelling with lacqured glass			2.58	Total Wall	Panelling Say	= = =	33.00 3.07 4.00	Sqft. Sqm. Sqm.
a 1.5	back of SWC Panelling with lacqured glass	3	X		Total Wall	Panelling Say	= = =	33.00 3.07 4.00	Sqft. Sqm. Sqm. Sqft. Sqft.
а 1.5 а	Panelling with lacqured glass columns	3 2	X X	2.58 1.66	Total Wall X X X	9.50 9.50 9.50	= = = = = =	33.00 3.07 4.00 73.53 31.54 47.50	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft.
а 1.5 а	Panelling with lacqured glass columns	3 2	X X	2.58 1.66	Total Wall X X	9.50 9.50 9.50	= = = = = =	33.00 3.07 4.00 73.53 31.54	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft.
а 1.5 а	Panelling with lacqured glass columns	3 2	X X	2.58 1.66	Total Wall X X X	9.50 9.50 9.50 Panelling	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft.
а 1.5 а	Panelling with lacqured glass columns	3 2	X X	2.58 1.66	Total Wall X X X	9.50 9.50 9.50	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra	3 2 1	X X X	2.58 1.66 5.00	Total Wall X X X	9.50 9.50 9.50 Panelling	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov	3 2 1	X X X	2.58 1.66 5.00	X X X Total Wall	9.50 9.50 9.50 Panelling	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqm. Sqm.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov Entrance	3 2 1	X X X	2.58 1.66 5.00 Partitions 10.00	X X X Total Wall	9.50 9.50 9.50 Panelling Say	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqm.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov	3 2 1 1 v He 1 3	X X X	2.58 1.66 5.00 Partitions 10.00 1.00	X X X Total Wall	9.50 9.50 9.50 9.50 Panelling Say	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft. Sqm. Sqm.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov Entrance	3 2 1 1 3 3 3	X X X	2.58 1.66 5.00 Partitions 10.00 1.00 5.00	X X X Total Wall	9.50 9.50 9.50 Panelling Say	= = = = = = = = = = = = = = = = = = = =	33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00 80.00 12.00 22.50	Sqft. Sqm. Sqft. Sqft. Sqft. Sqft. Sqft. Sqft. Sqm.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov Entrance SWO	3 2 1 1 3 3 3 1	X X X ight X X X	2.58 1.66 5.00 Partitions 10.00 1.00 5.00 10.75	X X X Total Wall	9.50 9.50 9.50 Panelling Say 8.00 4.00 1.50 1.00		33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00 80.00 12.00 22.50 10.75	Sqft. Sqm. Sqft.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov Entrance	3 2 1 1 3 3 1 1 1	X X X ight X X X X	2.58 1.66 5.00 Partitions 10.00 1.00 5.00 10.75 9.20	X X X Total Wall	9.50 9.50 9.50 9.50 Panelling Say 8.00 4.00 1.50 1.00 9.00		33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00 80.00 12.00 22.50 10.75 82.80	Sqft. Sqm. Sqft.
1.5 a b	Panelling with lacqured glass columns behind grahak mitra Fixed Glazed Area For Full/ Lov Entrance SWO	3 2 1 1 3 3 3 1	X X X ight X X X	2.58 1.66 5.00 Partitions 10.00 1.00 5.00 10.75	X X X Total Wall	9.50 9.50 9.50 Panelling Say 8.00 4.00 1.50 1.00		33.00 3.07 4.00 73.53 31.54 47.50 152.57 14.18 15.00 80.00 12.00 22.50 10.75	Sqft. Sqm. Sqft.

		1	Χ	7.84	X	5.00	=	39.20	Sqft.
С	atm	1	Χ	5.00	Χ	8.00	=	40.00	Sqft.
d	Door(-)	-1	Χ	3.50	X	2.10	=	-7.35	Sqft.
	()	-2	Χ	3.00	X	2.10	=	-12.60	Sqft.
		_	,	0.00		Total		312.30	Sqft.
						1 Otal	_	29.02	Sqm.
						Sav		30.00	
						Say	_	30.00	Sqm.
4 7	Onemakia Clared Avec For Full	114:4	ht Da	4!4!					
1.7	Openable Glazed Area For Full	neig 1	ΠιΡά Χ	3.50	~	7.00	_	24.50	Caft
а	Entrance	•			X		=		Sqft.
b	ATM	1	X	3.00	X	7.00	=	21.00	Sqft.
С	BM	1	Χ	3.00	Х	7.00	=	21.00	Sqft.
						Total		66.50	Sqft.
							=	6.18	Sqm.
						Say	=	7.00	Sqm.
II.	STORAGE								
2.1	Low Height Storage (Laminate	top)							
а	BM	1	Χ	9.00	X	3.00	=	27.00	Sqft.
b	back office	1	Χ	7.00	X	3.00	=	21.00	Sqft.
						Total	=	48.00	Sqft.
							=	4.46	Sqm.
						Say	=	5.00	Sqm.
						•			- 4
2.2	Low Height Storage 1.05 x 0.75	m					=	1.00	Nos.
	Low Height Storage 0.9 x 0.75 r						_	3.00	Nos.
2.0	Low Height Glorage 0.0 x 0.70 i							0.00	1403.
2.4	Over Head Storage								
2.4 a	Pantry	1	Χ	5	Х	2.50	=	12.50	Sqft.
а	r and y	'			nder Count			12.50	Sqft.
				Total of 0	naer Count	er otorage	_	1.16	Sqm.
						Cov			_
						Say	-	2.00	Sqm.
h	Under Counter Storage	1	V	5	X	2.84	_	14.00	Caff
D	Onder Counter Storage	ı	X		nder Count		=	14.20 14.20	Sqft.
				Total of 0	nder Count	ei Storage	_	1.32	Sqft.
						Cov		2.00	Sqm.
						Say	_	2.00	Sqm.
Ш	DOORS & GLAZING:								
3.1	Flush Door								
J. I	riusii Dooi	1	Χ	3.00	Х	7.00	=	21.00	Saft
		ı		lush Door (Only				21.00	Sqft.
			Г	יווט) וטטט וופטוו	y Lanimate	botti Side)	_	1.95	Sqft.
						Cov	_		Sqm.
2.0	Flush Door (syinting)					Say		2.00	Sqm.
ა.2	Flush Door (existing)	2	~	2.50	V	7.00	_	52 F0	C aft
		3 2	X	2.50	X	7.00	=	52.50	Sqft.
			X	3.00	X	7.00	=	42.00	Sqft.
		1	X	3.50	X	7.00	=	24.50	Sqft.
				lush Door (Only	VI aminato	HATH SIMAL	=	119.00	Sqft.
				idon boor (oni	y Laminate	Botti Side,			-
			·		y Lammate	Say	=	11.06 12.00	Sqm.

2 2	Flush Door (with vision panel)								
5.5	riusii booi (witii visioii panei)	1	Χ	3.00	X	7.00	=	21.00	Sqft.
			,		Only Laminate		=	21.00	Sqft.
				(,	,	=	1.95	Sqm.
						Say	=	2.00	Sqm.
						•			
IV.	CEILING AND FINISHING WORK	<u> </u>							
4.1	Ceiling And Finishing Works								
а	Gypsum False Ceiling								
	Hall +BM+ officer+ cove+ patta				_		=	1480.40	Sqft.
							=	137.58	Sqm.
						Say	=	140.00	Sqm.
4.2	Tile False Ceiling								0.5
	Hall +BM+ officer						=	250.58	Sqft.
							=	23.29	Sqm.
						Say	=	25.00	Sqm.
13	wooden Ceiling								
4.5	Hall +BM+ officer						=	0.00	Sqft.
	Tall Division						=	0.00	Sqm.
						Say	_	10.00	Sqm.
4.4	Plastic Paint							10.00	- 4
а	Locker cum Record Room	2	Х	10.25	X	11.00	=	225.50	Sqft.
		2	Х	12.91	X	11.00	=	284.02	Sqft.
b	Cash Room	1	Х	6.58	X	11.00	=	72.38	Sqft.
		2	Х	4.00	X	11.00	=	88.00	Sqft.
С	pantry	1	Χ	13.30	X	11.00	=	146.30	Sqft.
		2	Χ	11.41	X	11.00	=	251.02	Sqft.
		1	Χ		X	11.00	=	96.25	Sqft.
d	ups Room	2	Χ		Х	11.00	=	88.00	Sqft.
		2	Χ		X	11.00	=	145.20	Sqft.
е	passage	2	Χ		X	11.00	=	260.48	Sqft.
		2	X	8.10	X	11.00	=	178.20	Sqft.
f	ceiling	_					=	399.60	Sqft.
g	door(-)	-3	X		X	7.00	=	-52.50	Sqft.
		-3	X		X	7.00	=	-63.00	Sqft.
		-1	Х	3.50	Х	7.00 Total	=	-24.50 2094.95	Sqft.
						Iotal	_	2094.95 194.70	Sqn.
						Say	=	200.00	Sqm.
4.5	Birla Putty				same as pain	t	=	200.00	Sqm.
						-			
٧.	COUNTERS AND TABLES:-	_				_			
5.1	Single Window Counter 1500 X	750				Total	=	3.00	Nos.
	Officer Table 1500 X 750					Total	=	3.00	Nos.
	Grahak Mitra Table 1200 X 600					Total	=	1.00	Nos.
	Side table					Total	=	2.00	Nos.
5.5	Center Table					Total	=	2.00	Nos.

VI. MISCELLANEOUS WORKS:-

6.1 ACF	6.1	ACP
---------	-----	-----

а	front façade	1	Χ	19.10	X	12.00	=	229.20	Sqft.
b	ATM	1	Χ	5.00	X	9.00	=	45.00	Sqft.
С	SHUTTER BOXING	2	Χ	1.50	X	19.10	=	57.30	Sqft.
		2	Χ	1.50	X	2.00	=	6.00	Sqft.
d	jambs	1	Χ	26.00	X	0.50	=	13.00	Sqft.
		1	Χ	21.00	X	0.50	=	10.50	Sqft.
е	door(-)	-1	Χ	10.00	X	8.00	=	-80.00	Sqft.
		-1	Χ	5.00	X	8.00	=	-40.00	Sqft.
						Total	=	241.00	Sqft.
						Say	<i>,</i> =	22.40	Sqm.
						Say	<i>,</i> =	24.00	Sqm.

6.2 50x 125 mm wooden slat

a Lounge	4 X 11.66	=	46.64	ft.
		Total =	46.64	ft.
		Say =	14.22	rft.
		Say =	15.00	Rm.