



Part – I

(Technical Bid)

**TENDER FOR ELECTRICAL AND ALLIED WORKS AT THE PROPOSED
PREMISES FOR SBI RAIKALA BRANCH UNDER RBO KEONJHAR**

(E-tender)

Tender No. **ZO/BAL/RBO-3/ELECT/2026-27/02**

Dated 07.09.2026

Eligibility Criteria: SBI (LHO, Bhubaneswar) approved Electrical contractor under LT category **Group-EA, EB, EC & ED category (Empanelled in the year 2024)** are only eligible to participate in this tender. Vendor/Contractor should possess valid digital signature for this e-tender.

TENDER SUBMITTED BY:

NAME : _____

ADDRESS : _____

GSTIN NO : _____

DATE : _____



NOTICE INVITING TENDERS

SBI, RBO Keonjhar invites online per unit item rate tender for **Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar** from SBI (LHO, Bhubaneswar) approved Electrical contractor under LT category **Group-EA, EB, EC & ED category (Empanelled in the year 2024)** are only eligible to participate in this tender. The other details of the tender are as under:

1.	Name of Work and location of work	Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar Location: Raikala , under RBO Keonjhar
2	Eligibility of Criteria	i) SBI (LHO, Bhubaneswar) approved Electrical contractor under LT category Group- EA, EB, EC & ED category (newly empaneled) are only eligible to participate in this tender. ii) As per Empanelment Notice “ Agencies with valid Electrical license from other states applying for this empanelment should obtain valid Electrical license from ELBO prior to issue of any tender paper ” and same must be uploaded in this e-tender for qualifying in technical bid, failing which the agency will be disqualified. Bank reserve right to cancel the tender and/or work order at any stage without assigning any reason to the participants.
3	Estimated Cost (In Rs.)	Rs.7,56,025/- (Rupees Seven Lakh Fifty Six Thousand Twenty Five Only) plus GST as applicable
4	Earnest Money Deposit (EMD)	Rs.7500/- (Rupees Seven Thousand Five Only) in the Form of Demand Draft/Banker's Cheque issued by any Nationalised /Scheduled Bank Drawn in favour of “State Bank of India” Payable at “ Keonjhar ” which is to be submitted in original in a separate envelope superscribing “EMD”. Those empaneled electrical contractor's under LT category submitted their one time EMD the Bank towards LT category EA, EB, EC & ED category, need not to submit the EMD again. However, the copy of the one-time EMD to be submitted in a separate envelope superscribing “One Time EMD”. Without EMD/one time EMD, the tender will be rejected. EMD shall be converted into SD for successful Contractor, whose tender is accepted. However, vendors having registered in MSME/NSIC are exempted for submission of EMD amount.
5	Availability of Tender document.	07.09.2026 from 4:00 PM to 17.09.2026 upto 2:00 PM at service provider website www.tenderwizard.com/SBI ETENDER and Bank's Website
6	Initial Security Deposit (ISD)	L1 vendor shall submit, 2% of awarded value of work in the form of DD/BC/FDR favouring “State Bank of India” payable under RBO Keonjhar within 7 days of receipt of “letter of intent” or “work order.”
7	Security Deposit	An amount @ 5% of the bill amount will be retained by the SBI from the bills including ISD/EMD as Retention Money till the end of Defect Liability period.
8	Additional Security Deposit/ Additional Performance Guarantee	ASD/APG shall be applicable if the price bid is below 10% of the estimated cost put to tender. The amount of such ASD/APG shall be difference between 90% of the estimated cost put to tender and quoted price. Bank Guarantee of FDR/ receipt favouring our Bank but drawn on any other Nationalized Bank may also be accepted as ASD/APG.



9	Pre bid meeting	Optional
10	Last date, time and place for submission of Online Technical Bid.	The eligible empaneled contractor under the Bhubaneswar Circle/LHO are required to submit/enclose the scan copies of following document online on or before 17.09.2026 upto 14:00 Hrs: (i) Process Compliance form in company letter head duly signed and stamped by authorize representative. (II) Letter of Undertaking in company letter head duly signed and stamped by authorize representative. (iii) Copy Earnest Money Deposit (EMD)/One time EMD copy/ copy of valid MSME/NSIC certificate. However, the physical EMD/copy of One time EMD / copy of the valid NSIC or MSME certificate to be submitted on or before last date & time in sealed envelope at our SBI office address mentioned in Sr. No. 21 Tenders received without any one or more document mentioned above shall be rejected. After the accomplishment of tendering procedure, the successful bidder shall submit the hard copy of the Technical document duly signed with seal in all pages by the authorized representative/proprietor of the firm at the under mentioned office.
11	Last date, time and Mode of submission of Online Price Bid	The Price Bid to be uploaded/submitted online on service provider portal i.e www.tenderwizard.com/SBI ETENDER on or before 17.09.2026 upto 14:00 Hrs The bidder (Vendor/Contractor//Authorized Dealer) should have valid digital signature for this e-tender. E-tendering guidelines may be obtained from: Service provider: M/s Antares Systems Limited, Registered Office at: - #24, Sudha Complex, 3rd Stage, 4th Block, Bangalore – 560079. Ph: - 080-49352000 / 40482000 Fax: - 080-49352034 Help Desk: 9073677150/ 151/ 152/ 9674758506/ 9674758723/ 26/ 033 4604 6611 Contact Person: Mr. Kushal Bose Mobile no. 07686913157 / 09674758723 (On working days-9 hours–18 hours) e-mail: kushal.b@antaressystems.com/siddharthasundar.m@antar-essystems.com
12	Date, Time of opening of Online Technical Bid.	Online Technical bid (Part-1) at our Office: on 17.09.2026 at 14:30 Hrs



13	Date, Time and Place of opening of Online Price Bid.	The online Price bid (Part-2) of only technically qualified bidder shall be opened at our office on 17.09.2026 at 16:00 Hrs
14	Validity for Offer	3 (Three) Months from the Date of Opening of Price-Bid
15	Commencement of Work.	7th Day from the date of receiving of Work Order.
16	Time for completion of work.	30 days from date of Commencement.
17	Deduction of income tax and GST	A) Income Tax will be deducted at source as per Govt. Guidelines. B) Reimbursement of GST will be made only on submission of proper GST invoice as per applicable GST provision. The contractor should comply with the following; 1. Contractor should have GST Registration Number 2. Invoice should specifically/separately disclose the amount of GST levied at applicable rate as per GST provision 3. In case of Correction in the bills after scrutiny, contractor should submit fresh bills for payment 4. Contractor should timely file his GST return in accordance with GST provisions to enable the bank to claim the credit of GST paid to the contractor
18	Terms and Mode of payment	i) No advance on materials / plant / machinery or mobilization advance shall be paid under any circumstances. ii) After successful completion of entire work balance or 100% payment will be released against submission of tax invoice <u>with following documents :</u> <u>a) Work completion certificate duly signed by BM,</u> <u>b) Measurement sheet</u> <u>c) Two set of electrical SLD with LAN diagram,</u> <u>d) Photos of Earthing pit taken at Various stages during execution with Earth resistance certificate.</u> iii) Payment shall be made by way of Electronic fund transfer and the bill will be paid by the SBI. Firm should furnish details of the bank, A/c no, IFSC code. iv) Payments towards the above work shall be made by SBI. The GST Number of State Bank of India for Bhubaneswar is 21AAACS8577K1Z1 v) Any Deviation in Make and/or Quality of work will lead to Zero payment for that item of Bill.
19	Liquidated Damages for Delay	If the bidder is not able to complete the work within stipulated time/days in line to this contract from date of issue of the work order, LD shall be imposed at the rate 0.5 % Per week for delay subject to maximum amount of 5% of Contract Value.



20	Defects Liability Period	12 Months (Twelve months)
21	Contact Person, Phone No of officials.	THE REGIONAL MANAGER STATE BANK OF INDIA REGIONAL BUSINESS OFFICE KEONJHAR, ODISHA

- In case the date of opening of tenders is declared as a holiday, the tenders will be opened on the next working day at the same time.
- The bidder, who is the authorized representative and participating on behalf of company/ Dealer/vendor, should have a valid digital signature certificate (DSC) for this e-tender. The validity of the DSC should be at least 3 months.
- Those bidders who are qualified in technical bid, should submitted their price bid online within timeline, failing which tender summarily rejected.
- SBI reserves the right to increase or decrease the quantum of services, manpower to be provided and also reserves the right to reject, cancel or revise or accept any or all the tenders or part of tenders without giving any reasons thereto.
- SBI reserves its rights to accept/reject any/all tender without assigning any reasons whatsoever and to increase or decrease the quantities of any item and contractor has to execute the same at the rate quoted and no correspondence shall be entertained in this regard.
- The L-1 Vendor (successful bidder) shall sign and stamp each page of the tender document thereby ensuring the number and sequence of all pages after completion of the tendering procedures.
- Tender will be summarily rejected if the Bidder failed to submit the required document as mentioned in tender, partly or fully modified, alter or corrects the tender document, failed to submit the price bid online, fails to comply Bank's technical parameter requirement. Conditional tenders are liable for rejection.

Sd/-

The Regional Manager
SBI, Regional Business Office, Keonjhar,



BUSINESS RULES FOR ONLINE TENDER GENERAL TERMS AND CONDITIONS OF ONILE TENDER

1. For the online bidding, already empaneled vendors with SBI under appropriate category who fulfill all terms and conditions including deposit of earnest money/One time EMD / copy of the valid MSME or NSIC certificate only shall be eligible to participate.
2. SBI will engage the services of a service provider who will provide all necessary training and assistance before commencement of online bidding on Internet.
3. SBI will inform the vendor in writing in case of online bidding, the details of service provider to enable them to contact and get trained.
4. Business rules like event date, time, start price, bid decrement, extensions, etc. also will be communicated through service provider for compliance.
5. Vendors have to fax / email the compliance form in the prescribed format (provided by service provider) before start of online bidding. Without this the vendor will not be eligible to participate in the event.
6. Opening of online bids will be conducted on schedule date & time.
7. At the end of online bidding event, the lowest bidder value will be known on the network.
8. The lowest bidder has to fax the duly signed filled-in prescribed format as provided on case-to case basis to SBI through service provider within 24 hours of completion of tender without fail.
9. Any variation between the on-line bid value and signed document will be considered as sabotaging the tender process and will invite disqualification of vender to conduct business with SBI as per prevailing procedure.
10. In case SBI decides not to go for online bidding on procedure for this tender enquiry, the price bids and price impacts, if any already submitted and available with SBI shall be opened as per SBI standard practice.
11. Business Rule for finalization of the Tender

SBI shall finalize the tendering process of the item through online bidding mode. SBI has made arrangement with **Antares Systems Ltd,** (e-Tendering Agency (ETA) who shall be SBI's authorized service provider for the same. Please go through the guidelines given below and submit your acceptance to the same along with your Commercial Bid.

1. Computerized Online tendering shall be conducted by SBI, on pre-specified date, while the vendors shall be quoting from their own offices/ place of their choice. Internet connectivity and other paraphernalia requirements shall have to be ensured by vendors themselves. In the event of failure of their Internet connectivity, (due to any reason whatsoever it may be) it is the bidders responsibility / decision to send fax communication, immediately to ETA furnishing the price, the bidder wants to bid online, with a request to ETA to upload the faxed price on line so that the service provider will up load that price on line on behalf of the Bidder. It shall be noted clearly that the concerned bidder communicating this price to service provider has to solely ensure that the fax message is received by ETA in a readable / legible form and also the Bidder should simultaneously check up with ETA over phone about the clear receipt of the price



faxed. It shall also be clearly understood that the bidder shall be at liberty to send such fax communications of prices to be uploaded by ETA only before the closure of Bid time and under no circumstances it shall be allowed beyond the closure of bid time. Such bidders have to ensure that the service provider is given a reasonable required time by the bidders, to upload such faxed prices online and if such required time is not available at the disposal of ETA at the time of receipt of the fax message from the bidders, ETA will not be uploading the prices. It is to be noted that either SBI or ETA are not responsible for these unforeseen circumstances. In order to ward-off such contingent situation, bidders are requested to make all the necessary arrangements / alternatives whatever required so that they are able to circumvent such situation and still be able to participate in the online bidding successfully. However, the vendors are requested not to wait till the last moment to quote their bids to avoid any such complex situations.

2. ETA shall arrange to train your nominated person(s), without any cost to you. They shall also explain you, all the Rules related to the Tendering/ Business Rules Document to be adopted along with bid manual. You are required to give your compliance on it before start of bid process.

3. **BIDDING CURRENCY AND UNIT OF MEASUREMENT:** Bidding will be conducted in item rate quoted in Indian Rupees (INR) per -one- (Unit) of the items as mentioned in Price Bid/ BOQ.

4. **BID PRICE:** The Bidder has to quote item rate in Schedule of Quantities ; bidder is willing to execute the work inclusive of all taxes, duties, freight, service tax, overhead, contractor's profit etc. excluding GST. GST shall be paid extra as per actual.

5. **VALIDITY OF BIDS:** The Bid price shall be firm for a period of three calendar months from the date of acceptance of tender which may be extended for a further period subject to mutual agreement.

6. The bidder has to submit a detail break up for his commercial offer in the prescribed format as given by the Bank duly signed by their authorized representative/proprietor.

7. Your bid will be taken as an offer to supply. Bids once made by you, cannot be cancelled / withdrawn and you shall be bound to supply as mentioned above at your final bid price. In case you back out and not execute the work as per the rates quoted, the earnest money deposited by you retained by us in this regard shall be forfeited without further reference to you.

8. You shall be assigned a Unique Username & Password by ETA. You are advised to change the Password after the receipt of initial Password from ETA to ensure confidentiality. All bids made from the Login ID given to you will be deemed to have been made by your company.

9. At the end of the online Tendering process, SBI will decide the successful bidder. SBI's decision on award of Contract shall be final and binding on all the Bidders.

10. SBI shall be at liberty to cancel the tender at any time, before ordering, without assigning any reason, there to.

11. SBI shall not have any liability to bidders for any interruption or delay in access to the site irrespective of the cause.



12. Other terms and conditions shall be as per your techno-commercial offers and other correspondences till date.

13. You are required to submit your acceptance to the terms / conditions / modality given above before participating in the online bidding.

14. Successful bidder shall enter into a contract with the bank to carry out the work as per Bank's standard format.

15. OTHER TERMS & CONDITIONS: - The Bidder shall not involve himself or any of his representatives in Price manipulation of any kind directly or indirectly by communicating with other suppliers / bidders. - The Bidder shall not divulge either his Bids or any other exclusive details of SBI to any other party. - SBI's decision on award of Contract shall be final and binding on all the Bidders. - SBI along with ETA can decide to extend, reschedule or cancel any tender. Any changes made by SBI and / or ETA, after the first posting will have to be accepted if the Bidder continues to access the site after that time. - ETA shall not have any liability to Bidders for any interruption or delay in access to the site irrespective of the cause. - ETA is not responsible for any damages, including consequential damages, including but not limited to systems problems, inability to use the system, loss of electronic information etc.

N.B. - All the bidders are requested to ensure that they have a valid digital certificate well in advance to participate in the online event - All the Bidders are required to submit the Agreement Form (Annexure- I) duly signed to e-Tendering agency before due date. - After the completion of the tender event, all the Bidders have to submit the Price Breakup immediately to e-Tendering agency for further proceedings.



Annexure I

PROCESS COMPLIANCE FORM

(The bidders are required to print this on their company's letter head and sign, stamp before faxing/uploading)

To

Date:

Kushal Bose
Antares Systems Ltd.
Mob.+91 7686913157
Email: kushal.b@antaressystems.com

SUB: AGREEMENT TO THE PROCESS RELATED TERMS AND CONDITIONS FOR THE ONLINE BIDDING

Dear Sir,

This has reference to the Terms & Conditions for the online bidding mentioned in the Tender for "Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar". This letter is to confirm that:

- 1) The undersigned is authorized representative of the company.*
- 2) We have studied the Commercial Terms and the Business rules governing the online bidding and the RFP as mentioned in your letter and confirm our agreement to them.*
- 3) We also confirm that we have taken the training on the tender tool and have understood the functionality of the same thoroughly.*
- 4) We confirm that SBI Group and ETA shall not be liable & responsible in any manner whatsoever for my/our failure to access & bid on the e-tender platform due to loss of internet connectivity, electricity failure, virus attack, problems with the PC, any other unforeseen circumstances etc. before or during the tender event.*
- 5) We understand that in the event we are not able to access the tender site, we may authorize ETL to bid on our behalf by sending a fax containing our offer price before the tender close time and no claim can be made by us on either State Bank Group or ETA regarding any loss etc. suffered by us due to acting upon our authenticated fax instructions.*
- 6) I/we do understand that ETA may bid on behalf of other bidders as well in case of above-mentioned exigencies.*
- 7) We also confirm that we have a valid digital certificate issued by a valid Certifying Authority.*
- 8) We also confirm that we will fax the price confirmation & break up of our quoted price as per Annexure II and the format as requested by SBI / ETA.*
- 9) We, hereby confirm that we will honor the Bids placed by us during the tender process.*



10) We read each page, understood the technical bid & BOQ and I/we hereby agree to abide by and fulfill the terms and provisions and accepting all terms and conditions stipulated in the tender documents. After the accomplishment of tendering procedure, if we become the lowest bidder shall submit the hard copy of the Technical document duly signed with seal by the authorized representative/proprietor of the firm at the under mentioned office

We hereby confirm that we will honor the Bids placed by us during the tender process.

With regards

Signature with company seal

Date:

Name:

Company / Organization



ARTICLES OF AGREEMENT

This AGREEMENT is made at on this day of between SBI, a body Corporate created under SBI Act 1955, having its Corporate Centre at State Bank Bhavan, Madame Cama Road, Mumbai 400 021 and one of the circle office at SBI Local Head Office, III/1 Pandit Jawaharlal Nehru Marg, Bhubaneswar- 01 represented by authorized officer of SBI. (hereinafter called "the Employer") on the one part and M/s _____ (proprietorship/partnership firm/Company), incorporated under the provisions of the Companies Act and having its registered office at _____ (hereinafter called "the Vendor") represented by Shri who is authorized to enter this agreement by its Board of Directors on the other part.

AND WHEREAS the Employer has intention of engaging an empaneled Contractor under SBI for execution of " **Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar** "

AND WHEREAS the Employer had called for tenders from empanelled vendors for the work as indicated in the scope of work and other documents attached to the tender.

AND WHEREAS the Vendor and others submitted the tenders and the Employer has awarded the contract relating to "**Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar** " as stated in the scope of work attached to the Tender Document to the Vendor.

AND WHEREAS both the parties to this agreement are desirous of recording the terms and conditions upon which the said services are to be rendered by the Vendor.

NOW IT IS HEREBY AGREED AS FOLLOWS:

1. In consideration of the said Contract Amount to be paid at the times and in the manner set forth in the said Conditions, the Contractor shall upon and subject to the said Conditions execute and complete the work shown upon the said Drawings and described in the said Specifications and the priced Schedule of Quantities.
2. The Employer shall pay to the Contractor the said Contract Amount, or such other sum as shall become payable, at the times and in the manner specified in the said Conditions.
3. The said Conditions and Appendix thereto shall be read and construed as forming part of this Agreement, and the parties hereto shall respectively abide by submit themselves to the said Conditions and perform the Agreements on their part respectively in the said Conditions contained.
4. The Plans, Agreements and Documents mentioned herein shall form the basis of this Contract.
5. This Contract is neither a fixed lump-sum contract nor a piece work contract but a contract to carry out the work as per enclosed schedule of Items and to be paid for according to actual measured quantities at the rates contained in the Schedule of Quantities or as provided in the said Conditions and approved by the SBI.
6. The Contractor shall afford every reasonable facility for the carrying out of all works relating to the **Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar** in the manner laid down in the said Conditions, and shall make good any damages done to walls, floors, etc. after the completion of his work.



7. The Employer reserves to itself the right of altering the drawings and nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this Contract.

8. Time shall be considered as the essence of this Contract and the Contractor hereby agrees to commence the work soon after the Site is handed over to him or from 7th day after the date of issue of formal work order as provided for in the said Conditions whichever is later and to complete the entire work within 3 months subject to nevertheless the provisions for extension of time.

9. All payments by the Employer under this Contract will be made by State Bank of India.

10. All disputes arising out of or in any way connected with this Agreement shall be deemed to have arisen at Bhubaneswar and only the Courts in Bhubaneswar shall have jurisdiction to determine the same.

11. That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.

12. Vendors/ Contractors shall promptly notify SBI of any change in their constitution. It shall be open for SBI to terminate the agreement on the death, retirement, insanity or insolvency of any person/s, being director/s or partner/ s, in the said company/ firm or on the addition or introduction of a new partner without previous approval in writing of SBI. But in absence of and until its termination by SBI as aforesaid, this agreement shall continue to be of full force and effect notwithstanding any changes in the constitution of the firm by death, retirement, insanity or insolvency of any of its partners or the addition or introduction of any new partners. In case of retirement / death, the surviving or remaining partners of the firm shall be jointly and severally liable for the due and satisfactory performance of the terms and conditions of the agreement.

IN WITNESS WHEREOF THE EMPLOYER and the Contractor have set their respective hands to these presents and two duplicates hereof the day and year first hereinabove written.

SIGNATURE CLAUSE

SIGNED AND DELIVERED by the

_____ By the

(Employer)

hand of Shri _____

(Signature of Employer)

(Name and Designation)

In the presence of :

Shri / Smt. _____

(Signature of Witness)

Address _____

(Witness)



SIGNED AND DELIVERED by the

_____ by the

(Contractor)

(Signature of Contractors)

in the presence of :

Shri / Smt. _____

(Signature of Witness)

Address _____



INSTRUCTIONS TO THE TENDERERS:

- **Scope of Work**

Online Tenders are invited for SBI for “**Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar**”

1.1 Site and Its Location

The work is to be carried out at new premises at **Raikala, Keonjhar Region**

2.0 Tender Documents

2.1 The work has to be carried out strictly according to the specifications and conditions stipulated in tender consisting the following documents and the most workman like manner,

2.1 (a) Instructions to tenderers

2.1 (b) General Conditions of Contract

2.1 (c) Terms and conditions for the Service Provider

2.1 (d) Priced Bid

2.2 The above documents shall be taken as complementary and mutually explanatory of one another but in case of ambiguities or discrepancies, shall take precedence in the order given below :

- a. Price Bid
- b. Terms and conditions for the Service Provider
- c. General Conditions of Contract
- d. Special Conditions of Contract
- e. Instructions to Tenderers

2.3 Complete set of tender documents including relative drawings can be downloaded from www.sbi.co.in (link) <Procurement News>

3.0 SITE VISIT

The tenderer must obtain himself on his own responsibility and his own expenses all information and data which may be required for the purpose of filling this tender document and enter into a contract for the satisfactory performance of the work. The Tenderer is requested satisfy himself regarding the availability of water, power, transport and communication facilities, the character, quality and quantity of the materials, labour, the law and order situation, climatic conditions local authorities requirement, traffic regulations etc;



The tenderer will be fully responsible for considering the financial effect of any or all the factors while submitting his tender.

4.0 EARNEST MONEY

4.1 The tenderers are requested to submit the Earnest Money of **Rs.7500/- (Rupees Seven Thousand Five Only)** in the form of Demand Draft or Banker's Cheque in favour of "SBI" payable at "Keonjhar" drawn on any Scheduled Bank in India. Contractors deposited one time EMD in SBI P & E Department, LHO Bhubaneswar are exempted and may attach scan copy of EMD. However, vendors having registered in MSME/NSIC are exempted for submission of EMD amount.

4.2 EMD in any other form other than as specified above will not be accepted. Tender not accompanied by the EMD in accordance with clause 4.1 above shall be rejected.

4.3 No interest will be paid on the EMD.

4.4 After identifying the L1 vendor EMD of unsuccessful tenderers will be refunded personally to the vendor against their acknowledgement or shall be sent to their given address within a week by post/courier on request from tenderers.

4.5 EMD of successful tenderer will be retained as a part of security deposit.

5.0 INITIAL SECURITY DEPOSIT.

L1 vendor shall submit, 2% of awarded value of work excluding EMD in the form of DD/BC/FDR favouring "State Bank of India" payable under RBO Keonjhar within a period of 7 days from the date of receipt of work order. EMD obtained in the name of SBI shall be returned to them on receipt of ISD.

However, if L1 vendor already submitted one time EMD with the Bank, need not to submit the ISD.

6.0 Additional Security Deposit/ Additional Performance Guarantee

ASD/APG shall be applicable if the price bid is below 10% of the estimated cost put to tender. The amount of such ASD/APG shall be difference between **90% of the estimated cost put to tender and quoted price**. Bank Guarantee of FDR/ receipt favouring our Bank but drawn on any other Nationalized Bank may also be accepted as ASD/APG. The ASD/APG shall be released after successful completion of work as per the tender specifications.

7.0 SECURITY DEPOSIT

7.1 Total security deposit shall be 5% of the final value of the work. Out of this 2% of tender value (i.e. tender amount) is in the form of initial security deposit (ISD). Besides the ISD as deposited by the contractor in the above said manner, the Retention money shall be deducted from the running account bill at the rate of 1% of the gross value of work done by the contractor and claimed in each bill provided the total security deposit i.e. ISD plus Retention Money shall both together not exceed 5% of the contract value.

7.2 Retention money shall be retained till the end of Defect Liability period of 1Year

7.3. The retention money will be interest free.

8.0 SIGNING OF CONTRACT DOCUMENTS



The successful tenderer shall be bound to implement the contract with SBI by signing an agreement and conditions of contract attached herewith within **7 days** from the receipt of intimation of acceptance of his tender by the SBI. However, the written acceptance of the tender by the SBI will constitute a binding agreement between the SBI and successful tenderer whether such formal agreement is subsequently entered into or not.

9.0 COMPLETION PERIOD: Time is the essence of the contract; the work should be completed in all respect and in accordance with the terms of contract within a **period of 30 days** from the date of commencement of work.

9.1 VALIDITY OF TENDER : 3 Months

Tenders shall remain valid and open for acceptance for a period of 3 (Three) months from the date of opening price bid. If the tenderer withdraws his/her offer during the validity period or makes modifications in his/her original offer which are not acceptable to the SBI without prejudice to any other right or remedy the SBI shall be at liberty to forfeit the EMD.

10.0 LIQUIDATED DAMAGES

The liquidated damages shall be 0.5% per week subject to a maximum of 5% of the actual value of work.

11.0 RATES AND PRICES

11.1 In case of item rate tender

11.1.1 The tenderers shall quote their rates for individual items both in words and figures in case of discrepancy between the rates quoted in words and figures the unit rate quoted in words will prevail. If no rate is quoted for a particular item the contractor shall not be paid for that item when it is executed.

The amount of each item shall be calculated and the requisite total is given. In case of discrepancy between the unit rate and the total amount calculated from multiplication of unit rate and the quantity the unit rate quoted will govern and the amount will be corrected.

11.1.2 The tenderers need not quote their rates for which no quantities have been given. In case the tenderers quote their rates for such items those rates will be ignored and will not be considered during execution.

11.1.3 The tenderers should not change the units as specified in the tender. If any unit is changed the tenders would be evaluated as per the original unit and the contractor would be paid accordingly.

The tenderer should not change or modify or delete the description of the item. If any discrepancy is observed he should immediately bring to the knowledge of the Architect/ Bank.

11.1.4 Each page of the BOQ shall be signed by the authorized person and cutting or overwriting shall be duly attested by him.

11.1.5 Each page shall be totalled and the grand total shall be given.

11.1.6 The rate quoted shall be firm and shall include all costs, allowances, etc.

GENERAL CONDITIONS OF CONTRACT

1.0 Definitions



“Contract” means the documents forming the tender and the acceptance thereof and the formal agreement executed between SBI and the contractor, together with the documents referred therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Architects/SBI and all these, documents taken together shall be deemed to form one contract and shall be, complementary to one another.

1.1 In the contract the following expressions shall, unless the context otherwise requires, have the meaning hereby respectively assigned to them.

1.1.1 **‘Bank’** shall mean State Bank of India (client) a body Corporate created under SBI Act 1955, having one of its local head Office at State Bank of India, III/1 Pandit Jawaharlal Nehru Marg, Bhubaneswar- 01 and includes the client’s representatives, successors and assigns.

1.1.2 **‘Architects/Consultants’** shall mean M/s _____

1.1.3 **‘Site Engineer’** shall mean an Engineer appointed by the Bank as their representative to give instructions to the contractors.

1.1.4 **‘The Contractor’** shall mean the individual or firm or company whether incorporated or not, undertaking the works and shall include legal personal representative of such individual or the composing the firm or company and the permitted assignees of such individual or firms of company.

1.1.5 The expression **‘works’** or **‘work’** shall mean the permanent or temporary work described in the ‘Scope of Work” and/or to be executed in accordance with the contract and includes materials, apparatus, equipment, temporary supports, fittings and things of all kinds to be provided, the obligations of the contractor hereunder and work to be done by the contractor under the contract.

1.1.6 **‘Engineer’** shall mean the representative of the SBI/Architect/consultant.

1.1.7 **‘Drawings’** shall mean the drawings prepared by the Architects and issued by the Engineer and referred to in the specifications and any modifications of such drawings as may be issued by the Engineer from time to time ‘Contract value shall mean the value of the entire work as stipulated in the letter of acceptance of tender subject to such additions thereto or deductions there from as may be made under the provision herein after contained.

1.1.8 **‘Specifications’** shall mean the specifications referred to in the tender and any modifications thereof as may time to time be furnished or approved by the architect/ consultant “Month” means calendar month.

1.1.9 **“Week”** means seven consecutive days.

1.1.10 **“Day”** means a calendar day beginning and ending at 00 Hrs and 24 hrs respectively.

CLAUSES:

1.0 Total Security Deposit

Total Security deposit comprise of:

- Earnest Money Deposit
- Initial Security Deposit



- Retention Money

a) Earnest Money Deposit:

- I. The tenderers are requested to submit the Earnest Money of **Rs.7500/- (Rupees Seven Thousand Five Only)** in the form of Demand Draft or Banker's Cheque in favour of "SBI" payable at "Keonjhar" drawn on any Scheduled Bank in India. Contractors deposited one time EMD in SBI P & E Department, LHO Bhubaneswar are exempted and may attach scan copy of EMD. However, vendors having registered in MSME/NSIC are **exempted** for submission of EMD amount.
- II. EMD in any other form other than as specified above will not be accepted. Tender not accompanied by the EMD in accordance with clause 4.1 above shall be rejected.
- III. No interest will be paid on the EMD.
- IV. After identifying the L1 vendor EMD of unsuccessful tenderers will be refunded personally to the vendor against their acknowledgement or shall be sent to their given address within a week by post/courier on request from tenderers.
- V. EMD of successful tenderer will be retained as a part of security deposit.

b) Initial Security Deposit (ISD):

L1 vendor shall submit, 2% of awarded value of work excluding EMD in the form of DD/BC/FDR favouring "State Bank of India" payable under RBO Keonjhar within a period of 7 days from the date of receipt of work order. EMD obtained in the name of **SBI** shall be returned to them on receipt of ISD.

However, if L1 vendor already submitted one time EMD with the Bank, need not to submit the ISD.

SECURITY DEPOSIT

6.1 Total security deposit shall be 5% of the final value of the work. Out of this 2% of tender value (i.e. tender amount) is in the form of initial security deposit (ISD). Besides the ISD as deposited by the contractor in the above said manner, the Retention money shall be deducted from the running account bill at the rate of 1% of the gross value of work done by the contractor and claimed in each bill provided the total security deposit i.e. ISD plus Retention Money shall both together not exceed 5% of the contract value.

6.2 Retention money shall be retained till the end of Defect Liability period of 1Year

6.3. The retention money will be interest free.

2.0 Language Errors, Omissions and Discrepancies

In case of errors, omissions and/or disagreement between written and scaled dimensions on the drawings or between the drawings and specifications etc, the following order shall apply.

- i) Between scaled and written dimension(or description)on a drawing, the latter shall be adopted.
- ii) Between the written or shown description or dimensions in the drawings and the corresponding one in the specification the former shall be taken as correct.



iii) Between written description of the item in the specifications and descriptions in bills of quantities of the same item, the latter shall be adopted.

iv) In case of difference between rates written in figures and words, the rate in words shall prevail.

v) Between the duplicate/subsequent copies of the tender, the original tender shall be taken as correct.

3.0 Scope of Work

The contractor shall carry out, complete and maintain the said work in every respect strictly in accordance with this contract and with the directions of and to the satisfaction of the SBI /architect/consultant. The SBI/ architect/consultant at the directions of the Bank from time to time issue further drawings and/or written instructions, details directions and explanations which are hereafter collectively referred to as SBI/Architect's/Consultant's instructions in regard to : the variation or modification of the design, quality or quantity of work or the addition or omission or substitution of any work, any discrepancy in the drawings or between the BOQ and/or drawings and/or specifications, the removal from the site of any material brought thereon by the contractor and the substitution of any other materials thereof, the demolition, removal and/or re-execution of any work executed by him, the dismissal from the work of any person employed/engaged thereupon.

4.0 (i) Letter of Acceptance

Within the validity period of the tender the SBI shall issue a letter of acceptance either directly or through the architect by registered post/e-mail/speed post or otherwise depositing at the address of the contractor as given in the tender to enter into a Contract for the execution of the work as per the terms of the tender. The letter of acceptance shall constitute a binding contract between the SBI and the contractor.

ii) Contract Agreement

On receipt of intimation of the acceptance of tender from the SBI/Architect the successful tenderer shall be bound to implement the contract and **within fifteen days** thereof ,he shall sign an agreement in a non-judicial stamp paper of appropriate value(as per the Article of Agreement format earlier given in this document) with SBI.

5.0 Ownership of drawings

All drawings, specifications and copies thereof furnished by the SBI., through its architect/ consultants are the properties of the SBI They are not to be used on other work.

6.0 Detailed drawings and instructions

The SBI through its architects/consultants shall furnish with reasonable promptness additional instructions by means of drawings or otherwise necessary for the proper execution of the work. All such drawings and instructions shall be consistent with the contract documents, true developments thereof and reasonably inferable there from.

The work shall be executed in conformity therewith and the contractor shall prepare a detailed programme schedule (i.e. BAR/PERT Chart) indicating therein the date of start and completion of various activities on receipt of the work order and submit the same to the SBI through the Architect/Consultant.

7.0 Copies of Agreement



Out of Six copies, two copies of agreement/tender document duly signed by both the parties with the drawings shall be handed over to the contractors, two copies to SBI and one copy each shall be for the use of SBI and Architect.

8.0 Liquidated Damages

If the contractor fails to maintain the required progress in terms of clause 29 of GCC or to complete the work and clear the site including vacating their office on or before the contracted or extended date or completion without justification in support of the cause of delay, he may be called upon without prejudice to any other right of remedy available under the law to the SBI on account of such breach to pay a liquidated damages at the rate of 0.5% of the final value of work per week subject to a maximum of 5% of the final value of work.

9.0 Materials, Appliances and Employees

Unless or otherwise specified the contractor shall provide and pay for all materials, labour, water, power, tools, equipment transportation and any other facilities that are required for the satisfactory execution and completion of the work. Unless or otherwise specified all materials shall be new and both workmanship and materials shall be best quality. The contractor shall at all times enforce strict discipline and good order among his employees/workers and shall not employ on the work any unfit person/worker or anyone not skilled in the work assigned to him. Workman whose work or behaviour is found to be unsatisfactory by the SBI/Architect, he shall be removed from the site immediately.

10.0 Permits, Laws and Regulations

Permits and licences required for the execution of the work shall be obtained by the contractor at his own expenses. The contractor shall give notices and comply with the regulations, laws/ labour laws, and ordinances rules, applicable to the contractor. If the contractor observes any discrepancy between the drawings and specifications, he shall promptly notify the SBI in writing under intimation of the Architect/Consultant. If the contractor performs any act which is against the law, rules and regulations he shall meet all the costs arising there from and shall indemnify the SBI any legal actions arising there from.

11.0 Setting out Work

The contractor shall set out the work and shall be responsible for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions, and alignment of all parts thereof and get it approved by the architect/consultant before proceeding with the work. If at any time any error in this respect shall appear during the progress of the works, irrespective of the fact that the layout had been approved by the architect/consultant the contractor shall be responsible for the same and shall at his own expenses rectify such error, if so, required to satisfaction of the SBI

12.0 Protection of works and property

The contractor shall continuously maintain adequate protection, of all his work from damage and shall protect the SBI's properties from injury or loss arising in connection with contract. He shall make good any such damage, injury, loss due to his fault or negligence except which are due to causes beyond his control.

He shall take adequate care and steps for protection of the adjacent properties. The contractor shall take all precautions for safety and protection of his employees on the works and shall comply with all applicable provisions of Government and local bodies' safety laws and relevant building codes to



prevent accidents, or injuries to persons or property of about or adjacent to his place of work. The contractor shall take insurance covers as per clause 25.0 at his own cost. The policy may be taken in joint names of the contractors and the SBI and the original policy may be lodged with the SBI.

13.0 Inspection of Work

SBI/Architect/Consultant or their representatives shall at all reasonable time have free access to the work site and/or to the workshop, factories or other places where materials are lying or from where they are obtained and the contractor shall give every facility to the SBI/Architect/Consultant and their representatives necessary for inspection and examination and test of the materials and workmanship. No person unless authorized by the SBI/Architect/Consultant except the representative of Public authorities shall be allowed on the work at any time. The work either during its construction stage or its completion can also be inspected by the Chief Technical Examiner's organization a wing of Central Vigilance Commission.

14.0 Assignment and subletting

The whole of work included in the contract shall be executed by the contractor and he shall not directly entrust and engage or indirectly transfer assign or underlet the contract or any part or share thereof or interest therein without the written consent of the SBI through the architect and no undertaking shall relieve the contractor from the responsibility of the contractor from active superintendence of the work during its progress.

15.0 Quality of Materials, Workmanship & Test

All materials and workmanship shall be best of the respective kinds described in the contract and in accordance with SBI/Architect's instructions and shall be subject from time to time to such tests as the SBI /Architect may direct at the place of manufacture or fabrication or on the site or an approved testing laboratory.

The contractor shall provide such assistance, instruments, machinery, labour and materials.

Contractor to made arrangement of laboratory on site, where weight of various materials like aluminium extrusions etc. can be done, Contractor should also make available a 3.00 meters, 15.00 meters & a 50.00 meters tape, a Vernier Caliper & Micrometer so any measurements/ tests can be taken on sites itself.

(ii)Samples

All samples of adequate numbers, size, shades & pattern as per specifications shall be supplied by the contractor without any extra charges. If certain items to be used are of such nature that samples cannot be presented or prepared at the site detailed literature/test certificate of the same shall be provided to the satisfaction of the SBI/Architect. Before submitting the sample/literature the contractor shall satisfy himself that the material/equipment for which he is submitting the samples/literature meet with the requirement of tender specification. Only when the samples are approved in writing by the SBI /Architect the contractor shall proceed with the procurement and installation of the particular material/equipment.

The approved samples shall be signed by the SBI /Architect for identification and shall be kept on record at site office until the completion of the work for inspection/comparison at any time. The SBI/Architect shall take reasonable time to approve the sample. Any delay that might occur in approving the samples for reasons of its not meeting the specifications or other discrepancies inadequacy in furnishing



samples of best qualities from various manufacturers and such other aspects causing delay on the approval of the materials/equipment etc. shall be to the account of the contractor.

(iii) Cost of tests

- The cost of making any test shall be borne by the contractor if such test is intended by or provided for in the specifications or BOQ.

(iv) Cost of test not provided for

If any test is ordered by the SBI/Architect which is either:

1. If so intended by or provided for or (in the cases above mentioned) is not so particularized or through so intended or provided for but ordered by the SBI/ Architect which is either to be carried out by an independent person at any place other than the site or the place of manufacture or fabrication of the materials tested or any Government/approved laboratory, then the cost of such test shall be borne by the contractor.

16.0 Obtaining Information related to execution of work

No claim by the contractor for additional payment shall be entertained which is consequent upon failure on his part to obtain correct information as to any matter affecting the execution of the work nor any misunderstanding or the obtaining incorrect information or the failure to obtain correct information relieve him from any risks or from the entire responsibility for the fulfilment of contract.

17.0 Contractor's superintendence

The contractor shall give necessary personal superintendence during the execution of the works and as long, thereafter, as the SBI/Architect may consider necessary until the expiry of the defects liability period, stated hereto.

18.0 Quantities

i) The bill of quantities (BOQ) unless or otherwise stated shall be deemed to have been prepared in accordance with the Indian Standard Method of Measurements

The rate quoted shall remain valid for variation of quantity against individual item to any extent subject to maximum variation of the contract value by 25%. The entire amount paid under Clause 20 hereof as well as amounts of prime cost and provisional sums, if any, shall be excluded.

ii) Variation exceeding 25%: The items of work executed in relation to variation exceeding 25% shall be paid on the basis of provisions of clause 21(e) hereof.

19.0 Works to be measured

The SBI/Architect may from time to time intimate to the contractor that he required the work to be measured and the contractor shall forthwith attend or send a qualified representative to assist the SBI/Architect in taking such measurements and calculation and to furnish all particulars or to give all assistance required by any of them. Such measurements shall be taken in accordance with the Mode of measurements detailed in the specifications. The representative of the SBI/ Architect shall take joint measurements with the contractor's representative and the measurements shall be entered in the measurement book.



The contractor or his authorized representative shall sign all the pages of the measurement book in which the measurements have been recorded in token of his acceptance. All the corrections shall be duly attested by both representatives. No over writings shall be made in the measurement book. Should the contractor not attend or neglect or omit to depute his representative to take measurements then the measurements recorded by the representative of the SBI/ Architect shall be final. All authorized extra work, omissions and all variations made shall be included in such measurements.

20.0 Variations:

No alteration, omission or variation ordered in writing by the SBI/Architect shall vitiate the contract.

In case the SBI/Architect thinks proper at any time during the progress of works to make any alteration in, or additions to or omission from the works or any alteration in the kind or quality of the materials to be used therein, the Architect/Consultant shall give notice thereof in writing to the contractor or shall confirm in writing within seven days of giving such oral instructions the contractor shall alter to, add to, or omit from as the case may be in accordance with such notice but the contractor shall not do any work extra to or make any alteration or additions to or omissions from the works or any deviation from any of the provisions of the contract, stipulations, specifications or contract drawings without previous consent in writing of the Architect/Consultant and the value of such extras, alterations, additions or omissions shall in all cases be determined by the Architect/Consultant and the same shall be added to or deducted from the contract value, as the case may be.

21.0 Valuation of Variations

No claim for an extra shall be allowed unless it shall have been executed under the authority of the SBI/Architect with the concurrence of the SBI as herein mentioned. Any such extra is herein referred to as authorized extra and shall be made in accordance with the following provisions.

1. The net rates or prices in the contract shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work priced herein.
2. Rates for all items, wherever possible should be derived out of the rates given in the priced BOQ.
 - The net prices of the original tender shall determine the value of the items omitted, provided if omissions do not vary the conditions under which any remaining items of works are carried out, otherwise the prices for the same shall be valued under sub clause (c) hereunder.
 - Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items or works are carried out, then the contractor shall within 7 days of the receipt of the letter of acceptance inform the SBI/Architect of the rate which he intends to charge for such items of work, duly supported by analysis of the rate or rates claimed and the SBI/Architect shall fix such rate or prices as in the circumstances in his opinion are reasonable and proper, based on the market rate.
- Where extra work cannot be properly measured or valued the contractor shall be allowed day work prices at the net rates stated in the tender of the BOQ or, if not, so stated then in accordance with the local day work rates and wages for the district; provided that in either case,



vouchers specifying the daily time (and if required by the SBI/Architect) the workman's name and materials employed be delivered for verifications to the Architect/Consultant at or before the end of the week following that in which the work has been executed.

- It is further clarified that for all such authorized extra items where rates cannot be derived from the tender, the contractor shall submit rates duly supported by rate analysis worked on the "market rate basis" for material, labour, hire/running charges of equipment and wastages etc. plus 15% towards establishment charges, contractor's overheads and profit. Such items shall not be eligible for escalation.

22.0 Final Measurement

The measurement and valuation in respect of the contract shall be completed within **one month** of the virtual completion of the work.

23.0 Virtual Completion Certificate (VCC)

On successful completion of entire works covered by the contract to the full satisfaction of the SBI, the contractor shall ensure that the following works have been completed to the satisfaction of the SBI

- Clear the site of all scaffolding, wiring, pipes, surplus materials, contractor's labour, equipment and machinery.
 - Demolish, dismantle and remove the contractor's site office, temporary works, structures including labour sheds/camps and constructions and other items and things whatsoever brought upon or erected at the site or any land allotted to the contractor by the SBI and not incorporated in the permanent works.
 - Remove all rubbish, debris etc from the site and the land allotted to the contractor by the SBI and shall clear, level and dress, compact the site as required by the SBI.
 - Shall put the SBI in undisputed custody and possession of the site and all land allotted by the SBI.
- e) Shall hand over the work in a peaceful manner to the SBI.
- f) All defects/imperfections have been attended and rectified as pointed out by the SBI to the full satisfaction of SBI. Upon the satisfactory fulfilment by the contractor as stated above, the contractor shall be entitled to apply to the Architect/Consultant for the certificate. If the SBI/Architect/Consultant is satisfied of the completion of the work, relative to which the completion certificate has been sought, the SBI/Architect/Consultant shall within fourteen (14) days of the receipt of the application for virtual completion certificate, issue a VCC in respect of the work for which the VCC has been applied. This issuance of a VCC shall be without prejudice to the SBI's rights and contractor's liabilities under the contract including the contractor's liability for defects liability period nor shall the issuance of VCC in respect of the works or work at any site be construed as a waiver of any right or claim of the SBI against the contractor in respect of works or work at the site and in respect of which the VCC has been issued.

24.0 Work by other agencies



The SBI/Architect reserves the rights to use premises and any portion of the site for execution of any work not included in the scope of this contract which it may desire to have carried out by other persons simultaneously and the contractor shall not only allow but also extend reasonable facilities for the execution of such work. The contractor however shall not be required to provide any plant or material for the execution of such work except by special arrangement with the SBI. Such work shall be carried out in such manners not to impede the progress of the works included in the contract.

25.0 Insurance of Works

25.1 Without limiting his obligations and responsibilities under the contract the contractor shall ensure in the joint names of the SBI and the contractor against all loss or damages from whatever cause arising other than the excepted risks, for which he is responsible under the terms of contract and in such a manner that the SBI and contractor are covered for the period stipulated in clause 27 & 28 of GCC and are also covered during the period of maintenance for loss or damage arising from a cause, occurring prior to the commencement of the period of maintenance and for any loss or damage occasioned by the contractor in the course of any operations carried out by him for the purpose of complying with his obligations under clause.

- a) The works for the time being executed to the estimated current Contract value thereof, or such additional sum as may be specified together with the materials for incorporation in the works at their replacement value.
- b) The constructional plant and other things brought on to the site by the contractor to the replacement value of such constructional plant and other things.
- c) Such insurance shall be effected with an insurer and in terms approved by the SBI which approval shall not be unreasonably withheld and the contractor shall whenever required produce to the SBI/Architect the policy of insurance and the receipts for payment of the current premiums.

25.2 Damage to persons and property

The contractor shall, except if and so far as the contract provides otherwise indemnify the SBI against all losses and claims in respect of injuries or damages to any person or material or physical damage to any property whatsoever which may arise out of or in consequence of the execution and maintenance of the works and against all claims proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto except any compensation of damages for or with respect to :

- a) The permanent use or occupation of land by or any part thereof.
- b) The right of SBI to execute the works or any part thereof, on, over, under, in or through any lands.
- c) Injuries or damages to persons or properties which are unavoidable result of the execution or maintenance of the works in accordance with the contract.
- d) Injuries or damage to persons or property resulting from any act or neglect of the SBI, their agents, employees or other contractors not being employed by the contractor or in respect of any claims, proceedings, damages, costs, charges and expenses in respect thereof or in



relation thereto or where the injury or damage was contributed to by the contractor, his servants or agents such part of the compensation as may be just and equitable having regard to the extent of the responsibility of the SBI, their employees, or agents or other employees, or agents or other contractors for the damage or injury.

25.3 Contractor to indemnify SBI

The contractor shall indemnify the SBI against all claims, proceedings, damages, costs, charges and expenses in respect of the matters referred to in the provision sub-clause 25.2 of this clause.

25.4 Contractor's superintendence

The contractor shall fully indemnify and keep indemnified the SBI against any action, claim, or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claim made under or action brought against SBI in respect of such matters as aforesaid the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expenses to settle any dispute or to conduct any litigation that may arise there from, provided that the contractor shall not be liable to indemnify the SBI if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the SBI/Architect in this behalf.

25.5 Third Party Insurance

25.5.1 Before commencing the execution of the work the contractor but without limiting his obligations and responsibilities under clause 25 of GCC shall insure against his liability for any material or physical damage, loss, or injury which may occur to any property including that of SBI, or to any person, including any employee of the SBI, by or arising out of the execution of the works or in the carrying out of the contract, otherwise than due to the matters referred to in the provision to clause 25 thereof.

25.5.2 Minimum Amount of Third Party Insurance

Such insurance shall be affected with an insurer and in terms approved by the SBI which approval shall not be reasonably withheld and for at least the amount stated below. The contractor shall, whenever required, produce to the SBI/Architect the policy or policies of insurance cover and receipts for payment of the current premiums.

The minimum insurance cover for physical property, injury, and death is **Rs.5.0 lacs** per occurrence with the number of occurrences limited to four. After each occurrence contractor will pay additional premium necessary to make insurance valid for four occurrences always.

25.7 Accident or Injury to Workmen

25.7.1 The SBI shall not be liable for or in respect of any damages or compensation payable at law in respect or in consequence of any accident or injury to any workmen or other person in the employment of the contractor or any sub-contractor, save and except an accident or injury resulting from any act or default of the SBI or their agents, or employees. The contractor shall indemnify and keep indemnified SBI against all such damages and compensation, save and except as aforesaid and against all claims, proceedings, costs, charges and expenses whatsoever in respect thereof or in relation thereto.



25.7.2 Insurance against accidents etc to workmen

The contractor shall insure against such liability with an insurer approved by the SBI during the whole of the time any person employed by him on the works and shall, when required, produce to the architect/consultant such policy of insurance and receipt for payment of the current premium. Provided always that, in respect of any persons employed by any sub-contractor the contractor's obligation to insure as aforesaid under this sub-clause shall be satisfied if the sub-contractor shall have insured against the liability in respect of such persons in such manner that SBI is indemnified under the policy but the contractor shall require such sub-contractor to produce to the SBI/Architect when required such policy of insurance and the receipt for the payment of the current premium.

25.7.3 Remedy on Contractor's failure to insure

If the contractor fails to effect and keep in force the insurance referred to above or any other insurance which he may be required to effect under the terms of contract, then and in any such case the SBI may effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount so paid by the SBI as aforesaid and also deduct 15% of contract value from any amount due or which may become due to the contractor, or recover the same as debt from the contractor.

Without prejudice to the other rights of the SBI against contractors, in respect of such default, the SBI shall be entitled to deduct from any sums payable to the contractor the amount of any damages costs, charges, and other expenses paid by the SBI and which are payable by the contractors under this clause. The contractor shall upon settlement by the insurer of any claim made against the insurer pursuant to a policy taken under this clause, proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event all the monies received from the insurer in respect of such damage shall be paid to the contractor and the contractor shall not be entitled to any further payment in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed or damaged.

26.0 Commencement of Works

The date of commencement of the work will be reckoned as the recorded date of handing over site by the SBI or **7 days** from the date of receipt of Letter of Acceptance/work order from SBI, whichever is later.

27.0 Time for completion

Time is the essence of the contract and shall be strictly observed by the contractor. The entire work shall be completed within a period of **30 days from the date of commencement**. If required in the contract or as directed by the SBI/Architect, the contractor shall complete certain portions of work before completion of the entire work. However the completion date shall be reckoned as the date by which the whole work is completed as per the terms of the contract.

28.0 Extension of Time

If, in the opinion of the Architect/Consultant, the work be delayed for reasons beyond the control of the contractor, the Architect/Consultant may submit a recommendation to the SBI to grant a fair and reasonable extension of time for completion of work as per the terms of contract. If the



contractor needs an extension of time for the completion of work or if the completion of work is likely to be delayed for any reasons beyond the due date of completion as stipulated in the contract, the contractor shall apply to the SBI through the Architect/Consultant in writing at least 15 days before the expiry of the scheduled time and while applying for extension of time he shall furnish the reasons in detail and his justification if any, for the delays. The architect/consultant shall submit their recommendations to the SBI in the prescribed format for granting extension of time. While granting extension of time the contractor shall be informed the period extended time which will qualify for levy of liquidated damages. For the balance period in excess of original stipulated period and duly sanctioned extension of time by the SBI the provision of liquidated damages as stated under clause 8 of GCC shall become applicable. Further contract shall remain in force even for the period beyond the due date of completion irrespective whether the extension is granted or not.

29.0 Rate of progress

Whole of the materials, plant and labour to be provided by the contractor and the mode, manner and speed of execution and maintenance of the works are to be of a kind and conducted in a manner to the satisfaction of the SBI/Architect. Should the rate of progress of the work or any part thereof be at any time be in the opinion of the SBI/Architect too slow to ensure the completion of the whole of the work by the prescribed time or extended time for completion the SBI/Architect shall thereupon take such steps as considered necessary to expedite progress so as to complete the works by the prescribed time or extended time. Such communications from the SBI/Architect neither shall relieve the contractor from fulfilling obligations under the contract nor he shall be entitled to raise any claims arising out of such directions.

30.0 Work during nights and holidays

Subject to any provision to the contrary contained in the contract no permanent work shall save as herein provided be carried on during the night or on holidays without the permission in writing of the SBI/Architect, save when the work is unavoidable or absolutely necessary for the saving of life or property or for the safety of the work in which case the contractor shall immediately advise the SBI/Architect. However the provision of the clause shall not be applicable in the case of any work which becomes essential to carry by rotary or double shifts in order to achieve the progress and quality of the part of the works being technically required and continued with the prior approval of the SBI/Architect at no extra cost to the SBI.

All work at night after obtaining approval from competent authorities shall be carried out without unreasonable noise and disturbance so as to avoid disputes with the neighbours.

31.0 No compensation for restrictions of work

If at any time after acceptance of the tender SBI shall decide to abandon or reduce the scope of work for any reason whatsoever and hence not require the whole or any part of the work to be carried out, the SBI/ Architect shall give notice in writing to that effect to the contractor and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work fully but which he did not derive in consequence of the foreclosure of the whole or part of the work. Provided that the contractor shall be paid the charges on the cartage only of materials actually and bona fide brought to the site of the work by the contractor and rendered surplus as a result of the abandonment, curtailment of



the work or any portion thereof and then taken back by the contractor, provided however that the SBI/Architect shall have in such cases the option of taking over all or any such materials at their purchase price or a local current rate whichever is less. In case of such stores having been issued from SBI stores and returned by the contractor to stores, credit shall be given to him at the rates not exceeding those at which were originally issued to the contractor after taking into consideration and deduction for claims on account of any deterioration or damage while in the custody of the contractor and in this respect the decision of SBI/Architect shall be final.

32.0 Suspension of work

1. The contractor shall, on receipt of the order in writing of the SBI/Architect (whose decision shall be final and binding on the contractor) suspend the progress of works or any part thereof for such time and in such manner as SBI/Architect may consider necessary so as not cause any damage or injury to the work already done or endanger the safety thereof for any of following reasons.

- a) On account of any default on the part of the contractor, or
- b) For proper execution of the works or part thereof for reasons other than the default of the contractor, or
- c) For safety of the works or part thereof.

The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the SBI/Architect.

2. If the suspension is ordered for reasons (b) and (c) in sub-Para (i) above :

The contractor shall be entitled to an extension of time equal to the period of every such suspension. No compensation whatsoever shall be paid on this account.

33.0 Action when the whole security deposit is forfeited

In any case in which under any clause or clauses of this contract, the Contractor shall have rendered himself liable to pay compensation amounting to the whole of his security deposit the Architect/Consultant shall have the power to adopt any of the following course as they may deem best suited to the interest of the SBI.

- a) To rescind the contract (of which rescission notice in writing to the contractor by the Architect/Consultant shall be conclusive evidence) and in which case the security deposit of the contractor shall be forfeited and be absolutely at the disposal of SBI.
- b) To employ labour paid by the SBI and to supply materials to carry out the work, or any part of the work, debiting the contractor with the cost of the labour and materials (the cost of such labour and materials as worked out by the SBI/Architect shall be final and conclusive against the contractor) and crediting him with the value of the work done, in all respects in the same manner and at the same manner and at the same rates as if it had been carried out by the contractor under the terms of this contract the certificate of Architect/Consultant as to the value of work done shall be final and conclusive against the contractor.
- c) To measure up the work of the contractor, and to take such part thereof as shall be unexecuted, out of his hands, and to give it to another contractor to complete in which case any



expenses which may be incurred in excess of the sum which would have been paid to the original contractor, if the whole work had been executed by him (of the amount of which excess the certificates in writing of the Architects/ Consultant shall be final and conclusive) shall be borne by original contractor and may be deducted from any money due to him by SBI under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or sufficient part thereof.

In the event of any of above courses being adopted by the SBI the contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any material or entered into any engagements or make any advances on account of, or with a view to the execution of the work or the performance of the contract and in case the contract shall be rescinded under the provision aforesaid, the contractor shall not be entitled to recover or to be paid any sum or any work thereto for actually performed under this contract, unless, and until the Architect/Consultant/SBI will have certified in writing the performance of such work and the value payable in respect thereof, and he shall only be entitled to be paid the value so certified.

34.0 Owner's Right to Terminate the Contract

If the contractor being an individual or a firm commit any 'Act of Insolvency' or shall be adjusted an insolvent or being an incorporated company shall have an order for compulsory winding up voluntarily or subject to the supervision of Government and of the Official Assignee of the liquidator in such acts of insolvency or winding up shall be unable within seven days after notice to him to do so, to show to the reasonable satisfaction of the SBI /Architect that he is able to carry out and fulfil the contract, and to give security therefore if so required by the SBI.

Or if the contractor (whether an individual firm or incorporated Company) shall suffer execution to be issued or shall suffer any payment under this contract to be attached by or on behalf of any of the creditors of the contractor.

Or shall assign or sublet this contract without the consent in writing of the SBI through the Architect/Consultant or shall charge or encumber this contract or any payment due to which may become due to the contractor there under.

- a) Has abandoned the contract; or
- b) Has failed to commence the works, or has without any lawful excuse under these conditions suspended the progress of the works for 14 days after receiving from the SBI through the Architect/Consultant written notice to proceed, or
- c) Has failed to proceed with the works with such diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon, or has failed to remove the materials from the site or to pull down and replace work within seven days after written notice from the SBI through the Architect/ Consultant that the said materials were condemned and rejected by the Architect/ Consultant under these conditions; or has neglected or failed persistently to observe and perform all or any of the acts, matters or things by this contract to be observed and performed by the contractor for seven days after written notice shall have been given to the contractor to observe or perform the same or has to the detriment of good workmanship or in defiance of the SBI's or Architect's/Consultant's instructions to the contrary subject any part of the contract. Then and in any of said cases the SBI and or the Architect/Consultant, may not withstanding any previous waiver, after giving seven days' notice in writing to the



contractor, determine the contract, but without thereby affecting the powers of the SBI or the Architect/Consultant or the obligation and liabilities of the contractor the whole of which shall continue in force as fully as if the contract had not been so determined and as if the works subsequently had been executed by or on behalf of the contractor. And, further the SBI through the Architect/Consultant, their agents or employees may enter upon and take possession of the work and all plants, tools, scaffoldings, materials, sheds, machineries lying upon the premises or on the adjoining lands or roads, use the same by means of their own employees or workmen in carrying on and completing the work or by engaging any other contractors or persons to complete the work and the contractor shall not in any way interrupt or do any act, matter or thing to prevent or hinder such other contractor or other persons employed for completing and finishing or using the materials and plant for the works. When the works shall be completed or as soon thereafter as convenient to the SBI or the Architect/Consultant shall give a notice in writing to the contractor to remove his surplus materials and plants and should the contractor fail to do so within 14 days after receipt thereof by him the SBI sell the same by public auction after due publication and shall adjust the amount realized by such auction. The contractor shall have no right to question any of the act of the SBI incidental to the sale of the materials etc.

35.0 Certificate of Payment

- The contractor shall be entitled under the certificate s to be issued by the Architect/ consultant to the contractor within 10 days from the date of certificate to the payment from SBI from time to time. The SBI shall recover the statutory recoveries and other dues including the retention amount from the certificate of payment.
- Provided always that the issue of any certificate by the Architect/ consultant during the progress of works or completion shall not have effect as certificate of satisfaction or relieve the contractor from his liability under clause.
- The Architect/ consultant shall have power to withhold the certificate if the work or any part thereof is not carried out to their satisfaction.
- The Architect/ consultant may by any certificate make any corrections required in previous certificate.
- The SBI shall modify the certificate of payment as issued by the Architect/ consultant from time to time while making the payment.
- The contractor shall submit one interim bill only after taking actual measurements and the bill value not less than 10 lacs.
- The final bill may be submitted by the contractor within a period of one month from the date of virtual completion and Architect / consultant shall issue the certificate of payment within a period of 02 months. The SBI shall pay the amount within a period of three weeks from the date of issue of certificate provided there is no dispute in respect of rate and quantities

36.0 Settlement of Disputes and Arbitration

Except where otherwise provided in the contract all questions and disputes to the meaning of the specifications, design, drawings and instructions herein before mentioned and as to the



quality of workmanship or materials used on the work or as to any other question , claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings specifications, estimates, instructions orders or these conditions or otherwise concerning the work or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:

i) If the Contractor considers that he is entitled to any extra payment or compensation in respect of the works over and above the amounts admitted as payable by the authorized person of SBI or in case the Contractor wants to dispute the validity of any deductions or recoveries made or to be made from the contract or raise any dispute, the Contractor shall forthwith give notice in writing of his claim, or dispute to AGM (P&E), LHO, Bhubaneswar within 30 days from the date of disallowance thereof or the date of deduction or recovery. The said notice shall give full particulars of the claim, grounds on which it is based and detailed calculations of the amount claimed and the Vendor shall not be entitled to raise any claim nor shall the SBI be in any way liable in respect of any claim by the Contractor unless notice of such claim shall have been given by the Contractor to the AGM (P&E),SBI, LHO, Bhubaneswar, of respective Circle Office, in the manner and within the time as aforesaid. The Vendor shall be deemed to have waived and extinguished all his rights in respect of any claim not notified to the AGM (P&E),SBI, LHO, Bhubaneswar, in writing in the manner and within the time aforesaid.

ii) The AGM (P&E),SBI, LHO, Bhubaneswar, shall give his decision in writing on the claims notified by the Contractor. The Contractor may within 30 days of the receipt of the decision of the AGM (P&E),SBI, LHO, Bhubaneswar, submit his claims to the conciliating authority namely the Circle Development Officer of respective Circle for conciliation along with all details and copies of correspondence exchanged between him and the SBI

iii) If the conciliation proceedings are terminated without settlement of the disputes, the Contractor shall, within a period of 30 days of termination thereof shall give a notice to the concerned Chief General Manager for appointment of an arbitrator to adjudicate the notified claims falling which the claims of the Contractor shall be deemed to have been considered absolutely barred and waived.

iv) Except where the decision has become final, binding and conclusive in terms of the contract, all disputes or differences arising out of the notified claims of the Contractor as aforesaid and all claims of the SBI shall be referred for adjudication through arbitration to the Sole Arbitrator appointed by the Chief General Manager and who will be an officer not less than the rank of Deputy General Manager of SBI . If the arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever another sole arbitrator shall be appointed in the manner aforesaid by the said Chief General Manager Such person shall be entitled to proceed with the reference from the stage at which it was let by his predecessor.

It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed in respect of each dispute along with the notice for appointment of arbitrator.

It is also a term of this contract that no person other than a person appointed by such Chief General Manager as aforesaid should act as arbitrator.



The conciliation and arbitration shall be conducted in accordance with the provisions of the Arbitration & Conciliation Act 1996 or any or any accordance modification or re-enactment thereof and the rules made there under.

It is also a term of the contract that the Arbitrator shall be deemed to have entered on the reference on the date he issues notice to both the parties calling them to submit their statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The Cost of the reference and of the award shall be in the discretion of the arbitrator who may direct to any by whom and in what manner, such costs or any part thereof, shall be paid and fix or settle the amount of costs to be so paid

37.0 Water Supply (Not Applicable)

38.0 Power supply

The contractor shall make his own arrangements for power and supply/distribution system for driving plant or machinery for the work and for lighting purpose at his own cost. The cost

of running and maintenance of the plants are to be included in his tender prices. He shall pay all fees and charges required for the power supply and include the same in his tendered rates and hold the owner free from all such costs. He has to obtain necessary approvals from the appropriate authorities, if required.

39.0 Treasure Trove etc.

Any treasure trove, coin or object antique which may be found on the site shall be the property of SBI and shall be handed over to the SBI immediately.

40.0 Method of Measurement

Unless otherwise mentioned in the schedule of quantities or in mode of measurement, the measurement will be on the net quantities or work produced in accordance with up to date. Rules laid down by the Bureau of Indian Standards. In the event any dispute/disagreement the decision of the Architect/Consultant shall be final and binding on the contractor.

41.0 Maintenance of Registers

The contractor shall maintain the following registers as per the enclosed format at site of work and should produce the same for inspection of SBI/Architect/Consultant whenever desired by them. The contractor shall also maintain the records/registers as required by the local authorities/Government from time to time.

42.0 Force Majeure

42.1 Neither contractor nor SBI shall be considered in default in performance of their obligations if such performance is prevented or delayed by events such as war, hostilities revolution, riots, civil commotion, strikes, lockout, conflagrations, epidemics, accidents, fire, storms, floods, droughts, earthquakes or ordinances or any act of god or for any other cause beyond the reasonable control of the party affected or prevented or delayed. However a notice is required to be given within 30 days from the happening of the event with complete details, to the other party to the contract, if it is not possible to serve a notice, within the shortest possible period without delay.



42.2 As soon as the cause of force majeure has been removed the party whose ability to perform its obligations has been affected, shall notify the other of such cessation and the actual delay incurred in such affected activity adducing necessary evidence in support thereof.

42.3 From the date of occurrence of a case of force majeure obligations of the party affected shall be suspended during the continuance of any inability so caused. With the cause itself and inability resulting there from having been removed, the agreed time of completion of the respective obligations under this agreement shall stand extended by a period equal to the period of delay occasioned by such events.

42.4 Should one or both parties be prevented from fulfilling the contractual obligations by a state of force majeure lasting to a period of 6 months or more the two parties shall mutually decide regarding the future execution of this agreement.

43.0 Local Laws, Acts, Regulations

The contractor shall strictly adhere to all prevailing labour laws inclusive of contract labour (regulation and abolition act of 1970) and other safety regulations. The contractor shall comply with the provision of all labour legislation including the latest requirements of all the Acts, laws, any other regulations that are applicable to the execution of the project.

1. Minimum Wages Act, 1948 (Amended)
2. Payment of Wages Act 1936 (Amended)
3. Workmen's Compensation Act 1923 (Amended)
4. Contract Labour Regulation and Abolition Act 1970 and Central Rules 1971(Amended)
5. Apprentice Act 1961 (Amended)
6. Industrial Employment (Standing Order) Act 1946 (Amended)
7. Personal Injuries (Compensation Insurance) Act 1963 and any other modifications
8. Employees' Provident Fund and Miscellaneous Provisions Act 1952 and amendment thereof
- ix) Shop and Establishment Act
9. Any other Act or enactment relating thereto and rules framed there under from time to time.

44.0 SAFETY CODE:

Safety as per annexure given should be followed.

45.0 Accidents

The contractor shall immediately on occurrence of any accident at or about the site or in connection with the execution of the work report such accident to the Architect/Consultant. The contractor shall also report immediately to the competent authority whenever such report is required to be lodged by the law and take appropriate actions thereof



SPECIAL CONDITIONS

1. General:

1.1 These special conditions shall be read in conjunction with the description of the item of work in the Bill(s) of Quantities, the particular Specifications, Local Statutory Regulations, Indian Standards Specifications/Codes and the drawings. All the above quoted documents, shall be considered supplementary to each other. However, in the case of conflict amongst the various provisions the owner's and the consultants opinion will be final and shall be adopted.

1.2 The tenderer is advised to inspect the site to ascertain the nature of site, access thereto, local facilities for procurement of materials and working labour rates prevalent in the area, in fact all matters affecting his prices and execution of the work. The tenderer shall be deemed to have full knowledge of the site and drawings whether or not he actually inspects them.

2. Rates

2.1 The rates quoted shall be deemed to allow for all minor extras and constructional details which are not specifically shown on drawings or given on the specifications but are essential in the opinion of the Engineer-in-charge to the execution of works to confirm to good workmanship and sound engineering practice. The Consultant/SBI reserves the right to make any minor changes during the execution without any extra payment.

2.2 The Consultants/SBI decision to clarify any item under minor changes, minor extras and constructional details shall be final, conclusive and binding on the Contractor.

2.3 The rates quoted by the Contractor shall be net so as to include all requirements described in the contract agreement and no claim whatsoever due to fluctuations in the price of material and labour will be entertained.

2.4 The rates quoted by the Contractor shall include for supplying materials and labour necessary for completing the work in the best and most workmanship like manner to the satisfaction of the Consultant/SBI and which in the opinion of the Consultant cannot be made better, and for maintaining the same. The rates shall be complete in all respects also including cost of materials, erection, fabrication, labour, supervision, tools and plant, transport, sales and other taxes, royalties, duties and materials, contingencies, breakage, wastage, sundries, scaffoldings, etc., on the basis of works contract. The rates quoted shall include all transport, insurance, octroi, or any other levies applicable under the statute excluding GST.

3.0 Materials:

3.1 The Contractor shall ensure to the satisfaction of the Consultant/SBI that the materials are packed in original sealed containers/packing bearing manufacturer's markings and brands etc., except where the gross quantity required is a fraction of the smallest packings. Materials not complying with this requirement shall be rejected.

3.2 Testing of Materials:



a) When required by the Consultant / SBI, the Contractor shall provide all facilities at site or at manufacturer's works or in an approved laboratory for testing the materials and/or workmanship. All the expenditure in respect of this shall be borne by the Contractor unless specified otherwise in the Contract. The Contractor shall, when required to do so by the Consultant shall submit at his own cost, manufacturer's certificate of tests, proof sheets, mill sheets etc., showing that the materials have been tested in accordance with requirements of these specifications. The samples for Tests shall be selected by SBI / Consultant.

4.0 Rectification of Defects:

4.1 Any defect in the work done or materials used in the works pointed out by the Consultant / SBI shall be rectified within a week or such extended time as may be allowed in this failing which the said defect shall be got rectified by the Consultant at the risk and cost of the Contractors.

5.0 Conduit and Cables Layout :

5.1 Prior to the pulling of wires, the Contractor shall verify the conduits laid at site by Contractors and satisfy themselves about the adequacy of the same. The contractors shall prepare Wiring layout along with Conduit layout and submit for approval. Prior to laying of the cables, the Contractor shall submit to the Consultant /SBI detailed layout plans of the cable net work and get the same approved. The layout plans shall contain particulars regarding size and routes of the cables. The Cables shall be procured only after approval of Layout Drawings.

6.0 Regulations & Standards :

6.1 The installation shall conform in all respects to Indian Standard Code of Practice for Electrical Wiring Installation IS:732 and IS:2274. It shall also be in conformity with the current Indian Electricity Rules and Regulations and requirements of the local Electric Supply Authority in so far as these become applicable to the installation. Wherever this specification calls for higher standard of material and/or workmanship than those required by any of the above regulations then this specification shall take precedence over the said regulations and standards.

7.0 Shop Drawings :

7.1 The Contractor shall prepare and submit to the Consultant / SBI for the approval of detailed fabrication drawings for Main LT Panels/SwitchGears/Rising Mains special boxes and Distribution Board, switch board, special any other equipment to be fabricated by Contractor within 7 days of signing of the contract.

8.0 Completion Drawings :

8.1 At the completion of the work and before issuance of certificate of virtual completion the contractor shall submit to the consultant / SBI layout drawings drawn at approved scale indicating the complete wiring system "As Installed". These drawings shall in particular, give the following information.

- (a) Run and size of conduits, inspection, junction and pull boxes.
- (b) Location and rating of sockets and switches, controlling the light and power outlets.
- (c) Number and size of conductors in each circuit.
- (d) Location and details of distribution boards, mains, switches, switchgear and other particulars.
- (e) A complete wiring diagram, as installed and schematic drawings showing all connections in the complete electrical system.



(f) Location of telephone outlets, T.V. Music & Fire Alarm outlet boxes, junctions boxes, sizes of various conduits.

(g) Locations of all earthing stations, routs and size of all earthing conductors, manholes etc.

(h) Layout and particulars of all cables.

9.0 Manufacturer's Instructions:

9.1 Where manufacturers have furnished specific instructions, rating to the materials used in this job, covering points not specifically mentioned in the documents, these instructions shall be followed in all cases.

10.0 Completion Certificate :

10.1 On completion of the Electrical Installation a certificate shall be furnished by the Contractor counter signed by a licensed supervisor, under whose direct supervision the installation was carried out.

This certificate shall be in the prescribed form as required by the local supply authority. The Contractor shall be responsible for getting the drawings and Electrical Installation inspected and approved by the local Authority concerned.

11.0 Qualified Competent Supervision

11.1 The Contractor shall employ competent fully licensed, qualified full time Engineer to direct the work of Electrical installation in accordance with drawings and specifications. The Engineer shall be available at all times on the site to receive instructions from Consultant in the day to day activities, through out the duration of the contract. The foremen shall co-relate the progress of the work in conjunction with all relevant requirements of the supply authorities.

12. Approval from Local Distribution company / Electrical Inspectorate :

The Contractor shall prepare and submit all the relevant drawings as per the Requirement of [TPWODL](#)/ Electrical Inspectorate and obtained the Approvals if any. No incidental expenses will be paid towards the same. Only statutory fees if any will be paid by SBI



LETTER OF UNDERTAKING

(The bidders are required to print this on their company's/Firm letter head and sign & stamp, shall be submitted along with technical bid)

To,
**THE REGIONAL MANAGER
STATE BANK OF INDIA
REGIONAL BUSINESS OFFICE
KEONJHAR, ODISHA**

Dear Sir,

ELECTRICAL AND ALLIED WORKS AT THE PROPOSED PREMISES FOR SBI RAIKALA BRANCH UNDER RBO KEONJHAR

- 1) Having examined the terms & conditions, drawings, specifications, design relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto and affecting the quotation, I/We hereby offer to execute the works specified in the said memorandum within the time specified in the said memorandum on the item rate basis mentioned in the attached schedule and in accordance in all respect with the specifications, design, drawings and instructions in writing referred to in conditions of Tender, conditions of contract and with such conditions so far as they may be applicable.
- 2) Should this tender be accepted, I/we hereby agree to abide by and fulfill the terms and provisions of the said conditions of Contract annexed hereto so far as they may be applicable or in default thereof to forfeit and pay to SBI, the amount mentioned in the said conditions.
- 3) I/we have deposited Demand Draft / Banker's Cheque / FDR for a sum of **Rs.7500/- (Rupees Seven Thousand Five Only)** as Earnest money deposit / one time EMD with the SBI Should I/we do fail to execute the contract when called upon to do so, I/we hereby agree that this sum shall be forfeited by me/us to SBI
- 4) We understand that as per terms of this tender, the SBI may consider accepting our tender in part or whole or may entrust the work of various buildings (i.e **Electrical and allied works at the proposed premises for SBI Raikala Branch under RBO Keonjhar**) in phases. We, therefore, undertake that we shall not raise any claim / compensation in the eventuality of Bank deciding to drop any of the Branch / buildings from the scope of work of this tender at any stage during the contract period. Further, we also undertake to execute the work entrusted to us in phases on our approved rates and within the stipulated time limit without any extra claim for price escalation .
- 5) As when ask by the SBI/Bank, I/we shall submit the supporting technical data sheet, specification and make of the items as per the BOQ.
- 6) We, hereby, also undertake that, we will not raise any claim for any escalation in the prices of any of the material during the currency of contract/execution/completion period.



- 7) I / We have not made any modification / corrections / additions /deletions etc. in the PQ/Tender documents downloaded from web by me / us. In case at any stage later, it is found there is difference in our downloaded PQ/Tender documents from the original and / or any documentation, of SBI shall have the absolute right to disqualify / reject our Tender and also debar me / us in participating in any future tenders of SBI without any prior intimation to me / us.
- 8) We confirm that, all the materials/components/spare parts/equipment etc. to be supplied/used as a part of this contract shall be original/new materials/ components/ parts/equipment only from respective OEMs of the products and that no refurbished/ duplicate /second hand materials/components/parts/ equipment shall be supplied or shall be used.
- 9) We also confirm that we have not been blacklisted by any Bank / PSU / State or Central Govt departments for any reasons.
- 10) We confirm that we are responsible to obtain all necessary licenses, permission, NOC from all the statutory /local authorities for the smooth execution of this contract in SBI premises.
- 11) For any type of deviation (to any of the above or subsequent instructions), it will be my/our responsibility to obtain the written instruction of the engineer –in-charge for the same failing which it shall be deemed that I have carried out any such deviations at my own and I shall be duty bound to replace the all deviated materials/works from the site at my/our cost as well as I shall be liable to penalized by the SBI as deemed fit and for all such losses made thereof , I/we shall not have any right to arbitrate in any manner
- 12) I/We hereby undertake and confirm that all the information furnished in this tender is correct and true to the best of our knowledge and belief and we own full responsibility for its correctness and authenticity
- 13) I / We hereby understood and accordingly confirm that all Tender documents along supporting documents/annexures etc. are required to be submitted by us strictly in the prescribed format only. In case, the Bid/documents submitted by us along with this tender is found in any other formats and not complying this condition, we hereby authorize the SBI to summarily reject our tender for which we shall not make any protest.

Yours faithfully,

Signature of contractor
With Seal



LIST OF APPROVED MAKE

APPROVED MAKE LIST OF ELECTRICAL MATERIALS			
SL. NO	MATERIAL DESCRIPTION		APPROVED MAKES
1	PVC CONDUIT (FR Grade, ISI Mark)	:	PRECISION / AKG/BEC/AVON PLAST/GM/CLIPSAL
2	STEEL CONDUIT (ISI MARKED)		BEC/BHARAT/GUPTA/AKG/RMCON/STEEL KRAFTS
3	PVC FRLS COPPER WIRES (ISI MARK/Telephone Cables/ Co-axial TV Cable	:	KEI / POLYCAB / ANCHOR / RR CABLE / HAVELLS/FI-NOLEX
4	MODULAR SWITCH / SOCKET /TV SOCKET /DATA SOCKETS/ ELECTRONICS REGULATOR/ AC STARTER SWITCH etc.	:	LEGRAND (Myrius) / ABB (IVIE)/ SCHNEIDER (ZENCELO)/WIPRO-NORTHWEST – ARTISA/MK-BLENZE PLUS
5	MCBs/ ELCB/RCBO/ISOLATOR	:	LEGRAND / L & T / ABB /Siemens/Schneider/Hager
6	MCB DB/ INDUSTRIAL SCOKET OUTLET.		LEGRAND (Ekinox) / L & T (AU) / ABB (Itus)/Siemens-Betaguard/Schneider- Acti9
7	APFC RELAY	:	L&T/BELUK/SIEMNS/EPCOS/ABB/SCHNEIDER/NEPTUNE
8	HV / MV XLPE INSULATED CABLE	:	KEI / POLYCAB / RR CABLE / HAVELLS/FI-NOLEX/NICCO/UNIVERSAL/CCI
9	HT CABLE TERMINATION KIT	:	RAYCHEM / M-SEAL/3M
10	PVC BATTEN/ANGLE HOLDER		ARISTO/ANTEX/PRAKASH/KINJAL/ANCHOR
11	GI CABLE TRAYS & RACEWAYS	:	NIEDEX / PROFAB / JKR / CLASSIC / SHRUTI / PATNY/LEGRAND/OBO
12	EXHAUST FAN/ CEILING FAN	:	ALMONARD / HAVELLS / CROMPTON / ORIENT/BAJAJ/ATOMBERG
13	LED LIGHT FITTINGS	:	PHILIPS / HAVELLS / WIPRO/CROMPTON/BAJAJ
14	ACB	:	L & T (OMEGA)/ ABB (FORMULA) / SCHNEIDER (NW) /SIEMENS (3WL)
15	MCCBs	:	L & T (D-Sine) / ABB (Formula) / SCHNEIDER (NSX) /SIEMENS (3VA) /LEGRAND (DPX3)
16	CONTACTOR AND OVER LOAD RELAY	:	L & T / ABB / SCHNEIDER /SIEMENS/C&S
17	DIGITAL METERS	:	CONSERV (SCHNEIDER) / L&T / ABB/ SECURE/MECO/RISHAB/AE
18	CAPACITOR ALL PP / HEAVY DUTY MPP	:	SCHNEIDER / L&T / EPCOS/SIEMENS/MIHIR
19	CTs & PTs	:	KAPPA / KALPA / AE/SCHNIDER/L&T/GILBERT
20	CONTROL SWITCHES	:	KAYCEE/GEC/ALSTOM /L&T-SALZER/SCHNIDER/HPL

21	ELR / EARTH FALUT RELAY	:	ALSTOM / PROK DIVS / ER /SIEMENS/SCHNIDER/ABB
22	PROTECTVE RELAY	:	ALSTOM / PROK DIVS / ER /SIEMENS/SCHNIDER/ABB
23	PUSH BUTTONS	:	TECHNIC / ABB /SCHNEIDER / L&T/SCHNIDER
24	INDICATING LAMPS (LED)	:	TECHNIC / ABB /SCHNEIDER / L&T/SCHNIDER/BCH/EMCO/KAYPEE
25	LUGS / GLANDS	:	DOWELLS / JAISON/ COMET / BRACO
26	TERMINALS & CON- NERCTORS	:	ELMEX /CONNECTWELL/ESSEN-FINGER TOUCH PROOF OR AS EQUIVALENT.
27	FERRULES	:	MAYFAIR/Balaji Industries OR AS EQUIVALENT.
28	RAISING MAIN, BUS BAR TRUNKING, ATP- OFF BOXES	:	C&S/ SCHNEIDER /LEGRAND/ABB/L&T
29	BUS BAR SUPPORTS	:	C&S/ SCHNEIDER /LEGRAND/ABB/L&T
30	UPS / INVETERS	:	VERTIVE/NUMERIC/BPE/APC/ABB
31	BATTERY	:	AMRARAJA/EXIDE/AMCO
32	STABILIZER	:	DUBAS / EMERSON / POWERTRONIX/SERVO
33	Load Monitors / Control- ler	:	Ducati / Electrex / Enercon / CIRCUTOR
34	Control Cables	:	KEI / POLYCAB / RR CABLE / HAVELLS
35	Battery charger	:	AMERON/ EXIDE/AMCO/ARMARA RAJA
36	ATS/SPD	:	L & T / ABB / SCHNEIDER /SIEMENS/LEGRAND/HAGER
37	DAY Light/ OCCUPANCY Sensor	:	LEGRAND/SCHNEIDER/ABB/JONSHON CON- TROL/HAGER/WIPRO/LUTRON
38	MV PANEL	:	TTA/CPRI FABRICATORS WITH PANEL CLEARED BY CPRI.
39	ANGLE IRON/CHANNEL IRON	:	SAIL ,TATA, JINDAL
40	EARTHING	:	Ashlok, Indelec, Doksun, LPI
41	NETWORK RACK	:	NETRACK/WQ/PANDUIT/RITTAL/EMERSON/VALRACK
42	GI PIPE	:	TATA/JINDAL/ZENITH/SURYA/SAIL
43	CELING ROSE	:	ANTEX/LEADER/EMPEROR/ANCHOR
44	WEATHER PROOF BOXES	:	HANSEL/LEGRAND/OBO BETTERMAN/C&S
45	ELECTRIC INSULATION MAT	:	DOZZ/PADMINI/RAYCHEM/JYOTHI RUBBER UDYOG
46	TELEPHONE JACK	:	BELDEN/SYSTIMAX/PANDUIT/SIEMON/LEGRAND/D- LINK
47	HDMI Cable	:	Crestron / Extron / Kramer / Beldan/ Lightware/AMX/Nt
48	HRC FUSES	:	L&T/siemens/Alstom/GE



49	FUSE SWITCH UNITS/DISCONNECTING SWITCH FINAL UNITS	L&T/siemens/Alstom/GE/Legrand/Merlin Gerin
51	All others items not Covered Above	As per approval of the project Architect & Bank
52	Telephone Tag Block	Krone
53	CAT 6 UTP CABLES	D-LINK/Legrand/Molex/Digisol

1.The contractor should obtain prior approval from SBI/ Consultants before placing order for any specific materials SBI may / delete any of the makes or brands out of the above list.

2..All materials should conform to relevant standards and codes of BIS. Materials with S.I.mark shall be used duly approved by the SBI Engineer/Architect.

3. Any material is found to be not up to the mark, the contractor will have to produce original bills/certificate from the manufacturer or his authorized Distributor for authenticity and genuineness of the material for consideration and as per make approved by the SBI. The same will not be considered for payment.

4. Any additional item as per BOQ specifications or as per the instructions of the bank / Consultants. Any of the above items / other items if any will be as approved by the Consultants & Engineer-in-charge.

5. All Light Fixtures, Modular Switches & Sockets, Fans, Exhaust Fans & other fittings samples shall be approved by the Client / Architect / Consultant before placing order to the Light Fixture Vendor / Supplier



SAFETY CODE

SAFETY MEASURES AT SITE:

1. All personnel at site should be provided with Helmets and Safety Boots with some Identification Mark. Visitors also should be provided with Helmets. It should be ensured that these are used properly.
2. First Aid Box should be kept at site with all requisite materials.
3. No one should be allowed to inspect / work at a height without Safety Belt.
4. Suitable scaffolds should be provided for workmen for all Works that cannot safely be done from the ground, or from solid construction except such short period Work as can be done safely from ladders. When a ladder is used an extra Mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well as suitable footholds and handholds shall be provided on the ladder and the ladder shall be given an inclination not steeper than $\frac{1}{4}$ to 1 ($\frac{1}{4}$ horizontal and 1 vertical).
5. Scaffolding or staging more than 3.5 meters above the ground or floors, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached, bolted, braced and otherwise secured at least 1 Meter high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such openings as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
6. Working platforms, Gangways, and Stairways should be so constructed that they do not sag unduly or unequally, and if the height of the platform or the Gangway or the Stairway is more than 3-5 Meters above ground level or floor level they should be closely boarded, should have adequate width and should be suitably fenced, as described.
7. Every opening in the floor of a building or in a working platform be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be 1 Meter.
8. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9 Meters in length while the width between side rails in rung ladder shall in no case be less than 30cms for ladder upto and including Meters in length. For longer ladders this width should be increased at least 6mm for each additional 30 cms. Uniform step spacing shall not exceed 30 cms.
9. Adequate precautions shall be taken to prevent danger from electrical equipment. For electrical on line works gloves, rubber mats, and rubber shoes shall be used.
10. All trenches 1.2 Meters or more in depth shall at all times be supplied with at least one ladder for each 30 Meters length or fraction thereof. Ladder shall be extended from bottom of the trench to at least 1 Meter above the surface of the ground. The sides of the trenches, which are 1.5 Meters or more in depth shall be stepped back to give suitable slope, or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 Meters of the edge of the trench or half of the depth of the trench whichever is more cuttings shall be done from top to bottom. Under no circumstances undermining or under cutting shall be done.



11. Before any demolition work is commenced and also during the process of the work:-

- a) All roads and open areas adjacent to the Work Site shall either be closed or suitably protected;
- b) No electrical cable or apparatus which is liable to be a source of danger over a cable or apparatus used by the operator shall remain electrically charged.
- c) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so over-loaded with debris or materials as to render it unsafe.
- d) All necessary personal safety equipment as considered adequate by the Site Engineer should be kept available for the use of the persons employed on the Site and maintained in a condition suitable for immediate use; and the Contractor should take adequate steps to ensure proper use of equipment by those concerned.
- e) Workers employed on mixing Asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
- f) Those engaged in white washing and mixing or stacking of cement bags or any materials which is injurious to the eyes shall be provided with protective goggles.
- g) Those engaged in welding works shall be provided with Welder's protective eye-shields.
- h) Stone breakers shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- i) When workers are employed in sewers and manholes, which are in use, the Contractor shall ensure that the manhole covers are opened and are ventilated at least for an hour before the workers are allowed to get into the manholes and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals and boards to prevent accident to the Public.

12. Use of hoisting machines and tackle including their attachments, anchorage and support shall conform to the following standard or conditions:-

- a) These shall be of good mechanical construction, sound material and adequate strength and free from patent defect and shall be kept in good repairs and in good working order.
- b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
- c) Every crane driver or hoisting appliance operator shall be properly qualified and no person under the age of 21 years should be in-charge of any hoisting machine including any scaffold, winch or give signals to the operator.
- d) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or lowering or as means of suspension the safe working load shall be ascertained by adequate means.
- e) Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of hoisting machine having a variable safe working load, each safe working load of the conditions under which it is applicable shall be clearly indicated. No part of any machine or of any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
- f) Motor, Gearing, Transmission, Electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards, hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load, adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced.
- g) When workers are employed on electrical installation, which are already energized, insulating mats, wearing apparel such as gloves, rubber footwear etc.



TECHNICAL SPECIFICATION (ELECTRICAL LT & ALLIED SERVICES)

SECTION-A **ELECTRICAL LT/ HT WORKS**

A - GENERAL SPECIFICATION FOR ELECTRICAL INSTALLATION

Complete Installation will be done complying with the requirements of the followings:

- a) Indian Electricity Act, 1910.
- b) Indian Electricity Rules (1956) amended upto date.
- c) Code of practice for Electrical wiring installations (system voltage not exceeding 650v) IS 732-1963 Revised
- d) Code of practice for Electrical wiring installations (system voltage exceeding 650v) IS 2274-1963.
- e) Rules and Regulations, Regional Council of Fire Insurance Association of India for Electrical wiring.

RULES AND REGULATION

ISI SPECIFICATIONS

I.S. NO	I.S. TITLE	MATERIAL EQUIPMENTS
694	PVC Insulated Cables	PVC Cables
1293/3854	Switch socket outlet	5A/15A/Switch sockets.
3043	Code of practice for earthing.	Earthing.
3646	Interior illumination	Luminaries/Fittings.
5216	Guide for safety of installation	Procedure & practices.
1248	Electrical Indicating	Instrument.
1534	Ballast for fluorescent Luminaries.	Tubes.
1653/266	P.V.C. conduit	
2667/3837	Code of practice for electrical wiring installation	Wiring
371	Ceiling Roses	Luminaries
1567	Metal clad switches.	
2268	Electric call bells/Buzzers	Call bells.
37A	Fans & Regulators	Fans



	Function	Colour Identification of core of rubber or p.v.c. insulated non-flexible cable, or of sleeve or disc to be applied to conductor or cable core.
	Earthing Live of a.c. single or three-phase Circuit Phase R of 3-phase a.c. Circuit Phase Y of 3-phase a.c. Circuit. Phase B of 3-phase a.c. Circuit. Positive of d.c.2-wire Circuit Negative of d.c. 2-wire Circuit	Green-and-Yellow or Green Red Yellow. Blue Red Black

LIST OF I.S.CODES FOR INTERNAL ELECTRIFICATION INSTALLATIONS

B.

1. EXTERNAL ELECTRIFICATION wiring installation (system voltage not exceeding 650V) IS 732 – 1989
2. Graphical symbols used in Electro-technology art-XI-Electrical Installation buildings IS 2032-1969
3. Fire safety of buildings (General) Electrical Installation IS 1646-1961
4. 3 pin plugs and sockets IS 1293
5. Earthing. IS 3043-1966
6. Rigid steel conduits for electrical wiring IS 9537-PII-1989
7. Fittings for electrical wiring IS 2667-1964
8. Flexible steel conduits electrical wiring IS 3430-1966
9. Accessories for rigid steel conduit insulated cables IS 3837-1966
10. General and safety requirements for electric lighting fittings IS 1913-1969
11. Protecting of buildings and allied structures against lightning IS 2309-1967
12. Busbar ratings IS 8084-1976
- On load change over switches IS 4064-1978

TECHNICAL SPECIFICATIONS 1.0 ELECTRICAL WORKS

1.1 The Contractor shall carry out and complete the Electrical work as per standard specifications / as stipulated in this contract and relevant IS recommendations in coordination with other agencies like Interior, AC and civil contractors and to the satisfaction of the Bank / Consultant. Bank issue further written instructions, detailed directions and explanations with respect to the specifications, quality or quantity of works or the addition or omission or substitution of any work.

1.2 **METER BOARD:** The Main DB/Meter Board shall be provided in the place free from leakages and in a covered location. The Meter Board shall be as per TPCODL requirements and shall be fixed firmly on the wall. Any opening made in the wall for feeder cable entry should be sealed properly after



installation to avoid entry of rodents and rain water. The meter Board shall be properly earthed as per the regulatory requirements.

1.3 LT PANEL INSTALLATION: Panel shall be covered properly to prevent dust, contamination & damage during transportation. In case of damages during transportation or unloading etc, the same shall be rectified and made to perfection before installation. No excuse for delay on account of the above will be accepted. For floor mounted panel, the exact location of the panel and fixing holes to be marked on the concrete plinth for the installation. Install the panel in proper alignment and fix properly. Tighten all the connections as required. Access around the panel to be provided as per regulatory requirements for future maintenance. Ensure the services like AC drain lines or water pipe lines or sewage lines are away from the panel or the panel is properly protected against any accidental leakages. Incoming and outgoing cables shall be marked/identified as per approved drawing. All components of the panel shall be verified against the approved panel drawing for correct rating & size. Ensure that all internal connections are proper and loose connections are tightened. All breakers (incoming/outgoing) shall be in "OFF" position and to be locked to prevent mishandling Before commissioning. All earth terminals of the panel are firmly connected to the designated earth pits with suitable size of GI strips as required. Check whether the metering equipment and indication lamps are working as desired and rectify the defects, if any. After installation, the panel shall be properly cleaned and protected to prevent dust & contamination.

1.4 INSTALLATION OF DBs: All DBs wall mounting and floor mounted arrangement shall be in accordance with BOQ and the approved material. Ensure that painting of the wall is completed prior to marking and mounting of DB. Confirm label/markings to ensure that is the correct DB and check the position according to the approved layout and mark the fixing position of the DB's support. After marking, drill according to the selected sizes of anchor bolts to appropriate depth. Permanently fix the DB to the wall/slab with anchor bolts. If there is more than one DB to be installed at the same location, they shall be installed side by side and clearance shall be maintained for easy maintenance and trouble shooting. The height of Distribution Board shall be maintained so that easy access for termination of cables and other maintenance work can be carried out. Cut-out shall be made for inserting the wire in DB and same cut out shall be provided with a rubber gasket so that there will be no sharp edges and secure the wire insulation from damage. Wire inserted in the DB shall be cross-checked for existing circuit number and final ferruling shall be done. Wire in DB shall be used cable tie and dress with bunching of the phase-neutral and earth and suitably lugged to the respective MCBs and Bus bar. Bunching shall be done as per phase separation respectively R, Y and B. After Crimping insulation sleeves shall be provided in the Wire/ Cable to avoid accidental short circuit between the adjacent terminals. DBs shall be provided with body earthing connections as per provisions available in the DB. Identifications labels of approved engraved type nameplate/Radium stickers of suitable font size shall be fixed on DB. After complete termination of wire/cable same DB compartment shall be cleaned before fixing the door. When the DB is fixed on the partition care should be taken to ensure the holding capacity of the partition, to avoid the DB from falling and getting damaged or causing injury. The installation of DB shall be done in such a way to add to the ambience of the Branch. It shall be firmly fixed on the wall / partition.

1.5 LAYING OF LT CABLE

1.5.1 IN CABLE TRAY: Wherever the cable trays are provided, the cables shall be laid in the cable tray. The cable shall be laid from one end of the route or any other suitable point as per site conditions. Wherever the cable needs to be bended, the cables bending radius shall conform to the cable manufacturer's recommendation. Prior to cable cutting, check both ends to make sure there is sufficient length for proper dressing and end termination. After cable laying is finished, all cables shall be tested for insulation resistance. Install the cable tags, dress the cables and clamp it as per the standards. Whenever, single core cables are used, Trefoil (three-foil formation) laying shall be used with single-core cables.



1.5.2 LAYING THE LT CABLE UNDERGROUND: A trench of about 1.5 meters deep and 45 cm wide is dug. Then the trench is covered with a 10 cm thick layer of fine sand. The cable is laid over the sand bed. The sand bed protects the cable from the moisture from the ground. Then the laid cable is again covered with a layer of sand of about 10 cm thick. When multiple cables are to be laid in the same trench, a horizontal or vertical spacing of about 30 cm is provided to reduce the effect of mutual heating. Spacing between the cables also ensures a fault occurring on one cable does not damage the adjacent cable. The trench is then covered with bricks and soil to protect the cable from mechanical injury. The LT Cable route markers shall be provided as per standards.

1.5.3 The end termination shall be provided as per the cable size. Unless specified, the termination shall be single compression type glands of proper size and lugs shall be suitable for termination as per the point of termination like switchgear terminals, Bus bar, terminal connectors etc. Only the respective metal lugs shall be used for termination. Aluminium lugs shall not be used to terminate in the copper bus bars or vice versa.

1.5.4 The cables from the Panel to DB or from Main DB to Sub DBs should be duly fixed with suitable size clamps if laid in the wall. If more number of cables are to be laid, then they shall be laid in cable trays of suitable size firmly fixed to the ceiling with threaded rods.

1.5.5 To avoid rodent menace, the contractor shall close all openings made by him in the wall, the unused knockout holes in the DB, Panels, Junction Boxes with suitable dummies, Blanking plates etc and also provide sufficient protection to the panels, DB. No claim for additional amount towards rectifying the work on account of damages caused by rodents will be entertained during the defects liability period.

1.6 CONDUITS: Unless otherwise specified all wiring shall be in rigid PVC conduit embedded in wall, or ceiling or concealed in the false ceiling. The size of conduits shall be selected in accordance with the IS regulations and the minimum size of the conduit shall be 20 mm dia unless otherwise indicated or approved. Conduits shall be kept at minimum of 100 mm from the pipes of other non-electrical services. Separate conduits and runways shall be used for:

1. Lighting system.
2. Power outlets.
3. Emergency light.
4. Telephone system.
5. Fire alarm system.
6. Sound / public address system.
7. Television system.
8. Computer system.

Wiring for short extensions to outlets in hung ceiling or to equipment, motors etc. shall be installed in flexible MS conduits. Otherwise rigid conduits shall be used. PVC conduits shall not be used in outdoor system. Conduits shall be free from sharp edges and burrs and grease or oil shall not be used for the purpose of pulling the wire. The entire system of conduits must be completely installed and rendered electrically continuous before the conductors are pulled in. 32 All PVC conduits shall be jointed with plain PVC couples using approved PVC jointing materials as recommended by the manufacturer. All joints shall be water tight. Junction between conduit and adaptable boxes, back outlet boxes, switch outlet boxes and the like must be provided with entry spouts and smooth PVC bushes.

1.6.1 LAYING OF CONDUITS IN SURFACE: Conduits run on surfaces shall be supported on galvanized / PVC saddles which in turn are properly screwed to the wall or ceiling. Saddles shall be at intervals of not more than 60 cm. Fixing screws shall be with round cheese head or and rustproof materials. Exposed conduits shall be neatly run parallel or at right angles to the wall of the building. Pull boxes must be provided at the right angles and at a distance of not exceeding 20 meter



1.6.2 CONCEALING THE CONDUITS IN THE WALL: Conduits embedded into the walls shall be fixed by means of staples at not more than 60 cm intervals. Chase in the wall shall be neatly made and refilled after laying the conduit and brought to the finish of the wall. Chasing shall be done with the wall cutting machine. Hammer and chisel shall be used on chased portion to get uniform depth of 50 mm. Uniform depth of 50 mm shall be maintained on chased portion. Conceal Back box shall be installed by using cement mortar. Alignment of the back box shall be done by using a calibrated spirit level. PVC adaptor shall be used for connection between JB and conduit. PVC solvent shall be used. PVC solvent cement shall be applied on conduit before interconnection. Embedded JB shall be protected by covering with brown tape filled with jute/gunny bag. Cement mortar 1:5 ratio (1 portion of the cement+5 portion of sand) shall be used for patchwork in chased area. Chicken (wire) mesh and GI nails shall be used for all chasing width of the embedded conduit. Curing shall be carried out for a minimum of three days.

1.6.3 CONCEALING IN THE CONCRETE: Conduits buried in concrete structure shall be put in position and securely fastened to the reinforcement and got approved by the consultant/Engineer before the concrete is poured. Proper care shall be taken to ensure that the conduits and boxes are neither dislocated nor choked at the time of pouring the concrete. Suitable fish wires shall be drawn in all conduits before they are embedded. Inspection boxes shall be provided for periodical inspection to facilitate draw and removal of cables. Such inspection boxes shall be flush with the wall in the case of recessed conduits. Inspection boxes shall be spaced at not more than 12 meters apart or two 90 degree solid bends or equal.

1.7 WIRING AND ACCESSORIES:

1.7.1 LAYING OF WIRES: Unless otherwise specified all wires shall be FRLS PVC insulated single core, stranded copper conductor. All wires shall be colored as follows:

Phase R: Red Color of wire

Phase Y: Yellow Color of wire

Phase B: Blue Color of wire

Neutral: Black

Ground: Yellow Green or Green (One color only to be used for the complete Installation).

The size of wires shall be as indicated in the drawings or in the BOQ. When more than one wires are installed in the same raceway, they should be pulled in the raceway at the same time. Use guide wires and similar equipment when wire pulling, to support the tension and avoid possible damage. Conductor splices must be enclosed in junction boxes. Use a minimum of 300mm of slack conductors inside DB and at each outlet as needed. Ensure proper wire installation in all boxes. After installation, the Wires Insulation Test should be conducted.

1.7.2 SWITCH BOARDS AND POWER OUTLET SOCKETS:

Switch Boards for light points, socket outlets, power outlets, pull / junction boxes shall be of galvanized steel, and shall be of shapes and size to suit their respective locations and installations and shall be provided with covers to suit their function and installation. All outlet boxes shall be provided with brass ground terminals. All junction boxes/pull boxes shall have suitable covers. Surface mounted outlet and junction boxes in the outdoor locations shall be of weatherproof. The surface mounted indoor boxes shall be of sheet steel painted or PVC for surface installation. For internal use Switches shall be of the grid assembly pattern with rocker operated switch units suitable for operation with inductive loads. Switches shall be either one way or two way as specified in the BOQ. Switch



plates shall be of suitable shade and size as specified in BOQ or approved by SBI / Electrical Consultants. Surface installation switches shall be provided with matching steel box.

1.7.3 CIRCUIT WIRING Unless and otherwise specified in the BOQ, all sub main circuit conductor sizes for lighting and appliances, shall be as shown in the schedule of quantities. Each circuit phase wire from the distribution boards should be followed with a separate neutral wire of the same size as the circuit wire or as specified in the BOQ. For the light/fan point wiring individual phase, Neutral and Earth wires shall be run from the switch board to the respective ceiling rose. Looping of neutral and Earth wires for adjacent light points are not allowed except for the secondary points. For the secondary points Neutral and Earth looping should be done only from the respective primary points. This will avoid nuisance tripping of ELCB/RCCB in case of leakage and identifying the faulty circuit and rectifying will be easy. Each light point and outlet shall be identified with their circuit number and DB number with a label pasted on them. Flexible cords for connection to appliances, fans and pendants shall be 250/440V grade, three or four cores, with tinned stranded copper wires, insulated, twisted and sheathed with strengthening cord. If demanded by SBI/ Electrical Consultants, the contractor shall supply a certificate issued by the manufacturer of wires and switches stating origin, date of manufacture, batch number and standard to which it complies and the test certificates. Looping system of wiring shall be used. Wires shall not be jointed. Where joints are unavoidable, these shall be made through approved mechanical connector. 230 V power supply wiring shall be distinctly separate from any other different voltage system and lighting wiring.

1.7.4 CONTROL SWITCHES Control switches shall be connected in the phase conductors only and shall be 'ON' when knob is down. Switches shall be fixed in galvanized steel boxes. Chromium plated screws shall be used. The rating of the Switches shall as per the BOQ. For the UPS power sockets provided in the workstations and counters, the control switches shall be provided separately above the counter and the sockets below the counter. Similarly, for the wall mounting fan points, the control switches shall be provided separately in the Switch board and the socket outlet provided near the wall mounted fans.

1.7.5 TESTING OF ELECTRICAL WIRING SYSTEM The entire installation shall be tested in accordance with IS regulations for: 1. Insulation resistance. 2. Earth continuity. 3. Polarity of single pole switches.

1.8 LIGHT FIXTURE INSTALLATION:

17.8.1 Inspect the site to install light fixtures as per approved lighting layout. If any mismatch is observed between the approved layout and the actual layout, please consult the SBI Engineer / Electrical Consultants and replan the lighting layout to suit the actual site conditions. If there is no false ceiling, chalk lines (geru powder cement colour removable type) shall be used to mark the spacing of light fixtures as per approved drawing. After marking, the light fitting support and accessories shall be fixed. Wires shall be connected to the connector of light fitting as per standard. Light fitting shall be mounted on the support fitted. Line level and final alignment shall be checked with line dori.

1.8.2 INSTALLATION OF LIGHT FIXTURES IN THE FALSE CEILING: While installing light fixtures in the false ceiling, the contractor has to check the distance between the roof and the false ceiling and ensure that the sufficient height is available for fixing the light fixtures and if requires any change in the lighting layout. Any hindrance like beams, sewerage pipe lines, electrical cables etc. has to be informed to the SBI Engineer/ Electrical Consultants and necessary guidance obtained before installation. Support to hang the fixture to be provided in the roof with suitable length of chain links or GI wires of suitable size, as per recommendation of the light manufacturer. The supports shall be of sufficient length to enable change of location of fixtures to the adjacent grid/cutout, if required by Bank. The supports should not be fixed to the pipes or cables or electrical conduits running above the false ceiling. The Light fixtures should not be loosely laid on the false ceiling grid without any support.



1.8.3 In case of the Gypsum false ceiling, the marking shall be made in the false ceiling first as per the lighting layout and the cutout shall be made in coordination with the interior contractor. Whenever required, the suitable frame required have to provide by the contractor for the 2'x2' fixtures.

1.8.4 The cutouts for the light fixtures and down lighters shall be properly marked in the false ceiling to make the cutout neatly and as per the desired lighting layout. Nylon line dori shall be used to ensure that all light fixtures are in a straight line

1.8.5 If the works involves, some architectural features in the false ceiling, the contractor shall consult the interior contractor and SBI Engineers/ Electrical Consultants before installation of light fixtures, ceiling fans, laying of cables above false ceiling to avoid any damage or any hindrance to the architectural features.

1.9 EARTH STRIPS / CABLE TRAYS:

1.9.1 GI/COPPER STRIP LAYING: Before installation of GI and copper earth strip, the inspection shall be carried out to confirm size, quantity and galvanizing of GI strip. Arrangement shall be made for proper scaffold for strip laying on the tray. Check wall and beam finishing before strip clamping on the wall and beam. Ensure that all Earth strip installation are straight. The earth strip route and size shall be confirmed /verified with approved earthing drawing. Ensure that there is no overlapping in strips at joints. Where required for Joint area, use "C" type holding clamp for avoiding gap between two strips. GI strip fixing inside cable tray with using of GI nut bolt at every 5 mtr interval. Clamps shall be fixed at an interval of 1000mm. Copper to GI earth strip connection shall be done by using the bimetallic washer

1.9.2 EARTH STRIP LAYING BY WELDING ON WALL/SLAB. Whenever longer length of Earth strips are to be installed on wall/ slab, the overlapping in strips at joints shall be minimum. Overlapping area to be properly welded and ensure no gap in the joint area. Approved PVC sleeve shall be provided to 50x6mm and 75x10mm GI earth strip wherever accessible areas such as inside substation, all embedded portion etc. Welding joints are cleaned with wire brush and then coated with Galva brite. All paint, scale and enamel shall be removed from the contact before the earthing connections are made. All sizes of GI strips shall be fixed by using GI clamp, GI spacer, and 35x8mm GI screw with PVC nylon fasteners (PVC Grip). Clamps shall be fixed at an interval of 1000mm (in case of wall/slab). The earthing for Equipment shall be tapped from the main earth conductor/strip. Equipment earthing shall be done by GI nut bolting. Ensure GI nut bolt shall be fully tightened at equipment earthing. GI strip laid underground shall be at depth of 500mm below finished grade level. All joint below ground level shall be welded by two coats of bitumen paint. All connections to the grounding grid shall be made with earthing strip welded to the grid and bolted at equipment ends. All joints and cut ends shall be properly painted with galvabrite.

1.9.3 CABLE TRAY INSTALLATION: Cable tray supports and cable tray material shall confirm the size, quantity and quality as per technical specification. Cable tray routes shall be cleared of any debris. Necessary cable tray route and supports shall be checked as per approved drawings. If required, make suitable size opening in the wall for cable tray entry into the building. All accessories used such as joint plate, nut, bolts with washer, bends, reducers, etc. used in cable trays shall be of the same manufacturer as that of the cable trays. Necessary Scaffolding shall be arranged wherever applicable. Throughout the work execution, safety standards shall be followed. Chalk lines (geru powder cement colour removable type) are used to mark the cable tray route at the deck slab. After marking of supports location, drill the hole & install anchor fastener. Ceiling bracket and top hat section shall be fixed on anchor fastener. Install the threaded rod supports using with ceiling bracket as per approved drawing. Check the vertical and horizontal alignment of threaded rod support by spirit level. Supports shall be installed at spacing not exceeding 1.5 meters and all branches, bends, Endpoints supports shall be installed as shown on the approved drawings. Nylon line dori will be used to ensure that all supports are in a straight line. After the installation of supports install the proper size cable tray and check the alignment using of line dori & Spirit level. Two lengths of cable tray shall be connected



with the joint plate. Minimum clearance shall be maintained between bottom of the tray and the ceiling. End cap to be provided at end cut portion of tray.

1.10 CORE CUT: Core cut hole shall be carried out at the site as per the site requirement after consulting Civil Engineer. Ensure marking of core cut is in line of existing cut out at the floor above or below to have vertical alignment. If more than one Core cut is required, required spacing shall be provided. Centre of core cut to be drilled with drill machine to receive core bit of machine. This will avoid displacement of core machine bit. The Core cut Machine will be Fixed to Slab using Machine Clamp and anchor Fastener. Check that machine is firmed enough not to be displaced from its location. Check the electrical supply and run the machine with minimal force. Maintain proper gaps between adjacent core cuts to allow pipe jointing in future. Upon completion of the core cut, protect the Core cut hole using the ply piece.

1.11 CONCEALING INSIDE WALL/PARTITIONS/GROUND/CEILING:

1.11.1 The contractor shall give due notice to the Employer whenever any work like opening for the earth pits, underground laying of cables, concealing the conduit piping, cabling or any work is to be concealed in the wall/false ceiling/partitions or finished up or otherwise becoming inaccessible later on, in order that the work may be inspected and correct dimensions taken before concealing.

1.11.2 If the Contractor has concealed the items without informing SBI Engineer/Electrical Consultant, the same shall be opened up for measurement and made good to the original finishing at the contractor's expenses. If the contractor refuses to do so, then the same will not be considered for measurement and no payment may be made for such materials.

1.11.3 The contractor shall not execute any extra work other than the Bank's Electrical Consultant or SBI's written instruction. No works, for which rates are not specifically mentioned in the price bid, shall be taken up without written permission of the Bank.

1.11.4 Should any dispute or differences arise after the execution of any work as to measurements etc., or other matters which cannot be conveniently tested or checked, the decision of SBI shall be accepted as correct and binding on the contractor.

1.11.5 It is the responsibility of the Contractor to arrange/provide the tools, ladder, stands or any other gadgets or supports required for the execution of the work at site and Bank will not provide or entertain such requests.

IMPORTANT POINTS:

- 1) THE CONTRACTOR SHOULD SUBMIT THE BUILTUP SLD OF PANEL, SLD OF DIFFERENT DBS TO DIFFERENT SWITCHBOARDS WITH NUMBERING, SLD OF DATA RACK TO DIFFERENT I/O POINTS WITH NUMBERING, TELE. K RONE BOX TO DIFFERENT TELE. POINTS WITH NUMBERING, ETC. AFTER EXECUTION OF THE BRANCH. 2 SETS OF COPIES – 1 WITH LAMINATION.
- 02) IF REQUIRED, EMPTY CONDUIT MAY BE LAID FOR SECURITY SYSTEM.
- 03) PVC CONDUITS MUST BE CLAMPED WITH SADDLES IN CEILING ONLY.
- 04) ELE. CONTRACTOR MUST SUBMIT CERTIFIED LOAD LIST WITH ELE. LICENSE NO. / SUPERVISOR CERTIFICATE NO. CONTRACTOR SHOULD SUBMIT EARTHING TEST REPORT WITH SUPPORTING PHOTOGRAPH.
- 05) CONTRACTOR SHOULD PRESENT EARTHING PLATES BEFORE EXECUTION.



Annexure VI



Name of the work: _____

Tender No: _____

Work order/Letter No: _____

Work Order Value: _____

This is certify that the measurements on the basis of aforesaid bill/invoice no, were made and have been taken jointly on _____. The measurements have been corrected as physically observed/found on verification of dimensions/measurements as site, as per tender specifications.

Dated

Signature of authorized representative/Contractor
Name of firm: _____

The work is completed in all respects and found satisfactory.

Name and signature of Project Architect.
Dated:

Signature of Project Engineer, SBI
Designation:
Dated:

Forwarded to SBI for necessary action please.

Signature of the Branch Head

Name of the Branch Manager: _____

Seal of the Branch:

Date:



Bill Format

Sl.no	Descrip- tion	Tender qty	Unit	Unit wise tender Rate	Tender Amt	Actual Qty	Actual Amt
				Total			



I -- RUNNING A/C BILL

- (i) Name of the Contractor / Agency :
- (ii) Name of Work :
- (iii) Sr. No. of this Bill :
- (iv) No. and date previous bill :
- (v) Reference to Agreement No. :
- (vi) Date of written order to commence :
- (vii) Date of completion as per agreement :

Sl. No.	Item Description	Unit	Rate (Rs.)	As per tender	
				Qty.	Amount (Rs.)
1	2	3	4	5	

Up to Previous R/A Bill		Upto Date (Gross)		Present Bill		Remarks
Qunty.	Amount (Rs.)	Qunty.	Amount (Rs.)	Qunty.	Amount (Rs.)	
6		7		8		9

- Note :
1. If part rate is allowed for any item, it should be indicated with reasons for allowing such a rate
 2. If adhoc payment is made it should be mentioned specially

Net value since
Previous bill



III - C E R T I F I C A T E

The measurements on the basis of which the above entries for the Running Bill No. _____ were made have been taken jointly on _____ and are recorded at pages _____ to _____ of measurement book No. _____

Signature and date of
Contractor

Signature and date of
Architect's representative

Signature and date of
Site Engineer

The work recorded in the above mentioned measurements has been done at the site satisfactorily as per tender drawings, conditions and specifications.

Signature of Architect

Signature of Site Engineer / Bank's Engineer



Details of Insurance Policies

Type of Policies	Name of Insurance	Amount (Rs.)	Policy No.	Validity
------------------	-------------------	--------------	------------	----------

CAR Policy including
3rd Party Liability

Workmen's Compensation

Remarks :

1. This is only on-account payment and is not to be interpreted either as approval of work materials brought or affixed at site or for that matter approval of any sort
2. The quantum of work done, and materials delivered at site have been certified by
3. Should you wish to audit such work, kindly contract the undersigned and oblige.

Architects



PROFORMA OF HINDRANCE REGISTER

Name of Work : Date of state of work :
Name of Contractor : Period of completion :
Agreement No. : Date of completion :

Sl. No.	Nature of hin- drance	Date of oc- currence of hindrance	Date of which hindrance was removed	Period or hindrance	Signature SE/PE	Remarks
1	2	3	4	5	6	7

SE = Site Engineer

PE = Project Engineer

Place : _____

Date : _____



PROFORMA OF REGISTER OF MATERIAL AT SITE ACCOUNT

Name of Work : Name of Article :
 Name of Contractor : Estimated Requirement :
 Agreement No. : Issue Rate :

Sl. No	Date of Re-ceipt	Received form / issued to (with)	Re-ceipt	Issue	Balance	Initials of Contractors	Initials of Bank's / Architect's Representative	Remarks

PROFORMA FOR APPLICATION BY CONTRACTOR FOR EXTENSION OF TIME

1. Name of the Contractor
2. Name of the works as given in the Agreement
3. Agreement WO
4. Tender Amount
5. Date of Commencement of Work
6. Period allowed for completion as per agreement
7. Date of completion as per agreement
8. Period for which extension of time has been given

Date Month Year

- (a) 1st extension vide Bank's Letter No.
- (b) 2nd extension vide Bank's Letter No.
- (c) 3rd extension vide Bank's Letter No.
9. Reasons for which extensions have been previously given (copies of the previous applications should be attached)
10. Period for which extension is applied for and the reasons thereof including hindrances time for extra work assigned, if any etc.

Signature of Contractor