PRICE BID

BOQ FOR AC WORKS FOR SBI, RBO-2, MEHSANA								
Sr.No	Description	Quantity	Unit	RATE	AMOUNT			
	AIR CONDITIONING WORK							
[1]	MACHINE PART							
	AC EQUIPMENT WITH - INVERTER COMPRESSOR							
1	Supply & providing of 4 way Inverter Cassette Type AC ceilling mounted cassette unit							
	with indoor and out door having eco friendly refrigerant. Including indoor unit outdoor unit.	1						
	decorative grille and cordless remote Machine shall have copper condensor	1						
	Unit , Make: Daikin/ Mitsubishi Heavy Industries/Toshiba. [Mini 5 Star							
	rating as per BEE Guide Line 2022]							
	<u> </u>							
1.a	Inverter 4-way Cassette of 4.00 TR.(3 Phase Compressor Only.)	4	NO					
	Inverter 4-way Cassette of 3.00 TR.(3 Phase Compressor Only.)	2	NO					
	Inverter 4-way Cassette of 2.00 TR.(3 Phase Compressor Only.)	1	NO					
	0 1: 0 1: (10 11 4 0 1: - 20 1: 11 11 11 11 11 11 11 11 11 11 11 11							
2	Supplying & providing of Hi-wall Inverter Split Type AC with high wall mounted indoor							
	and out door unit. having eco friendly refrigerant. Including indoor unit outdoor unit. and							
	cordless remote Machine shall have copper condensor Unit , Make:							
	Carrier/ Hitachi/ Daikin/ Mitsubishi Heavy Industries/ Toshiba/ Trane/Blue							
	star. [Mini 5 Star rating as per BEE Guide Line 2022]							
2a	Inverter Hi-wall Split AC of 1.5 TR	4	NO					
	Inverter Hi-wall Split AC of 2.0 TR	2	NO					
	TOTAL FOR PART- I							
[11]	LOW SIDE WORK				_			
1	Installation of IDU & ODU of 4.00 TR/3.00/2.00 TR ceilling mounted cassatte unit with first							
	oil & gas charge & commissioning etc. Rate including ceilling mounted suspension Kit etc		NO					
	complete							
2	Installation charges for above 2.0TR/1.50TR/ 1.00 TR Split A/C including 5.0 Rmt copper	6	NO					
	tubing and electrical wiring connection etc. complete.		NO					
3	Referigerant piping - insulated 0.80mm wall thicknees copper tube of Mandav/ Totalline							
	make between indoor to out door unit of 4.00/3.00/2.00 TR ceilling mounted cassette							
	unit with 2.5 Sqmm 4 Core copper flexible cable of Finolex / R R Kable/Havells/CEI make.	80	RMT					
	The copper piping shall be insulated with 13mm thick Nitrite rubber							
	insulated of 'O' Class of K Flax/Armaflex/ Superion Make							
4	Referigerant piping - insulated 0.80mm wall thicknees copper tube of Mandav/ Totalline							
·	make between indoor to out door unit beyong 5 Rmt dist. Of 1.0 TR/1.50TR/2.00 TR							
	Hiwall split unit with 2.5 Sqmm 3 Core copper flexible cable of Finolex/R R							
	Kable/Havells/CEI make. The copper piping shall be insulated with 9 mm thick		RMT					
	Nitrite rubber insulated of 'O' Class of K Flax/Armaflex/ Superion Make (
	' '							
	copper pipe concealed in inside wall)							
	25/32 mm Dia UPVC drain pipe with insulation of Dutron/Supreme/Astral make	1						
	schedule 40 pipe, white in colour, joint properly glued with UPVC adhesive	100	RMT					
	for water outlet from indoor unit. (drain pipe concealled in inside wall)	'30	1 21411					
		<u></u>	l		<u> </u>			
6	Providing and Fixing M.S Powder coated stand for keeping outdoor unit of split/cassate	13	NO					
	A/C. (Redy made)	''	.,0					

Sr.No	Description	Quantity	Unit	RATE	AMOUNT
	MISC. CIVIL WORK LIKE MAKING ZARI IN WALL, WALL OPENING TO PASS DUCTS & PIPES, CORE CUTTING, PLASTERING & RE-FINISHING OF THE SAME TO THE ORIGINAL FINISH AS PER THE SITE REQUIREMENTS.		JOB		
	TOTAL FOR PART- II				
	'TOTAL (I + II)				
		NET AN			
			·		