

BOQ FOR INTERIOR FURNITURE WORK AT					
SBI, REGIONAL BUSINESS OFFICE SIBSAGAR					
Sl.No	Description of items	Unit	Qty	Rate(Rs.)	Amount(Rs.)
1	<p>RECEPTION DESK: Reception Desk of size (1800 mm x 750 mm) with Corian Top AND FRONT BOXING AS PER DESIGN. Providing and making a table of over all size of top as mentioned above and as per design given. It shall consist of 18mm thk. MR Ply top finished with 6mm thk Corian of approved shade with edge moulding and a 3 drawer unit with locks, handles etc. on the end of the table as approved by the engineer. The drawer unit finished top should be at a lower level of 25mm below the finished counter top. The front modesty panel should be fixed with 18/19 mm MR ply finished with WPC Fluted Panels of size of ALSTONE/ LEBEN/ Alutuff / Murrato or other approved make of approved shade in approved pattern as directed by the architect . The customer side top should be at a height of 1 feet with 18mm thick ply and finished with 12mm thk Corian (bendable type) bended as per deign of approved colour and shade as directed by the EIC. The inside of drawer units, and the tables should be finished with 0.8 mm laminate of approved shade.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/ Archid or equivalent.</p>	Each	1		
2	<p>RM TABLE WITH CORIAN FINISH:</p> <p>Supply and installing of size- 2130 mm x 930 mm x 750 mm including cost of side credenza (1080mm x 600mm x 750 mm) for Regional Manager made up of 19mm thick Block board all around, finished with 6 mm thick corian top, side and front of brand as approved. The table cost to include (pedestal), three drawers of 450 mm wide made with 6mm/12mm ply on right hand side on telescopic slider and a keyboard tray 250mm wide, CPU stand, foot rest as per design and direction by bank. The credenza unit should have openable/sliding shutter cupboard and intermediate horizontal shelves made in 12 mm thick plywood. All exposed edges to have teak wood lipping/ bidding of requierd size stained to match the desk and melamine finished. All inner surface to be finished with mat finish 0.8 mm thick laminates of approve brand. The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved brand. Locks to be of single control type. Design and detail of the table shall be as per direction of EIC. Top surfaces to be finish with 8mm thick glass duly finished to be placed on top of table & credenza and necessary cut-out to accommodate wires, edges to be m/c polished, with ms powder coated wire manager complete as per Bank's new uniform colour, layout & elevation policy. Rate includes removal of existing furniture.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent.</p> <p>Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	Each	1		
3	<p>CHIEF MANAGER TABLE:</p> <p>Supplying and installing Tables of Overall size - 1650 mm X 1800 mm x 750 mm including cost of side credenza (1200 mm x 450 mm x 750 mm) made up of 19mm thick block board of approved brand all around and finished with not less than 1 mm thick laminate colour, brand and shade as approved by the Bank. The table cost to include (pedestal) three drawers of 375 mm wide made with 6mm/12mm ply on right hand side on telescopic slider, a keyboard tray 250mm wide with CPU stand and foot rest as per design and direction by Bank. The credenza unit should have openable/sliding shutter cupboard and intermediate horizontal shelves made in 12 mm thick plywood. All exposed edges to have teak wood lipping/bidding of required size, stained to match the desk and melamine finished. All inner surface to be finished with mat finish enamel paint of approve brand. The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks , handles etc. of Godrej or approved make. Locks to be of single control type.Design and detail of the table shall be as per direction of EIC. All the surfaces to be in laminate finish & 8mm thick glass duly finished to be placed on top of table & credenza and necessary cut-out to accommodate wires, edges to be m/c polished, with ms powder coated wire manager complete as per Bank's new uniform colour, layout & elevation policy. Rate includes removal of existing furniture.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent.</p> <p>Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	Each	4		

4	<p>OFFICERS/STAFF TABLE: Supplying and installing Tables of Overall size - 1500 mm X 1800 mm x 750 mm including cost of side credenza (1200 mm x 450 mm x 750 mm) made up of 19mm thick block board of approved brand all around and finished with not less than 1 mm thick laminate colour, brand and shade as approved by the Bank. The table cost to include (pedestal) three drawers of 375 mm wide made with 6mm/12mm ply on right hand side on telescopic slider, a keyboard tray 250mm wide with CPU stand and foot rest as per design and direction by Bank. The credenza unit should have openable/sliding shutter cupboard and intermediate horizontal shelves made in 12 mm thick plywood. All exposed edges to have teak wood lipping/bidding of required size, stained to match the desk and melamine finished. All inner surface to be finished with mat finish enamel paint of approve brand. The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks , handles etc. of Godrej or approved make. Locks to be of single control type.Design and detail of the table shall be as per direction of EIC. All the surfaces to be in laminate finish & 8mm thick glass duly finished to be placed on top of table & credenza and necessary cut-out to accommodate wires, edges to be m/c polished, with ms powder coated wire manager complete as per Bank's new uniform colour, layout & elevation policy. Rate includes removal of existing furniture.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	Each	31		
5	<p>RUNNING TABLE: Fabricating and installing Running table of overall size - 600mm x 750 mm in straight profile made up of 19mm thick block board of approved brand all around and finished with not less than 1 mm thick laminate of brand, colour and shade as approved by the Bank. The table cost to include three drawers of 375 mm wide made with 6mm/12mm ply on right hand side on telescopic slider, a keyboard tray 250mm wide, foot rest & CPU stand. The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks , handles etc. of Godrej or approved make. Locks to be of single control type. All exposed edges to have wooden lipping/bidding of requierd size, stained to match the desk and melamine finished. All the surfaces to be in laminate finish & 8mm thick glass duly finished to be placed on table and necessary cut-out to accommodate wires, edges to be m/c polished, with m.s. powder coated wire manager complete as per Bank's new uniform colour, layout & elevation policy.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	RM	6		
6	<p>Low ht storage unit: Providing and fixing storage units of size 450 mm x 750 mm, made up of 19 mm thick block board of approved brand on top & vertical support and finished with not less than 1 mm thick laminate of approved brand on side and top. The storage units shall have openable/sliding shutters made up of 19mm thick plywood and finished in 1 mm thick laminate of approved shade. The storage units shall have intermediate horizontal and vertical shelves made in 12 mm thick plywood. All exposed edges to have teak wood lipping/bidding of requierd size, stained to match the desk and melamine finished. All inner surface to be finished with mat finish enamel paint of approve brand. The works to include all hardwares such as: castors, brass hinges, ball catchers, ,locks , handles etc. of Godrej or approved make. Rate includes removal of existing furniture.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	RM	55		

7	<p>FULL HT STORAGE WITH VENEER FINISH: Providing and fixing storage units of size 450 mm x 2400 mm, made up of 19 mm thick block board of approved brand on top & vertical support and finished with 4 mm thick veneer with PU polish of approved brand on side and top. The storage units shall have openable shutters made up of glass. The storage units shall have intermediate horizontal and vertical shelves made in 12 mm thick plywood at vertical interval of 750 mm and horizontal interval of 900 mm. All exposed edges to have teak wood lipping/bidding of requierd size, stained to match the desk and melamine finished. All inner surface to be finished with 0.8 mm thich laminates. The works to include all hardwares such as: castors, brass hinges, ball catchers, ,locks , handles etc. of Godrej or approved make. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	11		
8	<p>VEENER PANELLING (RM Chamber, Conference room): Fabricating and fixing wall paneling made of 12 mm thick ply finshied with not less than 4 mm thick veneer with PU polish over aluminium framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. Framework to be secured to wall surface / column surface. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Veneer/Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.. Design and detail shall be as per direction of EIC and Bank's new uniform colour, layout & elevation policy. BM Chamber wall. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	150		
9	<p>VEENER PARTITION: Fabricating and fixing full height semi glazed partition of RM chamber, made of 6 mm ply of approved brand in both side and to be finished with not less than 4 mm thick veneer with PU polish inside and 0.8 mm thick laminate on outside of approved brand, colour and shade over 50 mm x 50 mm (thickness not less than 1.5 mm) alluminium section framework at spacing not exceeding 600 mm both ways (horizontal and vertical). Frame should be firmly fixed to the ceiling. Middle portion at 900 mm to 2100 mm height shall have 6 mm thick plain float glass (Make: Saintgobin/Modigurd) fixed with 10 mm thick teak wood moulding duly polished. All exposed edge shall be covered with teakwood lipping/bidding with polishing complete in all respect. Payment will be made for the area upto false ceiling only. Rate shall includeds etching of glass as requierd by bank. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	18		
10	<p>DOOR WITH VENEER FINISH: Providing and fixing Semi glazed shutter made up of 38 mm thick block board of approved brand and quality, finshed both side with not less than 0.8 mm thick laminate on outside and 4 mm thick veneer with PU polish in inside, of approved brand colour and shade. Middle portion at 900 mm to 2100 mm height shall have 6 mm thick plain float glass (Make Saintgobin/Modigurd) fixed with 10 mm thick teak wood bidding duly polished N C lacquer as per design and direction by bank. Door shall includes Godrej Mortise lock, two nos of 125 mm brass handle, 250 mm long tower bolt, brass door stoper, three nos 125 mm brass heavy hinge, hydraulic door closer of Godrej or approve make. All exposed edge shall be covered with teakwood lipping with polishing complete all respect. Rate shall includeds etching of glass as requierd by bank. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	2		

11	<p>CONFERENCE HALL TABLES WITH VENEER FINISH: Providing in position conference running table in elliptical shape as per design having top dimension 600mm and height 750 mm from floor level made with 19mm thick MR ply board on top and bottom and vertical separators 2x19mm ply board fixed at 750mm spacing . Seating side of the top will be made with 2x19 board and teakwood lipping will be provided. Aisle side of the table will be closed with 12mm thick MR ply board. The top and the exterior face of the aisle side will be finished with 4 mm thick veneer with PU polish. All interior surface will be finished with 2 coats of enamel paint of matching shade . Ply/Block Board Make: MR Grade of Century/ Green /Archidply /Gattani /kitply or equivalent. Laminate/ veneer Make: Greenlam /Centurylam /Merinolam /Archidlam or equivalent.</p>	RM	30		
12	<p>WALL/COLUMN PANNELING: Fabricating and fixing column/wall paneling with 12 mm thick ply finshied with not less than 1 mm thick laminate of approved shade & brand over 25 mm x 35 mm (thickness notless than 1.5 mm) alluminium section framework at spacing not exceeding 600 mm both ways (horizontal and vertical.) Panelling framework to be secured to wall surface / column surface. Design and detail shall be as per direction of EIC and Bank's new uniform colour, layout & elevation policy. Rate includes removal of existing furniture. Center columns, HNI lounge, Back of account opening section wall. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	25		
13	<p>Columns MDF Paneling: (Centre Columns) Fabricating and fixing MDF Jali column paneling (centre columns) with 12 mm thick ply finshied with not less than 0.8 mm thick laminate of approved shade & brand over 25 mm x 35 mm (thickness notless than 1.5 mm) alluminium section framework at spacing not exceeding 600 mm both ways (horizontal and vertical.) Rate shall include fixing MDF jali of size 600 mm x 1200 mm and 12 mm thick of white shade on four sides of the central columns securly fixed to the columns. Panelling framework to be secured to wall surface / column surface. Design and detail shall be as per direction of EIC and Bank's new uniform colour, layout & elevation policy. Rate includes removal of existing furniture. Center columns, BM Chamber wall, Back of SWO wall. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	25		
14	<p>LOUVERS PANELLING: (Reception area back and entry side wall) Fabricating and fixing WPC vertical louvers Panelling with base 12 mm thick ply finshied over aluminium framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columns in perfect line, level and plumb. Framework to be secured to wall surface / column surface. Back of Reception wall . Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent.</p>	SQM	15		
15	<p>ACP PANELLING: (Shutter Boxing) Providing & fixing in position Aluminium Composite Panel (ACP) / Shutter boxing Panelling with framing in 600 mm C/C both ways. Minimum 3 mm thick ACP to be fixed over the freamework with 3M or equivalent adhesive and mirror screw in 600 width panels or distributed equally. Joints to be finished with Silicon based sealant. Aluminium foil thickness to be min 0.20 mm on both sides. Make: Alubond, Eurobond, Fujibond, Alcobond or equivalent ISO certified or approved brands to be used.</p>	SQM	25		

16	<p>FULL HT PARTITION: (HR sec, recretaional room and toilet area) Fabricating and fixing full height semi glazed/solid partition, made of 6 mm ply of approved brand in both side and to be finished with not less than 1 mm thick laminate of approved brand, colour and shade over 50 mm x 50 mm (thickness not less than 1.5 mm) alluminium section framework at spacing not exceeding 600 mm both ways (horizontal and vertical). Frame should be firmly fixed to the ceiling. Middle portion at 900 mm to 2100 mm height shall have 6 mm thick plain float glass (Make: Saintgobin/Modigurd) fixed with 10 mm thick teak wood moulding duly polished. All exposed edge shall be covered with teakwood lipping/bidding with polishing complete in all respect. Payment will be made for the area upto false ceiling only. Rate shall includeds etching of glass as requierd by bank. Rate includes removal of existing furniture. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	110		
17	<p>LOW HT PARTITION: Providing and fixing low height semi glazed wooden partitions made of 6 mm ply of approved brand in both side and to be finished with not less than 1 mm thick laminate of approved brand, colour and shade over 50 mm x 50 mm (thickness not less than 1.5 mm) framework of approved brand at spacing not exceeding 600 mm both ways (horizontal and vertical). Top portion from 900 mm to 1500 mm height shall have 12 mm thick plain float glass (Make: Saintgobin/Modigurd) fixed with 10 mm thick teak wood moulding duly polished as per designe and direction by bank. All exposed edge shall be covered with teakwood lipping with polishing complete in all respect. Rate shall includes making provision for fixing of counter top 12 mm glass on its edges with neccessary fixing arrangment as directed. Rate shall includeds etching of glass as requierd by bank. Rate includes removal of existing furniture. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	180		
18	<p>DOOR SHUTTER: Providing and fixing Semi glazed/Solid doors shutter made up of 38 mm thick block board of approved brand and quality, finshed both side with not less than 1 mm thick laminate of approved brand, colour and shade. Middle portion at 900 mm to 2100 mm height shall have 6 mm thick plain float glass (Make Saintgobin/Modigurd) fixed with 10 mm thick teak wood bidding duly polished N C lacquer as per design and direction by bank. Door shall includes Godrej Mortise lock, two nos of 125 mm brass handle, 250 mm long tower bolt, brass door stoper, three nos 125 mm brass heavy hinge, hydraulic door closer of Godrej or approve make. All exposed edge shall be covered with teakwood lipping with polishing complete all respect. Rate shall includeds etching of glass as requierd by bank. Rate includes removal of existing furniture. Ply/Block Board Make: MR Grade of Century/ Green/Archidply/Gattani/kitply or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/Archidlam or equivalent.</p>	SQM	20		
19	<p>FULL HEIGHT FULLY GLAZED PARTITION WITH 12MM TOUGHENED GLASS UPTO CEILING LEVEL Providing & fixing full height glazed partition with 12mm Toughened glass of approved make up to false ceiling bottom. The glazed panels shall be fixed to the existing floor and false ceiling with all necessary SS brackets (D, C or U type) Vertical joints between the glass panels shall be sealed with suitable transparent sealant.</p>	SQM	30		

20	<p>FULLY GLAZED TOUGHEN DOOR Providing and fixing position 12 mm fully glazed toughened glass door, single/double shutter, of approx. size 900/ 1500 x 2100/2400 mm Providing and fixing in position frameless glass door shutter made using 12mm thick toughened glass fixed to the partition (glazed / solid / gypsum partitions) using heavy duty floor spring with pivot of approved make including necessary cutting of floor and making the surface good to its original position including all necessary Patch fittings of approved make and fixtures & hardwares. Approved make: DORMA Top Pivot - PT 24, Top Patch Fittings - PT 20, Bottom Patch fittings - PT 10, Floor Spring - BTS 75 V, Corner lock with strike plate and Handle - TG DIH600 - 600mm length) or equivalent brand fittings from Hettich / Hafele / as per sample approved by the Bank. Rate should also include providing film as per design/ instructions of Bank. Mode of Measurement: Door opening size shall be measured.</p>	SQM	12		
21	<p>Gypsum board false ceiling : Providing and fixing suspended 12mm thick Gypsum board false ceiling with GI framework of standard gauge and as per the specifications of India Gypsum Co. The rate to include painting with lustre paint and making necessary design,pattern & cut outs for light fittings, cove light etc. complete as per design direction by bank.</p>	SQM	520		
22	<p>Fluted MDF board ceiling (Conference room): Providing and fixing Wooden False ceiling made of GI framework with specification same as above hanged from RCC ceiling with proper MS hangers. 8mm thick HDWR (Exterior grade) ply is then fixed to ceiling section clad with 12mm thick fluted MDF board of approved design finished with two or more coats of duco paint over one coat of sealer (GLO make) on to the framework finished with high gloss paint of approved shade. Screw fixing shall be done mechanically either with screw driver or drilling machine with suitable attachment. All exposed woodwork / veneer to be melamine polished. All complete as per approval of Engineer in Charge / Architect.</p>	SQM	20		
23	<p>Silhouette Grid ceiling (1st floor and Conference room): Providing and fixing suspended false ceiling with 600x600 mm size & 15/16mm thick acoustical suspended ceiling system dune max micro look edge tiles with armstrong silhouette exposed grid. The item to include cost of making necessary cut-outs for lights/air-conditioning grills as per design direction by bank. Make: Amrstrong</p>	SQM	230		
24	<p>False ceiling (Recreational room): Providing and fixing suspended false ceiling with 600x600 mm size & 12mm thick mineral fiber ceiling tiles of Armstrong dune or approved make. Suspender, frame work as per manufacturer's specifications. The item to include cost of making necessary cut-outs for lights/air-conditioning grills as per design direction by bank. Rate includes removal of existing furniture.</p>	SQM	60		
25	<p>VERTICAL BLINDS: Providing & fixing in place 100 mm. Vertical blinds with scotch guard of approved make, quality and colour shade & pattern. Rate shall include necessary fittings, scotch guard treatment on both sides etc. complete. The overlaps should be uniform & adequate.</p>	SQM	26		
26	<p>Storage under Kitchen Slab: Providing and fixing storage units of size 600 mm x 850 mm x 4000 mm , made up of 19 mm thick block board of approved brand on top & vertical support and finished with not less than 1 mm thick laminate of approved brand on side and top. The storage units shall have openable/sliding shutters made up of 19mm thick plywood and finished in 1 mm thick laminate of approved shade. The storage units shall have intermediate horizontal and vertical shelves made in 19 mm thick plywood. All exposed edges to have teak wood lipping/bidding of requierd size, stained to match the desk and melamine finished. All inner surface to be finished with mat finish 0.8 mm laminate. The works to include all hardwares such as: castors, brass hinges, ball catchers, handles etc. of Godrej or approved make. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/ or equivalent</p>	SQM	8		

27	<p>Six seater Dining Table with chairs: Supplying and Providing Six seater Dining Table of size 2100mm x 1200mm x 750 mm height along with 6 nos chairs of approved design. Top shall be made of 18 mm thick plywood with additional 18mm thick Ply wood patta of required width on edges with 1.0 mm thick laminate on top of approved shade and brand. Exposed edge to be finished with teak wood beading of required size. Supports of the Table shall be made of wooden members of required size in a Design as directed. All surfaces not laminated shall be lacquer polished. Ply/Block Board Make: MR Grade of Century/ Green/Archidply or equivalent. Laminate Make: Greenlam/Centurylam/Archidlam or equivalent. Wooden support: 1st class Local wood.</p>	Each	3		
28	<p>THREE SEATER SOFA SET: 3 seater Sofa Specification- Size- H- 840 mm, L- 2100 mm, D- 800 mm . Structure made of 19 mm thick block board, fitted with 50mm wide rubberized belts 50mm wide with 28 density U foam as per design, Upholstered with premium quality PU cloth/Leatherite with help of stitching, where ever necessary. Handle made of 19 mm block Board With PU Paint. The overall appearance of the product shall be as per Design. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent.</p>	NOS	4		
29	<p>CENTER TABLE: Supplying of Godrej Interio Arbor Engineered Wood Coffee Table (Finish Color - Remini Walnut, Knock Down) Particle Board Engineered Wood Size (W x H x D) 1200mm x 450 mm x 600mm</p>	Each	2		
Total for Interior furniture work					
NOTE :The cost is exclusive of statutory taxes (GST)on work contract					