

STATE BANK OF INDIA					
PROPOSED INTERIOR WORKS FOR MAIN BRANCH VINUKONDA					
BILL OF QUANTITIES - INTERIOR WORKS					
Banks Uniform Layout Policy Colour Scheme to be followed.					
All contractors are requested to understand the uniform layout policy colour scheme and the specifications of the SBI before quoting the rates. They are also advised to see and understand some branches where Interior already done and approved by the bank.					
S. No.	Description	Qty	Unit	Rate	Amount
	Note: All the BWP Ply is used - IS 710 Grade				
1	Low Level Partition - Laminate Finish				
	Providing and fixing low level partition 1200mm high to detail for SINGLE WINDOW COUNTERS.				
	Aluminium frame work of 50 x 50mm x 1.2 mm thick at about 600mm centres vertically and 3 Nos. horizontally of the same section at floor level, 750mm level and top level. 9mm thick BWP ply finished with 1mm thick laminate of approved colour and shade with grooves on both side. Top of the partition finished with 12mm thick acrylic solid surface (Staron - Bright White - BW010) of approved colour.In middle portion 1200x300mm high.12mm thick clear float glass with necessary 3M etching and fixed with 12mm acrylic solid surface beading support of approved colour (Staron - Bright White - BW010)				
	Partition on rear similar to side Partition but solid Partition with one door shutter for each Cubical for 750mm width and 1200mm height similar to door shutter item. 12mm thick Toughed glass to be fixed front side of the Partition to shape with necessary 12mm thick acrylic solid surface beading support.(Staron - Bright White - BW010)				
	All concealed faces of BWP ply finished with one coat of wood preservative paint to the satisfaction of the Client/ Architect.	40.00	Sqm		
2	Solid Partition - Laminate Finish				
	Providing and fixing double skin full height partition to detail.				
	(a) Frame work: Aluminium frames of 50 x 50 mm x1.2mm thick , vertically at about 600mm centres varied along columns wall ends, junctions of walls, as necessary. The vertical frames fixed to soffit of slab with necessary screws, MS clamps, rawl plugs, expansion fasteners, etc., complete.The alternative Vertical frames fixed to soffit of slab with necessary arrangements.				
	(b) Lining Work: 9 mm BWP ply on both sides of framework from floor level to false ceiling level and to be finished with 1mm thick laminate of approved colour and shade on both sides including necessary grooves and 12mm thick ASS beadings.(Staron - Bright White - BW010)				
	All concealed faces of BWP ply finished with one coat of wood preservative paint to the satisfaction of the Client/ Architect.				
	Note: Measurement for the partition area shall be considered from floor level to false ceiling level only. If level variation in both sides of partition height the Average height only considered for payment	63.00	Sqm		
3	Solid Partition - One side Laminate and Other Side Calcium Silicate Board Finish				
	Providing and fixing double skin full height partition to detail.				
	(a) Frame work: Aluminium frames of 50 x 50 mm x1.2mm thick , vertically at about 600mm centres varied along columns wall ends, junctions of walls, as necessary. The vertical frames fixed to soffit of slab with necessary screws, MS clamps, rawl plugs, expansion fasteners, etc., complete.The alternative Vertical frames fixed to soffit of slab with necessary arrangements.				
	(b) Lining Work: 9 mm BWP ply on one side and other side 8mm thick Calcium Silicate Board / Hi-Lux Board. The framework from floor level to ceiling / false ceiling level and to be finished with 1mm thick Laminate on one side and two or more coats of acrylic emulsion paint including necessary putty finish on other side including necessary grooves.				
	All concealed faces of BWP ply finished with one coat of wood preservative paint to the satisfaction of the Client/ Architect.				
	Note: Measurement for the partition area shall be considered from floor level to false ceiling level only. If level variation in both sides of partition height the Average height only considered for payment.	8.00	Sqm		

S. No.	Description	Qty	Unit	Rate	Amount
4	Partly Glazed & Partly Panelled Partition - Laminate Finish				
	Providing and fixing double skin partition, partly panelled and partly glazed to detail comprising.				
	(a) Frame work: Aluminium frames of 50 x 50mm x 1.2mm thick, vertically at about 600mm centres varied along columns wall ends, junctions of walls, as necessary. Horizontally of same size of frame at floor level. The vertical frames fixed to soffit of slab with necessary screws, MS clamps, rawl plugs, expansion fasteners, etc., complete.				
	(b) Lining Work: 9mm Tk. BWP ply on both sides of frame work from floor level to 900 mm level and 2400 mm level to false ceiling level finished with 1mm thick laminate finish on both side of approved colour and shade. 8mm thick clear float glass with 3M etching fixed over ASS beadings (Staron - Bright White - BW010) of size 35 x 10mm thick all around the glass panels.				
	All concealed faces of BWP ply should be finished with one coat of wood preservative paint to the satisfaction of the Client/ Architect.				
	Note: Measurement for the partition area shall be considered from floor level to false ceiling level only. If level variation in both sides of partition height the Average height only considered for payment	66.00	Sqm		
5	Fully Glazed - Fixed Glass Partition				
	Providing and fixing frameless fully galzed partitions with 12mm thick Toughened glass using PT Standard fittings like PT 90/PT 92 of Dorma or approved Equivalent make at the top and bottom including cutting, making holes in glass and fixing the fittings in floors, ceilings etc and making the same good with necessary screws, 3M etching, sealants wherever required.	27.00	sqm		
6	Entrance Door				
	Providing and fixing frameless fully glazed 12mm thk toughened float glass fixed with necessary patch fittings(Dorma make) including cutting, making holes, cutouts in the glass of required shape and size to accommodate fittings and fixing the fittings in floors, soffits, jams including necessary fixtures, screws, sealent wherever required and SS cover over patch fittings. Rate shall include 3M etching film / LOGO, approved patch fitting locking systems, 1 pair of 1000mm long S. S. (C Shape) Handles of approved make, floor springs, and any necessary hardware items.(Dorma Make Top Pivot - PT 24, Top Patch Fittings - PT 20, Bottom Patch fittings - PT 10, Floor Spring - BTS 75 V, Centre Lock US-20, Handle - TG DIH1000 - 38mm dia X 1000mm length	8.00	sqm		
7	Partly Glazed & Partly Panelled Door without Frame - Laminate Finish				
	Providing and fixing partly panelled and partly glazed door in partition, 37mm thick (finished) flush shutter finished with 1mm thick laminate of approved colour & shade on both sides with necessary grooves. 8mm thick clear float glass with necessary ASS beadings (Staron - Bright White - BW010) and 3M etching. Dorma Make or equivalent make hardware fittings like locking arrangements (dead lock) 22mm dia and 230mm high C shape SS brush finish handles on both sides, door closer, SS heavy duty door stopper, hinges, etc., to be fixed to the shutters.	8.00	Sqm		
8	Flush Door without Frame - One Side Laminate and Other Side Veneer Finish				
	Providing and fixing Flush door without frame made out of 37mm thick (finished) flush shutters in single leaf with external lipping, phenol formaldehyde bonding and finished with 4mm thick Veneer with melamine polish of approved colour & shade on one side and 1mm tk. laminate on other side with necessary grooves. Dorma Make or equivalent make hardware fittings like locking arrangements (dead lock), 22mm dia & 230mm high SS brush finish handles on both sides, door closer, Hinges, Door stopper, etc. fixed to the shutters. (Basic Cost of Veneer - 1000/sqm)	3.00	Sqm		

S. No.	Description	Qty	Unit	Rate	Amount
9	Partly Glazed & Partly Panelled Door with Frame - Laminate Finish				
	Providing and fixing partly panelled and partly glazed door in partition, 37mm thick (finished) flush shutter finished with 1mm thick laminate of approved colour & shade on both sides with necessary grooves. 8mm thick clear float glass with necessary ASS beadings (Staron - Bright White - BW010) and 3M etching. Dorma Make or equivalent hardware fittings like locking arrangements (dead lock) 22mm dia and 230mm high C shape SS brush finish handles, door closer, SS heavy duty door stopper, hinges, etc., to be fixed to the shutters.	5.00	Sqm		
10	Flush Door with Frame - Laminate Finish				
	Providing and fixing Flush Door with Frame to detail, 2nd class T.W. Frame of size 100x50mm finished with two or more coats of Enamel paint over a coat of primer. 37mm thick (finished) flush shutters in single leaf with external lipping, phenol formaldehyde bonding and finished with 1mm thick laminate of approved colour & shade on both side with necessary grooves. Dorma Make or equivalent make hardware fittings like locking arrangements (dead lock), 22mm dia & 230mm high SS brush finish handles, door closer, Hinges, Door stopper, etc. fixed to the shutters.	8.00	Sqm		
11	2Hrs Fire Rated Door				
	Providing and fixing fire resistant un insulated two hours Fire rated steel door (Sakthi mat door or approved equivalent make) of double rebate steel frame profile of size 145 x 55mm with bending radius of 1.2 mm made up of 1.2 mm thk galvanized sheet conforming to IS 277. The frames shall have provision for nos. anchor bolt fasteners on each vertical jamb, 3mm thk hinge back plate pre-drilled to receive hinge screw. The frame shall be in three pieces bolted at top.				
	The frame shall be primed with zinc phosphate stoving primer and finished with synthetic enamel paint of approved colour. The steel door shutter shall be constructed out of 1mm thk galvanized steel conforming to IS 277 with fully flushed double skin door having interlock seam arrangement at stile.				
	(Rate to include for lock, handles on both side and push plate of 150 x 200 mm and door closure). The door construction shall be fire retardent & heat insulation suitable for stability, integrity with two hours fire rating, type tested at CBRI Rookee as per IS 3614 (Part II) and BS 476 (Part 20). The thk of the shutter shall be 46 mm. The shutter shall be primed with zinc phosphate stoving primer and finished with synthetic enamel paint of approve make of the fire rated vision panel of size 200 x 300 mm using imported make "Pyron" make fire rated glass.				
	900 / 1000 / 1050 x 2100mm - Single leaf door	1.00	Nos.		
12	Gypsum Board False Ceiling				
	Providing and fixing in position M / F suspended false ceiling to details per drawing with GI frame work and 12.5mm tapered type gyp board panels to form grids of 457mm x 1220mm as per manufacturer's specification including provision for stepped shaped ceiling for light trough comprising.				
	Frame work of intermediate channels (M.F.T.) at 1220mm centres along one direction M/F ceiling section MF5 at 457mm centres along other direction. Perimeter channels (MF 6A) along walls alround perimeter side of the ceiling, all to detail as per drawing.				
	The intermediate channels suspended from ceiling, through strap hangers 25 x 0.5mm (MF 8) at 1220mm centres connected to soffit cleats P534 (27 x 37 x 25 x 1.6mm) the cleats connected to ceiling through metal expansion rawl plugs 12mm dia and 17/16" long with necessary bolts and nuts etc., all connected with additional perimeter channels (MF 6A) for openings for light fixtures, AC ducts, vertical drops, offsets etc., wherever necessary all to detail and as per direction.				
	12.5mm thick gyp board with tapered edges fixed to underside of suspended grid with 25mm screws to form grids of 457mm x 1220mm varied along wall ends etc. including Architectural boxing, design and painting the underside of gyp board with 2 coats of plastic emulsion paint of approved colour over a coat primer etc., complete. Note: Flate surface only consider for Payment, vertical surface not consider for measurement.	100.00	Sqm		
13	Mineral Fibre Board False Ceiling (Silhouette Exposed Grid)				

S. No.	Description	Qty	Unit	Rate	Amount
	Providing & Fixing Of Armstrong or equivalent make Mineral Fibre Acoustical Suspended Ceiling System With Fine Fissured / Pin hole / real sand / false sand acoustic mineral fibre ceiling board With Armstrong Silhouette Exposed Grid . Silhouette, Main Runners & Cross Tees to have mitred ends & "birdsmouth" notches to provide mitred cruciform junctions. The tile shall be laid on Armstrong Silhouette profile grid system with 15mm white flanges incorporating a 6mm central reveal in white/black colour and with a web height of 45mm and a load carrying capacity of minimum 15.68 Kgs/M2.	253.00	Sqm		
14	Ply False Ceiling - Veneer Finish				
	Providing and fixing ply box false ceiling with 19mm thick BWP Ply finished with 4mm thick Veneer of approved colour and shade with melamine Polish. The frame work comprising of 19mm BWP ply at 450mm centre to centre both ways and the grid to be suspended by 8 gauge GI wire from roof slab by anchor fasteners to the slab and level adjuster clip GI wire. (Basic Cost of Veneer - 1000/sqm)	3.00	Sqm		
15	BM table - Veneer Finish				
	Providing and fixing AGM table of size 1800 x 900 x 750mm high to detail. Comprising table top made out of 25mm thick BWP ply with stiffener of 9mm thick BWP ply for 100mm wide below the table .				
	Table front modesty,side and drawer made out of 19mm thick BWP Ply and finished with 4mm thick Veneer of approved colour and shade with melamine Polish.				
	Foot rest cum CPU stand of required length with 19mm BWP Ply finished with 0.8mm thick laminate.				
	Keyboard tray made out of 19 mm thick BWP ply finished with 4mm thick veneer of approved colour and shade with melamine polish. 50mm Dia SS brush finish wire manager of approved quality .				
	One set of 4 drawers about 450mm wide, 712.5mm high supported with 19mm BWP ply at bottom, sides and rear. 4 nos. of drawers out of which 3 nos. of equal height and 1no. drawer at the top most of 75mm high made out of 12mm thick BWP ply.Drawer front panel made out of 19mm thick BWP Ply finished with 4mm tk. Veneer with melamine Polish and necessary 2nd class teak wood lipping, telescopic drawer slides, Individual locking arrangements, 100mm long brush finish SS handles, etc., complete.				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of 2nd class beadings finished with melamine polish to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.(Basic Cost of Veneer - 1000/sqm). Rate should be inclusive of 12mm tk. Toughened Glass Top to shape over the table .	1.00	No		
16	CO Table (6'-0"x3'-0")				
	Providing and fixing CM,CO Table of size 1800 x 900 x 750mm high to detail. Comprising table top made out of 19mm thick BWP ply with stiffener of 12mm thick BWP Ply 100 wide below the table.				
	Table top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010)with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate Table modesty finished with 1mm thick laminate of approved colour and shade.				
	Foot rest cum CPU stand of required length with same 19 mm BWP Ply finished with 0.8mm thick laminate.				
	Keyboard tray made out of 19mm BWP ply finished with 1mm thick laminate of approved colour and shade. 50mm Dia SS brush finish wire manager of approved quality .				
	One set of 4 drawers about 450mm wide, 712.5mm high supported with 19mm BWP ply at bottom, sides and rear. 4 nos. of drawers out of which 3 nos. of equal height and 1no. drawer at the top most of 75mm high made out of 12mm thick BWP ply.Drawer front panel made out of 19mm thick BWP Ply with post forming edge on both side with necessary 2nd class teak wood lipping telescopic drawer slides, Individual locking arrangements, 100mm long brush finish SS handles, etc., complete.				

S. No.	Description	Qty	Unit	Rate	Amount
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco Paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	1.00	Nos		
17	Officer Table (5'-6"x2'-6")				
	Providing and fixing Officer Table of size 1650 x 750 x 750mm high to detail. Comprising table top made out of 19mm thick BWP ply with stiffener of 12mm thick BWP Ply 100 wide below the table.				
	Table top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010) with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate Table modesty finished with 1mm thick laminate of approved colour and shade.				
	Foot rest cum CPU stand of required length with same 19 mm com. Ply finished with 0.8mm thick laminate.				
	Keyboard tray made out of 19mm BWP ply finished with 1mm thick laminate of approved colour and shade. 50mm Dia SS brush finish wire manager of approved quality .				
	One set of 4 drawers about 450mm wide, 712.5mm high supported with 19mm BWP ply at bottom, sides and rear. 4 nos. of drawers out of which 3 nos. of equal height and 1no. drawer at the top most of 75mm high made out of 12mm thick BWP ply.Drawer front panel made out of 19mm thick BWP Ply with post forming edge on both side with necessary 2nd class teak wood lipping telescopic drawer slides, Individual locking arrangements, 100mm long brush finish SS handles, etc., complete.				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco Paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	5.00	Nos		
18	Single Window Counter Table				
	Providing and fixing Single window system counter of size about 1650mm width and 2100mm depth comprising.				
	Counter top at front, 1650mm width and 900mm depth at about 750mm level made out of 19mm BWP ply and stiffener of 12mm thick BWP ply for 100mm width finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010) with edge nosing of approved colour and shade including front modesty to shape as per the SBI Standard Design.				
	12mm thick Toughened glass with 3M etching is fixed with 12mm thick acrylic solid surface beading.				
	Side of the table 450mm wide one storage unit to be provided similar as Low level storage item but Top surface should be finished with 6mm thick acrylic solid surface with edge nosing.				
	One set of 3 drawers about 450mm width, 712.5mm height and 600mm deep supported with 19mm BWP ply at bottom, sides and rear. Drawers 3 Nos. of which 2 Nos. of equal height and 1 No. drawer at the bottom of 230mm height made out of 12mm thick BWP ply for sides, rear, bottom and face of drawer with 19mm BWP ply and finished with 1mm thick laminate of approved colour and shade with necessary 2nd class teak wood lipping, telescopic drawer slides,Individual automatic locking arrangement, 100mm long brush finish SS handles, etc., complete. Top two cash draw should be arranged with provisional for denomination with 9mm thick BWP ply and finished with 1mm thick laminate.Rate should be inclusive of automatic locks for all drawer.				
	Keyboard tray made out of 19 mm BWP ply finished with 1mm thick laminate of approved colour and shade. 50mm Dia SS brush finish wire manager of approved quality .				
	Foot rest cum CPU Stand of required length with 19mm thick BWP ply and finished with 0.8mm thick laminate of approved colour and shade.				
	All concealed faces of BWP ply finished wood with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.				
	The rate should inclusive of automatic locks for all drawers, key board trays, Telescopic drawer slides, 100mm SS brush finish handle with necessary hardware fittings etc., complete.	4.00	Nos		

S. No.	Description	Qty	Unit	Rate	Amount
19	Clerical Table				
	Providing and fixing Clerical Table of size 1350 x 675 x 750mm high to detail. Comprising table top made out of 19mm thick BWP ply with stiffner of 12mm thick BWP Ply 100 wide below the table.				
	Table top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010) with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate Table modesty finished with 1mm thick laminate of approved colour and shade.				
	Foot rest cum CPU stand of required length with same 19 mm com. Ply finished with 0.8mm thick laminate.				
	Keyboard tray made out of 19mm BWP ply finished with 1mm thick laminate of approved colour and shade. 50mm Dia SS brush finish wire manager of approved quality .				
	One set of 4 drawers about 450mm wide, 712.5mm high supported with 19mm BWP ply at bottom, sides and rear. 4 nos. of drawers out of which 3 nos. of equal height and 1no. drawer at the top most of 75mm high made out of 12mm thick BWP ply.Drawer front panel made out of 19mm thick BWP Ply with post forming edge on both side with necessary 2nd class teak wood lipping telescopic drawer slides, Individual locking arrangements, 100mm long brush finish SS handles, etc., complete.				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco Paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	2.00	No		
20	Crossing Selling Table				
	Providing and fixing Cross selling table of size 1200 x 600 x 750mm high to detail . Comprising table top out of 19mm thick BWP ply with stiffner of 12mm thick BWP Ply 100 wide below the table.				
	Table top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010) with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate Table modesty finished with 1mm thick laminate of approved colour and shade.				
	1 drawers about 300mm wide, 75mm high and 600mm deep to shape supported with 19mm BWP ply at bottom, sides and rear finished with 1mm thick laminate at front side with necessary teak wood lipping telescopic drawer slides, locking arrangements, 100mm long brush finish SS handles, etc., complete.				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco Paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	2.00	No		
21	Discussion Table				
	Providing and fixing Discussion Table of size 1350x675x750mm high . Comprising table top made out of 19mm BWP ply with 12mm tk.stiffner of same BWP ply for 100mm wide below the table				
	Table top finished with 6mm Thick Acrylic Solid Surface with edge nosing of approved colour and shade.				
	The table supported by 2nos. of 100 mm x 250 mm 19 mm thick BWP.ply Boxing and inter connected with 100 x 150mm same ply boxing at center and finished with 1mm thick laminate of approved colour and shade .				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with two or more coats of duco paint to the satisfaction of the Bank. The inside faces should be finished with 0.8mm thk Laminte of approved colour and shade	1.00	No		
22	Grahakmitra Table				
	Providing and fixing Grahakmitra table to shape of overall size about 1500 mm X 675mm X 750 mm comprising table top as made of 19 mm thick BWP ply and stiffner of 12 mm thick BWP ply for 100 mm width, finished with 6 mm thick acrylic solid surface (Staron - Bright White - BW010) with edge nosing of approved colour and shade.				

S. No.	Description	Qty	Unit	Rate	Amount
	Table Modesty finished with 1mm thick Designer laminate of approved colour and shade on front and side. The table is supported at front, sides and drawers with 19 mm thick BWP ply and finished with 1 mm laminate of approved colour and shade.				
	75mm thick and 1050mm high 19mm thick BWP Boxing all around three sides finished with 1mm thick laminate. In fornt, 600mm width and 1150mm high additional 19mm thick BWP Ply finished with 1mm thick laminate.				
	Foot rest cum CPU stand of required length with same 19 mm thick BWP ply finished with 0.8mm tk. laminate.				
	Keyboard tray made out of 19 mm BWP ply finished with 1mm thick laminate of approved colour and shade. 50mm Dia SS brush finish wire manager of approved quality .				
	All concealed faces of BWP ply finished wood with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	1.00	No		
23	Running Table				
	Providing and fixing RunningTable of size 3600 x 600 x 750mm high to detail . Comprising table top out of 19mm thick BWP ply with stiffner of 12mm thick BWP Ply 100 wide below the table.				
	Table top finished with 6mm thick acrylic solid surface with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate of approved colour and shade.				
	Foot rest cum CPU stand of required length with same 19mm BWP ply.				
	One set of 4 drawers about 450mm wide, 712.5mm high and 600mm deep to shape supported with 19mm BWP ply at bottom, sides and rear. 4 nos. of drawers out of which 3 nos. of equal height and 1no. drawer at the top most of 75mm high made out of 12mm thick BWP ply finished with 1mm thick laminate at front side with necessary teak wood lipping telescopic drawer slides,Individual locking arrangements, 100mm long brush finish SS handles, etc., complete.				
	All concealed faces of BWP ply finished wood with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	5.00	Rm		
24	BM TABLE Side Unit (4'-0"x1'-6") - Veneer Finish				
	Providing and fixing side unit for AGM to detail of size 1200mm x 450mmx750mm, Comprising side unit top made out of 25mm thick BWP ply with stiffner of 9mm thick BWP ply for 100mm wide below the side unit. 19mm tk. BWP ply bottom,rear,sides and one intermediate with necessary S S bracket and finished with 4mm tk. Veneer of approved colour and shade with melamine polish. Side hung shutter in both the panels using 19mm tk. BWP ply with 2nd class TW beading including box type hinges,locking arrangements,100mm long s s brush finish handles, tower bolts,ball catches, etc., complete.				
	Side Unit top finished with 4mm thick Veneer with 37mm tk. 2nd class TW beading with melamine polish..				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of 2nd class beadings finished with melamine polish to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.(Basic Cost of Veneer - 1000/sqm). Rate should be inclusive of 12mm tk. Toughened Glass Top to shape over the side unit.	1.00	No		
25	CO Table Side Unit (3'-6"x1'-6") - Laminate Finish				
	Providing and fixing side unit for CM, CO to detail of size 1050mm x 450mm x750mm, 19mm thick BWP ply with stiffner of 12mm thick BWP Ply 100 wide below the side unit.19mm thick BWP ply bottom, rear, sides and One intermediate with necessary S S braket and finished with 1mm thick laminate approved colour and shade.Side hung shutter in both the panels using 19mm BWP ply with post forming edge finished with 1mm thick laminate of approved colour and shade, including Box type hinges, locking arrangement, 100mm long SS brush finish handles,, tower bolt, ball catch, etc., complete.				

S. No.	Description	Qty	Unit	Rate	Amount
	Side Unit top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010)with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco Paint to the satisfaction of the Client/ Architect.Storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	1.00	No		
26	Officer Table Side Unit (3'-0"x1'-6") - Laminate Finish				
	Providing and fixing side unit for CO/ RM PB to detail of size 1000mm x 450mm x750mm, 19mm thick BWP ply with stiffner of 12mm thick BWP Ply 100 wide below the side unit.19mm thick BWP ply bottom, rear, sides and One intermediate with necessary S S breaket and finished with 1mm thick laminate of approved colour and shade.Side hung shutter in both the panels using 19mm BWP ply with post forming edge finished with 1mm thick laminate of approved colour and shade, including Box type hinges, locking arrangement, 100mm long SS brush finish handles,, tower bolt, ball catch, etc., complete.				
	Side Unit top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010)with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR beadings finished with Duco Paint to the satisfaction of the Client/ Architect.Storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	5.00	Nos		
27	Low Level Storage - Veneer Finish				
	Providing and fixing low Height Storage to detail, about 450mm wide and 750mm high comprising.				
	25mm thick BWP ply with stiffner of 9mm thick BWP Ply 100 wide below the storage .19mm thick BWP ply bottom, rear, sides and One intermediate with necessary S S breaket and finished with 4mm thick Veneer with melamine polish of approved colour and shade.Side hung shutter in all the panels using 19mm BWP ply finished with 4mm thick Veneer with melamine polish of approved colour and shade, including Box type hinges, locking arrangement, 100mm long SS brush finish handles,, tower bolt, ball catch, etc., complete.				
	Storage Top,Side and Front portions finished with 4mm thick Veneer with 2nd class TW edge mouldingng with melamine polish of approved colour and shade.				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of TW beadings finished with two coats of melamine polish to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade. (Basic Cot of Veneer - 1000/sqm).	4.00	Sqm		
28	Low Level Storage - Laminate Finish				
	Providing and fixing low Height Storage to detail, about 450mm wide and 750mm high comprising.				
	19mm thick BWP ply with stiffner of 12mm thick BWP Ply 100 wide below the storage .19mm thick BWP ply bottom, rear, sides and One intermediate with necessary S S breaket and finished with 1mm thick laminate approved colour and shade.Side hung shutter in both the panels using 19mm BWP ply with post forming edge finished with 1mm thick laminate of approved colour and shade, including Box type hinges, locking arrangement, 100mm long SS brush finish handles,, tower bolt, ball catch, etc., complete.				
	Storage top finished with 6mm thick acrylic solid surface (Staron - Bright White - BW010) with edge nosing of approved colour and shade. On front and side of drawer finished with 1mm thick laminate				
	All concealed faces of BWP ply finished with one coat of wood preservative paint and exposed faces of HDMR. beadings finished with two coats of Duco paint to the satisfaction of the Client/ Architect. Table, Drawer, storage and cupboard inside should be finished with 0.8mm thick laminate of approved colour and shade.	18.00	Sqm		

S. No.	Description	Qty	Unit	Rate	Amount
29	Writing Ledge				
	Writing Desk Size 900 mm (3'-0") L x 380 mm (1'-3") depth x (900 mm + 150 mm) (3' + 6") ht. Vertical Sides and bottom shall be made out of 38mm (2X19) thick BWP grade plywood and back side 12 mm thick BWP ply wood with 1 mm Laminate on Top and Edges on all sides including inside divisions. Top shall be made from 12 mm thick toughend glass with polished edges, making different divisions by 12 mm thick glass and edges with 19 mm thick BWP plywood with laminate on both side for slips or forms as per detail drawing and instruction complete. Laminate to be provided on all visible surface	1.00	No		
30	Wall Panelling with Frame - Veneer Finish				
	Providing and fixing in position paneling to walls finished with Veneer comprising as under:-				
	Framework:- Made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columns in perfect line, level and plumb.				
	Finishing:- Providing & fixing 9 mm thick approved make BWP plywood to Aluminum framework finished with 4 mm thick approved quality and shade Veneer of approved pattern & design with melamine polish, including providing grooves, decorative mouldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge / Architect.				
	The rate should include cost of necessary hardware, making cutouts / openings for electrical conduits / cables, Switch boards, AC ducts etc., including providing necessary wooden/aluminum section members support at cutouts, doors/windows openings etc. complete as per drawings and as directed by the Engineer-in-charge at site.				
	(v) Applying 2 or more coats of melamine polish to exposed edges of panelling, moulded beadings etc. including preparation of surface, sealer coats etc. complete including wastage of material, if any, scaffolding for execution of work at all heights and locations etc. complete. (Basic Cost of Veneer - 1000/sqm).	19.00	Sqm		
31	Wall Panelling with Frame - Laminate Finish				
	Providing and fixing in position wooden paneling to walls finished with laminate comprising as under:-				
	Framework:- Made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columns in perfect line, level and plumb.				
	Panel Finishing:- Providing & fixing 9 mm thick approved make BWP plywood to Aluminum framework finished with 1mm thick laminate approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative mouldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge.				
	(iii) Providing approved quality, seasoned, full length, Teak Wood moulding 15 mm thick with adequate width as required at site, to all openings, cutouts etc duly polished with melamine polish complete as directed by the Engineerin- charge at site.				
	(iv) The rate should include cost of necessary hardware, making cutouts / openings for electrical conduits / cables, Switch boards, AC ducts etc., including providing necessary wooden/aluminum section members support at cutouts, doors/windows openings etc. complete as per drawings and as directed by the Engineer-in-charge at site.				
	(v) Applying 2 or more coats of melamine polish to exposed edges of panelling, moulded beadings etc. including preparation of surface, sealer coats etc. complete including wastage of material, if any, scaffolding for execution of work at all heights and locations etc. complete.	260.00	Sqm		
32	Ply Boxing				

S. No.	Description	Qty	Unit	Rate	Amount
	Providing and fixing Ply covering to detail, 19mm thick BWP .ply stiffener on horizontal and verticals at 600mm c/c on both ways fixed to wall with necessary screws, aluminium cleats, rawl plugs, etc., complete. 19mm BWP ply finished with 1mm laminate of approved colour and shade with necessary grooves and beading. All concealed faces of BWP ply painted with one coat of wood preservation paint before fixing.	10.00	Sqm		
33	Roller Blinds				
	Supplying and fixing of Blackout Roller blinds of Approved Make, Colour and shade with necessary fixing arrangements. (Basic cost of Blinds Rs.1200/sqm)	21.00	Sqm		
34	Showcase Boxing				
	Providing and fixing Showcase Boxing to detail, 19mm thick BWP ply finished with 4mm thick Veneer of approved colour and shade with melamine polish, grooves and 3 Nos of 12mm thick glass intermediate in each shelf. The Measurement will be considered for front surface only. (Basic Cost of Veneer - 1000/sqm)	2.00	Nos		
35	MDF CNC Trellies				
	Providing and fixing MDF CNC cutting Trellies to detail, 25mm thick Exterior Grade MDF Board to create the approved pattern and design in CNC cutting and finished with 2 or more coats of Melamine polish/Duco paint of approved colour and shade with necessary primer and putty.	4.00	Sqm		
36	Synthetic Enamel Paint				
	Painting with synthetic enamel paint of standard manufactureers for rolling shutters, collapsible gates, grills etc complete two coats.	250.00	Sqm		
37	ACP WORK WITH 3MM THICK AND FRAME WORK				
	ACP CLADDING WORKS: Providing and fixing ACP cladding white or Blue suiting to Banks uniform colour policy including fixing with suitable frame etc complete of standard quality and brand. Cost of Logo to be included wherever required. 3mm thick ACP sheets of banks approved quality and brand with supporting aluminium sections of 1.0MM thick banks approved aluminium partitions to be fixed at 3' center to centre and vertically and horizontally and suitably covering the edges. The work must include fixing a 3" thick embossed SBI LOGO of banks standard dimensions in a box frame as directed	60.00	Sqm		
39	SUGGESTION BOX				
	Suggestion box as per banks standard size, model in blue/ green laminate with locking arrangement.	2.00	Each		
NOTE:GST EXTRA					