

BOQ FOR ROOF WATER PROOFING TREATMENT OF TERRACE AT RBO-1 AND RBO-2 BUILDING WITH MS SAFETY RAILING WORK AT SBI Y.N. ROAD INDORE

Civil water proofing work

Sr. No.	Description of Item	Unit	Qty	In INR	
				Rate	Amount
	Terrace water proofing with MS Railing				
1	Providing and applying Dr. Fixit Roof seal Classic, a single-component, acrylic PU hybrid elastomeric waterproof coating over prepared RCC roof/terrace surfaces. The surface shall be thoroughly cleaned and all minor cracks, honeycombs and joints repaired prior to application. A self-primer coat followed by two coats of Dr. Fixit Roof seal Classic shall be applied as per the manufacturer's specifications to achieve the specified dry film thickness, forming a seamless, flexible, UV-resistant, crack-bridging, and waterproof membrane. The treatment shall include all labour, materials, surface preparation, application, curing, scaffolding (if required), and all incidental works complete, in accordance with the manufacturer's recommendations and work will be carried out through company approved applicator only as directed by the Engineer-in-Charge. Measurement shall be made on the finished treated surface area only.	Sqf	15700.00		
2	Crack filling of terrace with Pidilite component etc complete	Rft	2000.00		
3	Dismantalling the existing plaster with providing polymer plaster with cement mortar 1:3 and mixed with Dr Fixit water proofing Chemical etc complete	Sqf	650.00		
4	providing and laying PCC 1:2:4 Concreting in pillars for fixing vertical hollow pipe of MS Railing etc complete	Cuf	110.00		
5	Providing and making MS hollow pipe Railing with welding, transportation, welding rod etc with synthetic enamel painting of MS Railing etc	KG	3200.00		
			Total		
					GST Extra