












SCHEDULE OF FLOOR BEAMS - (CONCRETE GRADE, LBS)						
BEAM NO.	SIZE	ATH.		EXTRA		STIFFNESS
		REINFORCEMENT	CON. ALPH.	TOP SPALL	BOTTOM FLIPS	
		TOP	BOTTOM	CON. ALPH. (b)	REINFOR. ALPH.	SUPPORT
81	20x20x10	3-20#	3-20#	---	2-15#	2L 6X125 CC
82	20x20x10	---	---	---	2L 6X125 CC	2L 6X150 CC
83	20x20x10	3-20#	3-20#	2-16#	3-16#	2L 6X125 CC
84	20x20x10	3-20#	3-20#	---	3-20#	2L 6X125 CC
85	20x20x10	---	---	---	---	2L 6X150 CC
86	20x20x10	3-20#	3-20#	---	---	2L 6X150 CC

SCHEDULE OF THE BEAMS: (CONCRETE GRADE: M20)					
ID	SPAN	ALTH		STRUTS	
		REINFORCEMENT	CONTR. REINFORCEMENT	DISCOUNT STRUTS	IND STRUT
172	172	TOP	BOTTOM	IND STRUT	---
173	200x400	3-16#	2-12#	2-12#	2-16#@200.CC
174	200x400	3-16#	1-16#+1-12#	1-16#+1-12#	2-16#@150.CC
175	200x400	3-16#	2-12#	2-16#@175.CC	2-16#@200.CC
176	200x400	3-16#	2-12#	2-16#@150.CC	2-16#@200.CC

SCHEDULE OF SLABS: (CONCRETE GRADE: M40)			
		REINFORCEMENT	
SLAB NO.	THK.	ALONG SHORTER SPAN (A)	ALONG LONGER SPAN (B)
SLAB 1	150	8# @ 150 O.C.	8# @ 150 O.C.
SLAB 2	175	12# @ 100 O.C.	10# @ 150 O.C.
8# @ 200 O.C. (AT TOP)			

SCHEDULE OF ISOLATED COLUMN FOOTING: CONCRETE GRADE 4000				
MKD	SIZE	d1	d2	REINFORCEMENT
				d1 12 # @ 175 C/C 12 # @ 175 C/C
FG1	2000x2000	200	200	12 # @ 175 C/C 12 # @ 175 C/C

SCHEDULE OF COLUMN :

[illegible][illegible]